

Sample Number	Site Number	Horizon Depth cm	Coarse sand %	Fine Sand %	Silt %	Clay %	Loss on Acid Treatment %	1:5 Suspension			Total Soluble Salts % w/w	Chloride as NaCl %	Exchangeable Bases				Calcium:Magnesium Ratio	Percent Sodium	Sum of Four Cations meq/100g	Oxidisable Org. Carbon % w/w	Organic Matter % w/w	Moisture Retention	Dry Aggregate Dispersion	Remoulded Dispersion	Dry Aggregate Slaking	
								pH Water	pH Calcium Chloride	EC ds/m			Calcium meq/100g	Magnesium meq/100g	Sodium meq/100g	Potassium meq/100g										
1096/97	WW16	0-10	7.4	28.6	7.0	48.0	3.1	8.6	7.9	0.14	0.05		22.0	5.6	0.8	1.5	4.0	3.0	29.9	0.9	1.8	20.3	NLNL	NLNL	CO	
1097/97	WW16 g*	10-20	6.1	20.4	5.0	58.0	4.3	8.7	7.8	0.20	0.06		6.8	2.8	0.9	0.4	2.5	9.0	10.9			25.9	SLMD	CMCM	CO	
1098/97	WW16 h*	10-20	14.4	47.4	12.0	21.5	2.3	8.4	7.1	0.06	0.02		15.0	13.0	6.4	1.6	1.2	17.8	36.0			8.5	SLMD	CMCM	PA	
1099/97	WW16	20-40	4.6	15.7	8.0	62.5	1.6	8.7	7.5	0.25	0.07		13.0	14.0	8.4	1.6	1.0	23.0	37.0				STCM	STCM	CO	
1100/97	WW16	40-60						8.8	8.0	0.32	<0.05												STCM	STCM	CO	
1101/97	WW16	60-80						9.0	8.2	0.27	0.08												STCM	STCM	CO	
1102/97	WW16	80-130						9.3	8.5	0.74	0.22	0.07											STST	STST	CO	
1103/97	WW16	130-180						9.1	8.6	1.10	0.33	0.16											STST	STST	CO	
1104/97	WW17	0-15	41.2	47.8	2.0	4.0	1.0	6.9	6.5	0.10	0.03		3.1	0.4	0.1	0.1	7.8	3.0	3.7	0.7	1.4	4.7				
1105/97	WW17	15-40	39.9	54.1	2.5	1.5	0.1	5.7	4.9	<0.05	0.02		0.1	<0.1	<0.1	<0.1	1.0		0.4			1.0				
1106/97	WW17	40-47						6.1	5.0	<0.05	0.02															
1107/97	WW17	47-60	18.3	23.2	1.5	51.0	3.8	6.3	4.7	0.06	0.02		2.6	4.5	2.4	0.2	0.6	25.0	9.7				NLNL	CMCM	PA	
1108/97	WW17	60-85	25.2	28.3	1.5	40.5	3.1	6.4	5.0	0.10	0.03		2.4	5.2	2.7	0.2	0.5	26.0	10.5				NLNL	NLNL	PA	
1109/97	WW17	85-135						9.0	8.0	0.24	0.08		3.3	6.8	4.1	0.2	0.5	29.0	14.4				STCM	CMCM	CO	
1110/97	WW17	135-190						9.2	8.3	0.26	0.08												STCM	CMCM	CO	
1111/97	WW18	0-25	55.5	30.5	3.0	5.0	1.1	5.5	4.4	<0.05	0.02		0.5	0.1	0.1	0.1	5.0	13.0	0.9	0.6	1.1	3.7				
1112/97	WW18	25-42						6.1	4.8	<0.05	0.02		0.1	<0.1	0.1	<0.1	1.0		0.4							
1113/97	WW18	42-50	12.3	12.6	2.5	67.5	4.2	7.3	6.0	0.06	0.02		4.2	5.9	2.2	0.5	0.8	18.0	12.8				NLSL	CMCM	PA	
1114/97	WW18	50-85	16.7	14.5	1.5	62.0	3.5	6.9	6.0	0.09	0.03		2.6	6.4	1.9	0.4	0.4	17.0	11.3				NLNL	NLNL	PA	
1115/97	WW18	85-170						6.5	5.2	0.07	0.02		1.3	6.0	2.6	0.2	0.3	26.0	10.1				STCM	CMCM	CO	
1116/97	WW18	170-200						9.3	8.5	0.38	0.12												STCM	CMCM	CO	
1117/97	WW19	0-10	31.6	39.9	11.5	13.0	1.6	6.0	4.9	<0.05	0.02		2.0	1.2	0.3	0.4	1.7	8.0	3.9	1.3	2.5	6.7				
1118/97	WW19	10-30	32.9	46.6	11.0	8.0	-0.6	6.4	5.0	<0.05	0.02		1.0	0.4	0.1	0.1	2.5	7.0	1.6			2.8				
1119/97	WW19	30-45						6.8	6.1	<0.05	0.02															
1120/97	WW19	45-50	32.8	41.6	10.5	14.0	0.9	6.8	5.4	<0.05	0.02		1.2	1.1	0.3	0.1	1.1	12.0	2.7			5.2				
1121/97	WW19	50-75	5.6	6.8	2.0	79.0	5.3	6.8	5.5	0.06	0.02		6.2	8.5	2.8	0.4	0.8	16.0	17.9			28.7	NLNL	MDMD	PA	
1122/97	WW19	75-120						8.0	7.0	0.18	0.06		6.9	11.0	4.0	0.3	0.7	18.0	22.2				STST	STCM	CO	
1123/97	WW19	120+						8.8	7.9	0.29	0.09													STCM	STCM	CO