

Sample Number	Site Number	Horizon Depth cm	Coarse sand %	Fine Sand %	Silt %	Clay %	Loss on Acid Treatment %	1:5 Suspension			Total Soluble Salts % w/w	Chloride as NaCl %	Exchangeable Bases				Calcium:Magnesium Ratio	Percent Sodium	Sum of Four Cations meq/100g	Oxidisable Org. Carbon % w/w	Organic Matter % w/w	Moisture Retention	Dry Aggregate Dispersion	Remoulded Dispersion	Dry Aggregate Slaking		
								pH Water	pH Calcium Chloride	EC ds/m			Calcium meq/100g	Magnesium meq/100g	Sodium meq/100g	Potassium meq/100g											
1024/97	WW5	0-10	8.0	22.8	8.5	48.5	2.8	8.2	7.7	0.13	0.04		27.0	4.1	0.3	2.0	6.6	1.0	33.4	1.2	2.3	23.4	NLNL	NLNL	PA	PA	
1025/97	WW5	10-30	7.2	22.6	7.5	53.0	1.6	8.6	7.8	0.16	0.05		22.0	8.1	1.7	1.2	2.8	6.0	33.0			26.3	SLMD	MDST	PA	PA	
1026/97	WW5	30-45	7.4	21.7	7.0	54.0	1.3	9.1	8.2	0.24	0.08		17.0	12.0	4.8	1.2	1.5	14.0	35.0			29.2	SLMD	CMCM	PA	PA	
1027/97	WW5	45-60						9.5	8.5	0.42	0.13	<0.05											NLSL	STST	CO	CO	
1028/97	WW5	60-90						9.1	8.4	0.93	0.28	0.05	15.0	8.4	8.1	1.2	1.8	25.0	32.7				NLNL	NLNL	CO	CO	
1029/97	WW5	90-120						9.1	8.6	1.30	0.39	0.09	8.3	11.0	10.0	1.2	0.8	33.0	30.5				NLNL	SLSL	CO	CO	
1030/97	WW5	120-200						9.0	8.6	1.90	0.57	0.21											NLNL	SLSL	CO	CO	
1031/97	WW6	0-10	26.3	36.6	8.0	23.5	1.0	6.6	5.8	0.18	0.06		4.3	3.7	1.0	1.0	1.2	10.0	10.0	1.2	2.3	10.3	NLSL	STST	PA	PA	
1032/97	WW6	10-45	15.1	22.3	6.5	48.5	0.9	9.0	8.3	0.75	0.23	0.13	7.7	11.0	8.0	1.0	0.7	29.0	27.7			22.1	STCM	STCM	CO	CO	
1033/97	WW6	45-70	15.0	18.6	5.5	40.5	14.2	9.3	8.7	1.50	0.45	0.27	4.7	9.2	9.0	1.1	0.5	38.0	24.0			20.7	NLNL	NLSL	CO	CO	
1034/97	WW6	70-160						9.2	8.7	1.60	0.48	0.33	5.0	11.0	11.0	1.1	0.5	40.0	28.1				NLNL	NLNL	CO	CO	
1035/97	WW6	160+						9.2	8.7	1.60	0.48	0.31											NLNL	NLSL	CO	CO	
1037/97	WW7	0-10	26.1	48.4	3.5	15.0	1.1	6.1	5.1	0.09	0.03		2.4	1.7	0.5	0.5	1.5	10.0	5.1	2.0	3.8	8.4			CO	CO	
1038/97	WW7	12-30	20.5	37.6	3.0	34.0	0.6	8.6	7.7	0.16	0.05		6.7	6.9	1.9	1.3	1.0	12.0	16.8			15.3	STCM	STCM	CO	CO	
1039/97	WW7	30-50	23.4	36.8	2.0	30.5	3.8	9.3	8.4	0.22	0.07		7.4	7.5	2.4	1.3	1.0	13.0	18.6			15.5	STST	STST	CO	CO	
1040/97	WW7	50-100						10.0	9.0	0.52	0.16	<0.05											STCM	STCM	CO	CO	
1041/97	WW7	100+						9.9	9.0	0.47	0.14												STCM	STCM	CO	CO	
1042/97	WW8	0-10	36.6	48.6	3.5	5.0	1.2	5.5	4.7	0.11	0.04		1.4	0.3	0.2	0.2	4.7	10.0	2.1	1.9	3.6	6.3					
1043/97	WW8	10-25						6.6	5.6	<0.05	0.02		<0.1	<0.1	0.1	<0.1	1.0	0.4									
1044/97	WW8	25-40	26.3	32.5	3.0	35.0	0.2	8.1	6.7	0.10	0.03		2.8	4.4	3.0	0.8	0.7	28.0	11.0			13.8	CMCM	CMCM	CO	CO	
1045/97	WW8	40-70						9.0	7.7	0.18	0.06		3.6	6.3	4.6	1.3	0.6	30.0	15.8					STCM	STCM	CO	CO
1046/97	WW8	70-110	21.4	44.0	0.5	27.5	3.8	9.6	8.6	0.47	0.14	0.05										11.6	STCM	STCM	CO	CO	
1047/97	WW8	110-						9.2	8.5	0.62	0.19	0.09	2.9	10.0	9.2	1.0	0.3	40.0	23.1					SLCM	STCM	CO	CO