

7. Listing by Soil Type / Soil Property

Table 28.1 Alta clay loam

| Soil Type | Alta clay loam | | | | | | | | | | Soil Group | 5 | | Irrigation Area | RC | |
|---|------------------------|-----------|------|------|------|------|------|------------------------|------------|------|-------------------|------|------|------------------------|------|------|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 6 | 33.9 | 14.4 | 23.6 | 62.7 | 26.0 | 29.9 | 31.1 | 6 | 63.8 | 3.0 | 59.5 | 67.3 | 61.8 | 63.6 | 67.0 |
| Silt (% g/g) | 6 | 29.3 | 3.2 | 25.0 | 34.1 | 26.5 | 29.7 | 30.4 | 6 | 20.4 | 4.6 | 13.9 | 24.9 | 17.3 | 20.9 | 24.4 |
| Sand (% g/g) | 6 | 36.9 | 13.1 | 10.9 | 46.5 | 39.3 | 39.9 | 44.8 | 6 | 15.8 | 3.8 | 11.0 | 20.9 | 12.6 | 15.7 | 19.2 |
| Bulk density (g/cm ³) | 6 | 1.38 | 0.08 | 1.29 | 1.51 | 1.30 | 1.38 | 1.43 | 6 | 1.45 | 0.03 | 1.41 | 1.51 | 1.43 | 1.44 | 1.46 |
| Organic matter (% g/g) | 5 | 5.9 | 1.3 | 4.8 | 8.0 | 5.0 | 5.5 | 6.4 | 5 | 2.2 | 0.3 | 1.8 | 2.5 | 2.0 | 2.3 | 2.4 |
| Depth of horizon (mm) | 6 | 162 | 16.0 | 130 | 170 | 160 | 170 | 170 | 2 | 140 | | 110 | 170 | | | |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 5 | 0.45 | 0.12 | 0.31 | 0.64 | 0.38 | 0.44 | 0.51 | 5 | 0.42 | 0.16 | 0.24 | 0.64 | 0.29 | 0.4 | 0.55 |
| pH (H ₂ O) | 5 | 6.7 | 0.2 | 6.5 | 6.9 | 6.5 | 6.8 | 6.8 | 5 | 7.5 | 0.1 | 7.3 | 7.7 | 7.4 | 7.5 | 7.6 |
| pH (CaCl ₂) | 5 | 6.2 | 0.1 | 6.1 | 6.4 | 6.1 | 6.2 | 6.3 | 5 | 6.9 | 0.1 | 6.8 | 7.0 | 6.8 | 6.9 | 6.9 |
| Ca (meq/100g) | 5 | 8.8 | 1.0 | 7.8 | 9.8 | 7.8 | 9.2 | 9.6 | 5 | 8.7 | 1.2 | 6.7 | 9.9 | 8.4 | 8.9 | 9.4 |
| Mg (meq/100g) | 5 | 7.3 | 0.7 | 6.5 | 8.2 | 6.8 | 7.2 | 8.0 | 5 | 10.2 | 1.5 | 7.9 | 12.0 | 9.5 | 10.0 | 11.3 |
| Na (meq/100g) | 5 | 1.8 | 0.4 | 1.4 | 2.4 | 1.6 | 1.8 | 2.0 | 5 | 3.7 | 0.6 | 2.9 | 4.3 | 3.2 | 4.0 | 4.2 |
| K (meq/100g) | 5 | 1.1 | 0.3 | 0.8 | 1.4 | 0.9 | 0.9 | 1.3 | 5 | 2.0 | 0.3 | 1.8 | 2.6 | 1.9 | 1.9 | 2.2 |
| ESP | 5 | 9.6 | 2.3 | 7.6 | 13.6 | 8.3 | 9.0 | 10.5 | 5 | 15.2 | 2.5 | 10.9 | 17.2 | 14.1 | 16.1 | 16.7 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 5 | 38.7 | 26.2 | 15.8 | 82.5 | 20.7 | 32.6 | 50.9 | 4 | 1.86 | 1.33 | 0.54 | 3.67 | 0.95 | 1.62 | 2.78 |
| Final infiltration rate (mm/hr) | | | | | | | | | 5 | 0.41 | 0.47 | 0.06 | 1.20 | 0.08 | 0.20 | 0.66 |
| Available water capacity (% cm ³ /cm ³) | 2 | 14.8 | | 10.6 | 18.9 | | | | 2 | 12.3 | | 10.9 | 13.8 | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 2 | 53.5 | | 53.1 | 53.8 | | | | 2 | 61.4 | | 61.3 | 61.5 | | | |
| 10 | 2 | 48.0 | | 47.3 | 48.7 | | | | 2 | 48.6 | | 45.1 | 52.1 | | | |
| 60 | 2 | 45.5 | | 44.0 | 47.0 | | | | 2 | 46.7 | | 43.6 | 49.9 | | | |
| 1500 | 2 | 33.2 | | 28.4 | 38.1 | | | | 2 | 36.3 | | 34.3 | 38.3 | | | |

Table 28.2 Boosey loam

| Soil Type | Boosey loam | | | | | | | Soil Group | | 6 | | Irrigation Area | | MV | | |
|---|------------------------|------------------|-----|------|------|------------|------------------------|-------------------|----|----|------|------------------------|------------------------|------------------------|------------------------|----|
| Soil Properties | Sampling Points | Horizon A | | | | | Sampling Points | Horizon B1 | | | | | Sampling Points | Sampling Points | Sampling Points | |
| | | Mean | Std | Min | Max | Percentile | | 25 | 50 | 75 | Mean | Std | | 25 | 50 | 75 |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 2 | 24.9 | | 17.7 | 32.2 | | | | | | 2 | 51.8 | | 51.3 | 52.3 | |
| Silt (% g/g) | 2 | 37.4 | | 36.7 | 38.1 | | | | | | 2 | 28.9 | | 28.3 | 29.5 | |
| Sand (% g/g) | 2 | 37.7 | | 31.1 | 44.3 | | | | | | 2 | 19.3 | | 18.2 | 20.5 | |
| Bulk density (g/cm ³) | 2 | 1.63 | | 1.61 | 1.65 | | | | | | 2 | 1.52 | | 1.47 | 1.57 | |
| Organic matter (% g/g) | 1 | 3.8 | | | | | | | | | 1 | 1.7 | | | | |
| Depth of horizon (mm) | 2 | 185 | | 180 | 190 | | | | | | 2 | 140 | | 120 | 160 | |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 1 | 0.13 | | | | | | | | | 1 | 0.09 | | | | |
| pH (H ₂ O) | 1 | 6.2 | | | | | | | | | 1 | 7.0 | | | | |
| pH (CaCl ₂) | 1 | 5.5 | | | | | | | | | 1 | 6.0 | | | | |
| Ca (meq/100g) | 1 | 6.2 | | | | | | | | | 1 | 7.5 | | | | |
| Mg (meq/100g) | 1 | 3.2 | | | | | | | | | 1 | 5.8 | | | | |
| Na (meq/100g) | 1 | 0.7 | | | | | | | | | 1 | 1.2 | | | | |
| K (meq/100g) | 1 | 0.2 | | | | | | | | | 1 | 0.5 | | | | |
| ESP | 1 | 7.2 | | | | | | | | | 1 | 8.0 | | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 2 | 11.6 | | 7.1 | 16.2 | | | | | | 2 | 0.24 | | 0.03 | 0.46 | |
| Final infiltration rate (mm/hr) | | | | | | | | | | | 1 | 0.42 | | | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 6.1 | | 5.5 | 6.7 | | | | | | 2 | 11.5 | | 10.4 | 12.5 | |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 2 | 40.5 | | 39.5 | 41.5 | | | | | | 2 | 43.3 | | 42.7 | 44.0 | |
| 10 | 2 | 37.4 | | 35.0 | 39.7 | | | | | | 2 | 41.9 | | 41.4 | 42.4 | |
| 60 | 2 | 34.3 | | 31.5 | 37.1 | | | | | | 2 | 39.7 | | 39.6 | 39.8 | |
| 1500 | 2 | 31.2 | | 29.5 | 33.0 | | | | | | 2 | 30.4 | | 29.9 | 31.0 | |

Table 28.3 Boosey loam friable phase

| Soil Type | Boosey loam friable phase | | | | | | | | | | | | Soil Group | 6 | | | Irrigation Area | MV | | |
|---|---------------------------|-----------|------|------|------|------|------|------------------------|------------|------|------|------|-------------------|------|------|------|------------------------|----|--|--|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | | | | | |
| Physical Properties | | | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 19.4 | 3.9 | 16.1 | 24.0 | 16.2 | 18.8 | 22.6 | 4 | 42.5 | 15.1 | 21.3 | 57.0 | 33.1 | 45.9 | 52.0 | | | | |
| Silt (% g/g) | 4 | 33.8 | 1.7 | 32.5 | 36.3 | 32.7 | 33.2 | 34.9 | 4 | 28.5 | 4.4 | 24.5 | 33.6 | 24.8 | 27.9 | 32.2 | | | | |
| Sand (% g/g) | 4 | 46.8 | 3.5 | 43.1 | 51.4 | 44.2 | 46.4 | 49.4 | 4 | 29.0 | 12.0 | 18.0 | 45.2 | 20.1 | 26.5 | 37.9 | | | | |
| Bulk density (g/cm ³) | 4 | 1.64 | 0.08 | 1.53 | 1.72 | 1.59 | 1.66 | 1.70 | 4 | 1.68 | 0.13 | 1.55 | 1.86 | 1.60 | 1.65 | 1.75 | | | | |
| Organic matter (% g/g) | 4 | 4.4 | 1.5 | 3.1 | 6.5 | 3.5 | 3.9 | 5.3 | 4 | 1.6 | 0.6 | 0.7 | 2.1 | 1.2 | 1.8 | 2.0 | | | | |
| Depth of horizon (mm) | 4 | 168 | 25 | 140 | 200 | 150 | 165 | 185 | 0 | | | | | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.08 | 0.03 | 0.04 | 0.12 | 0.06 | 0.08 | 0.1 | 4 | 0.07 | 0.02 | 0.04 | 0.09 | 0.05 | 0.07 | 0.08 | | | | |
| pH (H ₂ O) | 4 | 5.6 | 0.2 | 5.4 | 5.9 | 5.5 | 5.6 | 5.8 | 4 | 6.7 | 0.6 | 6.1 | 7.2 | 6.2 | 6.7 | 7.2 | | | | |
| pH (CaCl ₂) | 4 | 4.9 | 0.1 | 4.8 | 5.0 | 4.9 | 4.9 | 5.0 | 4 | 5.6 | 0.6 | 5.1 | 6.1 | 5.1 | 5.6 | 6.1 | | | | |
| Ca (meq/100g) | 4 | 5.0 | 0.5 | 4.5 | 5.7 | 4.6 | 4.8 | 5.3 | 4 | 5.5 | 1.6 | 3.2 | 6.5 | 4.5 | 6.1 | 6.5 | | | | |
| Mg (meq/100g) | 4 | 1.4 | 0.4 | 1.0 | 1.8 | 1.1 | 1.4 | 1.7 | 4 | 4.4 | 2.2 | 1.3 | 6.4 | 3.0 | 4.9 | 5.7 | | | | |
| Na (meq/100g) | 4 | 0.4 | 0.1 | 0.2 | 0.5 | 0.3 | 0.4 | 0.5 | 4 | 0.8 | 0.5 | 0.2 | 1.3 | 0.5 | 0.9 | 1.1 | | | | |
| K (meq/100g) | 4 | 0.3 | 0.1 | 0.2 | 0.5 | 0.2 | 0.3 | 0.4 | 4 | 0.6 | 0.3 | 0.2 | 1.0 | 0.3 | 0.6 | 0.8 | | | | |
| ESP | 4 | 5.5 | 1.5 | 3.3 | 6.4 | 4.6 | 6.1 | 6.3 | 4 | 6.7 | 2.1 | 3.7 | 8.6 | 5.5 | 7.3 | 8.0 | | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 9.7 | 1.5 | 8.3 | 11.0 | 8.4 | 9.7 | 10.9 | 0 | | | | | | | | | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 4 | 0.02 | 0.03 | 0.00 | 0.06 | 0.01 | 0.02 | 0.04 | | | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 13.9 | | 13.7 | 14.2 | | | | 2 | 14.7 | | 12.8 | 16.5 | | | | | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | | | |
| 0 | 2 | 43.7 | | 42.2 | 45.2 | | | | 2 | 43.8 | | 39.7 | 47.8 | | | | | | | |
| 10 | 2 | 39.9 | | 38.7 | 41.1 | | | | 2 | 38.3 | | 34.2 | 42.5 | | | | | | | |
| 60 | 2 | 36.1 | | 35.2 | 37.0 | | | | 2 | 33.6 | | 28.2 | 39.0 | | | | | | | |
| 1500 | 2 | 26.0 | | 25.1 | 26.9 | | | | 2 | 23.7 | | 17.6 | 29.8 | | | | | | | |

Table 28.4 Carag clay

| Soil Type | Soil Group 6 | | | | | Irrigation Area | | RC | | | | | | | | |
|---|-----------------|-----------|------|------|------|-----------------|-----------------|------------|-----|------|------|------------|------|------|------|------|
| Soil Properties | Sampling Points | Horizon A | | | | | Sampling Points | Horizon B1 | | | | | | | | |
| | | Mean | Std | Min | Max | Percentile | | Mean | Std | Min | Max | Percentile | | | | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 23.6 | 4.3 | 19.6 | 29.5 | 20.6 | 22.7 | 26.6 | 4 | 58.4 | 3.7 | 54.2 | 62.1 | 55.3 | 58.7 | 61.5 |
| Silt (% g/g) | 4 | 28.8 | 4.7 | 23.9 | 32.9 | 24.7 | 29.2 | 32.8 | 4 | 17.8 | 1.7 | 15.2 | 18.8 | 16.8 | 18.5 | 18.8 |
| Sand (% g/g) | 4 | 47.6 | 6.0 | 43.4 | 56.5 | 44.2 | 45.3 | 51.0 | 4 | 23.8 | 4.5 | 19.5 | 28.3 | 19.9 | 23.7 | 27.6 |
| Bulk density (g/cm ³) | 4 | 1.58 | 0.16 | 1.36 | 1.72 | 1.45 | 1.61 | 1.70 | 4 | 1.47 | 0.06 | 1.41 | 1.56 | 1.42 | 1.45 | 1.51 |
| Organic matter (% g/g) | 4 | 4.9 | 0.8 | 4.0 | 5.7 | 4.3 | 5.0 | 5.5 | 4 | 2.9 | 0.4 | 2.3 | 3.3 | 2.5 | 2.9 | 3.2 |
| Depth of horizon (mm) | 4 | 205 | 25.2 | 180 | 240 | 190 | 200 | 220 | 0 | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.1 | 0.01 | 0.08 | 0.11 | 0.09 | 0.1 | 0.11 | 4 | 0.11 | 0.03 | 0.07 | 0.14 | 0.08 | 0.11 | 0.13 |
| pH (H ₂ O) | 4 | 5.8 | 0.4 | 5.5 | 6.4 | 5.6 | 5.7 | 6.1 | 4 | 7.3 | 0.4 | 7.0 | 7.8 | 7.1 | 7.2 | 7.6 |
| pH (CaCl ₂) | 4 | 5.2 | 0.4 | 4.9 | 5.7 | 5.0 | 5.1 | 5.4 | 4 | 6.4 | 0.3 | 6.1 | 6.8 | 6.2 | 6.3 | 6.6 |
| Ca (meq/100g) | 4 | 5.4 | 1.5 | 4.1 | 7.0 | 4.2 | 5.3 | 6.7 | 4 | 7.6 | 0.5 | 7.0 | 8.2 | 7.3 | 7.6 | 7.9 |
| Mg (meq/100g) | 4 | 4.2 | 1.2 | 3.2 | 5.7 | 3.3 | 3.9 | 5.1 | 4 | 9.8 | 1.1 | 8.4 | 11.0 | 9.1 | 9.9 | 10.5 |
| Na (meq/100g) | 4 | 0.6 | 0.2 | 0.4 | 0.8 | 0.4 | 0.5 | 0.7 | 4 | 1.6 | 0.6 | 1.0 | 2.2 | 1.1 | 1.7 | 2.2 |
| K (meq/100g) | 4 | 0.4 | 0.2 | 0.3 | 0.7 | 0.3 | 0.4 | 0.6 | 4 | 0.8 | 0.4 | 0.4 | 1.3 | 0.5 | 0.8 | 1.1 |
| ESP | 4 | 5.3 | 1.2 | 4.2 | 6.7 | 4.3 | 5.1 | 6.2 | 4 | 8.0 | 2.6 | 5.3 | 10.4 | 5.8 | 8.2 | 10.2 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 21.0 | 9.6 | 12.8 | 30.1 | 12.8 | 20.7 | 29.3 | 4 | 0.95 | 0.34 | 0.44 | 1.14 | 0.76 | 1.11 | 1.14 |
| Final infiltration rate (mm/hr) | | | | | | | | | 4 | 0.03 | 0.02 | 0.01 | 0.05 | 0.01 | 0.03 | 0.05 |
| Available water capacity (% cm ³ /cm ³) | 2 | 15.7 | | 15.0 | 16.3 | | | | 2 | 15.6 | | 15.5 | 15.7 | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 2 | 50.2 | | 48.0 | 52.4 | | | | 2 | 59.9 | | 59.9 | 60.0 | | | |
| 10 | 2 | 44.0 | | 41.3 | 46.8 | | | | 2 | 53.6 | | 53.6 | 53.6 | | | |
| 60 | 2 | 40.2 | | 36.9 | 43.6 | | | | 2 | 49.5 | | 48.3 | 50.6 | | | |
| 1500 | 2 | 28.4 | | 24.9 | 31.8 | | | | 2 | 38.0 | | 37.9 | 38.1 | | | |

Table 28.5 Cobram loam

| Soil Type | Cobram loam | | | | | | | | | | | | | | | |
|---|------------------------|-------------|------------|------------|------------------------|-----------|-----------|------------------------|-------------------|------------|------------|------------|-------------------|-----------|-----------|------|
| | Soil Group 2 | | | | Irrigation Area | | | | MV | | | | | | | |
| Soil Properties | Horizon A | | | | Percentile | | | Sampling Points | Horizon B1 | | | | Percentile | | | |
| | Sampling Points | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 12 | 18.1 | 9.2 | 4.8 | 38.6 | 11.0 | 17.8 | 23.5 | 12 | 36.3 | 11.3 | 14.8 | 50.4 | 26.9 | 37.4 | 47.0 |
| Silt (% g/g) | 12 | 32.1 | 6.5 | 24.7 | 48.2 | 27.5 | 31.1 | 35.0 | 12 | 25.0 | 5.6 | 15.4 | 34.0 | 21.2 | 25.3 | 27.6 |
| Sand (% g/g) | 12 | 49.8 | 11.5 | 32.1 | 70.1 | 43.4 | 48.5 | 57.8 | 12 | 38.7 | 9.0 | 24.6 | 51.4 | 29.6 | 41.0 | 44.0 |
| Bulk density (g/cm ³) | 12 | 1.58 | 0.12 | 1.31 | 1.75 | 1.54 | 1.58 | 1.65 | 12 | 1.69 | 0.10 | 1.55 | 1.84 | 1.62 | 1.66 | 1.77 |
| Organic matter (% g/g) | 6 | 4.0 | 0.9 | 2.9 | 5.1 | 3.1 | 4.0 | 4.6 | 6 | 2.0 | 0.4 | 1.4 | 2.5 | 1.9 | 2.0 | 2.1 |
| Depth of horizon (mm) | 12 | 192 | 24.4 | 150 | 220 | 170 | 200 | 210 | 8 | 211 | 62.4 | 100 | 280 | 170 | 225 | 260 |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 6 | 0.16 | 0.07 | 0.07 | 0.25 | 0.08 | 0.16 | 0.21 | 6 | 0.19 | 0.17 | 0.04 | 0.48 | 0.06 | 0.12 | 0.3 |
| pH (H ₂ O) | 6 | 6.8 | 1.0 | 5.7 | 8.4 | 6.1 | 6.5 | 7.4 | 6 | 7.6 | 0.9 | 6.5 | 8.8 | 7.0 | 7.4 | 8.5 |
| pH (CaCl ₂) | 6 | 6.3 | 0.9 | 5.2 | 7.9 | 5.7 | 6.1 | 6.7 | 6 | 6.8 | 1.0 | 5.6 | 8.0 | 6.2 | 6.7 | 7.9 |
| Ca (meq/100g) | 6 | 6.9 | 1.2 | 5.6 | 8.4 | 6.1 | 6.5 | 8.2 | 6 | 5.9 | 2.3 | 2.9 | 8.6 | 3.7 | 6.2 | 7.6 |
| Mg (meq/100g) | 6 | 3.5 | 1.7 | 2.0 | 6.7 | 2.3 | 3.1 | 3.8 | 6 | 5.4 | 2.6 | 1.8 | 8.7 | 3.1 | 5.8 | 7.1 |
| Na (meq/100g) | 6 | 0.7 | 0.8 | 0.2 | 2.2 | 0.3 | 0.4 | 0.8 | 6 | 1.5 | 1.6 | 0.3 | 4.2 | 0.4 | 0.7 | 2.6 |
| K (meq/100g) | 6 | 0.8 | 0.8 | 0.2 | 2.2 | 0.2 | 0.6 | 1.2 | 6 | 1.0 | 0.8 | 0.2 | 2.0 | 0.3 | 0.7 | 2.0 |
| ESP | 6 | 5.1 | 4.0 | 2.5 | 12.7 | 2.6 | 3.1 | 6.5 | 6 | 9.9 | 9.9 | 2.2 | 28.8 | 4.3 | 5.9 | 12.4 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 12 | 22.5 | 12.6 | 6.5 | 44.9 | 12.5 | 20.6 | 29.4 | 11 | 2.89 | 3.00 | 0.10 | 10.45 | 0.69 | 2.75 | 4.18 |
| Final infiltration rate (mm/hr) | | | | | | | | | 5 | 0.18 | 0.34 | 0.02 | 0.79 | 0.02 | 0.02 | 0.25 |
| Available water capacity (% cm ³ /cm ³) | 8 | 14.0 | 3.5 | 10.4 | 19.1 | 11.5 | 12.3 | 17.6 | 8 | 11.8 | 2.5 | 9.0 | 15.4 | 9.7 | 11.0 | 14.1 |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 8 | 42.9 | 5.0 | 34.7 | 48.8 | 39.2 | 43.5 | 47.1 | 8 | 42.3 | 4.2 | 35.0 | 48.2 | 39.1 | 43.9 | 44.5 |
| 10 | 8 | 37.2 | 5.2 | 29.3 | 43.3 | 33.0 | 37.7 | 41.6 | 8 | 37.5 | 4.7 | 28.6 | 41.2 | 34.2 | 39.8 | 41.0 |
| 60 | 8 | 33.1 | 4.6 | 25.7 | 38.5 | 29.6 | 34.0 | 36.6 | 8 | 34.0 | 4.7 | 25.3 | 38.2 | 30.8 | 35.8 | 37.4 |
| 1500 | 8 | 23.1 | 3.4 | 17.9 | 29.4 | 21.3 | 23.3 | 24.2 | 8 | 25.7 | 4.3 | 19.4 | 30.3 | 22.3 | 26.2 | 29.5 |

Table 28.6 Congupna clay

| Soil Type | Soil Group 6 | | | | | Irrigation Area | | SCG | | | | | | | | |
|---|-----------------|-----------|-------|------|------|-----------------|-----------------|------------|-----|------|------|------------|------|------|------|------|
| Soil Properties | Sampling Points | Horizon A | | | | | Sampling Points | Horizon B1 | | | | | | | | |
| | | Mean | Std | Min | Max | Percentile | | Mean | Std | Min | Max | Percentile | | | | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 25.7 | 9.0 | 17.4 | 38.0 | 19.1 | 23.7 | 32.2 | 4 | 35.0 | 3.6 | 32.0 | 40.2 | 32.9 | 33.9 | 37.1 |
| Silt (% g/g) | 4 | 32.9 | 4.3 | 27.2 | 40.3 | 31.7 | 31.9 | 34.4 | 4 | 36.2 | 2.4 | 32.7 | 38.3 | 34.8 | 37.0 | 37.6 |
| Sand (% g/g) | 4 | 44.1 | 10.2 | 26.7 | 56.6 | 38.9 | 46.7 | 48.7 | 4 | 28.8 | 4.4 | 22.8 | 33.6 | 25.9 | 29.3 | 31.6 |
| Bulk density (g/cm ³) | 4 | 1.52 | 0.02 | 1.48 | 1.53 | 1.50 | 1.52 | 1.53 | 4 | 1.58 | 0.08 | 1.47 | 1.67 | 1.53 | 1.59 | 1.65 |
| Organic matter (% g/g) | 4 | 3.6 | 0.5 | 2.9 | 4.2 | 3.3 | 3.7 | 4.0 | 4 | 1.6 | 0.2 | 1.3 | 1.8 | 1.5 | 1.7 | 1.7 |
| Depth of horizon (mm) | 4 | 195 | 12.9 | 180 | 210 | 185 | 195 | 205 | 0 | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.08 | 0.008 | 0.07 | 0.09 | 0.08 | 0.08 | 0.09 | 4 | 0.06 | 0 | 0.06 | 0.06 | 0.06 | 0.06 | 0.06 |
| pH (H ₂ O) | 4 | 5.7 | 0.2 | 5.5 | 6.0 | 5.6 | 5.7 | 5.9 | 4 | 6.5 | 0.5 | 6.1 | 7.1 | 6.2 | 6.3 | 6.8 |
| pH (CaCl ₂) | 4 | 5.1 | 0.2 | 4.9 | 5.3 | 5.0 | 5.1 | 5.3 | 4 | 5.7 | 0.5 | 5.3 | 6.3 | 5.4 | 5.5 | 6.0 |
| Ca (meq/100g) | 4 | 4.6 | 1.1 | 3.8 | 6.2 | 4.0 | 4.2 | 5.3 | 4 | 3.0 | 0.2 | 2.8 | 3.2 | 2.9 | 3.1 | 3.2 |
| Mg (meq/100g) | 4 | 2.4 | 0.9 | 1.8 | 3.8 | 1.8 | 2.1 | 3.1 | 4 | 3.3 | 0.6 | 2.7 | 4.0 | 2.9 | 3.2 | 3.7 |
| Na (meq/100g) | 4 | 0.4 | 0.1 | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 | 4 | 0.5 | 0.1 | 0.4 | 0.6 | 0.4 | 0.5 | 0.5 |
| K (meq/100g) | 4 | 0.4 | 0.4 | 0.2 | 0.9 | 0.2 | 0.3 | 0.6 | 4 | 0.4 | 0.2 | 0.2 | 0.5 | 0.2 | 0.3 | 0.5 |
| ESP | 4 | 4.8 | 1.6 | 3.4 | 7.1 | 3.7 | 4.3 | 5.9 | 4 | 6.7 | 0.7 | 6.1 | 7.6 | 6.1 | 6.6 | 7.3 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 41.0 | 11.6 | 30.5 | 55.9 | 31.9 | 38.9 | 50.2 | 4 | 2.88 | 0.66 | 2.37 | 3.82 | 2.42 | 2.67 | 3.35 |
| Final infiltration rate (mm/hr) | | | | | | | | | 4 | 0.37 | 0.36 | 0.05 | 0.73 | 0.07 | 0.36 | 0.68 |
| Available water capacity (% cm ³ /cm ³) | 2 | 13.6 | | 13.0 | 14.2 | | | | 2 | 12.1 | | 10.7 | 13.6 | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 2 | 48.0 | | 47.3 | 48.6 | | | | 2 | 45.6 | | 43.9 | 47.2 | | | |
| 10 | 2 | 41.5 | | 41.4 | 41.7 | | | | 2 | 39.0 | | 36.9 | 41.0 | | | |
| 60 | 2 | 37.2 | | 36.6 | 37.8 | | | | 2 | 35.1 | | 31.7 | 38.4 | | | |
| 1500 | 2 | 27.9 | | 27.2 | 28.7 | | | | 2 | 26.9 | | 23.3 | 30.4 | | | |

Table 28.7 Congupna clay loam

| Soil Type | Congupna clay loam | | | | | | | | | | Soil Group | 5 | Irrigation Area | SCG | | |
|---|------------------------|-----------|------|------|------|------|------|------------------------|------------|------|-------------------|------|------------------------|------|------|------|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 6 | 23.0 | 6.7 | 16.2 | 33.0 | 16.9 | 21.5 | 29.1 | 6 | 47.0 | 7.8 | 39.3 | 58.8 | 41.4 | 44.5 | 53.6 |
| Silt (% g/g) | 6 | 36.7 | 3.4 | 32.2 | 39.4 | 34.2 | 37.7 | 39.2 | 6 | 30.5 | 4.3 | 23.1 | 36.2 | 29.6 | 31.0 | 31.8 |
| Sand (% g/g) | 6 | 37.6 | 7.2 | 29.9 | 46.4 | 32.0 | 37.1 | 43.2 | 6 | 22.6 | 7.8 | 11.6 | 30.3 | 14.8 | 24.6 | 29.4 |
| Bulk density (g/cm ³) | 6 | 1.40 | 0.07 | 1.32 | 1.51 | 1.36 | 1.38 | 1.45 | 6 | 1.68 | 0.07 | 1.63 | 1.79 | 1.64 | 1.66 | 1.73 |
| Organic matter (% g/g) | 5 | 5.0 | 1.7 | 2.5 | 6.7 | 3.8 | 5.5 | 6.4 | 5 | 1.4 | 0.2 | 1.2 | 1.6 | 1.3 | 1.3 | 1.5 |
| Depth of horizon (mm) | 6 | 207 | 12.1 | 200 | 230 | 200 | 200 | 210 | 2 | 180 | | 150 | 210 | | | |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 5 | 0.20 | 0.02 | 0.18 | 0.22 | 0.19 | 0.21 | 0.21 | 5 | 0.18 | 0.06 | 0.13 | 0.27 | 0.13 | 0.14 | 0.23 |
| pH (H ₂ O) | 5 | 7.2 | 0.4 | 6.9 | 7.8 | 7.0 | 7.1 | 7.3 | 5 | 7.7 | 0.1 | 7.6 | 7.9 | 7.7 | 7.7 | 7.8 |
| pH (CaCl ₂) | 5 | 6.7 | 0.2 | 6.5 | 7.1 | 6.6 | 6.6 | 6.7 | 5 | 7.0 | 0.2 | 6.9 | 7.3 | 6.9 | 6.9 | 7.1 |
| Ca (meq/100g) | 5 | 11.9 | 2.0 | 9.5 | 15.0 | 10.6 | 12.0 | 12.8 | 5 | 10.1 | 2.7 | 6.8 | 14.0 | 8.6 | 9.4 | 11.8 |
| Mg (meq/100g) | 5 | 6.7 | 2.0 | 5.0 | 10.0 | 5.3 | 6.3 | 7.5 | 5 | 7.9 | 2.8 | 5.4 | 12.0 | 5.9 | 6.6 | 10.1 |
| Na (meq/100g) | 5 | 0.8 | 0.3 | 0.5 | 1.3 | 0.6 | 0.8 | 0.9 | 5 | 1.1 | 0.4 | 0.7 | 1.6 | 0.7 | 1.1 | 1.5 |
| K (meq/100g) | 5 | 1.1 | 0.2 | 1.0 | 1.4 | 1.0 | 1.1 | 1.3 | 5 | 1.2 | 0.2 | 0.9 | 1.4 | 0.9 | 1.2 | 1.3 |
| ESP | 5 | 3.9 | 0.9 | 2.9 | 4.8 | 2.9 | 3.9 | 4.8 | 5 | 5.4 | 1.0 | 3.9 | 6.4 | 4.9 | 5.5 | 6.2 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 5 | 37.1 | 20.6 | 23.6 | 72.6 | 24.1 | 28.0 | 45.9 | 4 | 2.35 | 2.43 | 0.42 | 5.65 | 0.52 | 1.67 | 4.19 |
| Final infiltration rate (mm/hr) | | | | | | | | | 5 | 0.12 | 0.17 | 0.02 | 0.42 | 0.03 | 0.05 | 0.15 |
| Available water capacity (% cm ³ /cm ³) | 2 | 6.7 | | 6.0 | 7.4 | | | | 2 | 13.6 | | 13.6 | 13.7 | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 2 | 48.6 | | 44.2 | 53.0 | | | | 2 | 48.7 | | 48.1 | 49.2 | | | |
| 10 | 2 | 43.0 | | 41.5 | 44.5 | | | | 2 | 45.2 | | 44.9 | 45.6 | | | |
| 60 | 2 | 41.1 | | 40.0 | 42.3 | | | | 2 | 43.3 | | 42.6 | 44.0 | | | |
| 1500 | 2 | 36.3 | | 35.5 | 37.1 | | | | 2 | 31.6 | | 31.2 | 31.9 | | | |

Table 28.8 East Shepparton fine sandy loam

| Soil Type | East Shepparton fine sandy loam | | | | Soil Group 1D | | | Irrigation Area | | | SCG | | | | | |
|---|---------------------------------|-----------|------|------|---------------|------|------|-----------------|------------|-------|-------|------|-------|------|------|-------|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 14 | 21.2 | 13.3 | 3.5 | 44.1 | 10.6 | 17.2 | 33.1 | 14 | 28.5 | 7.9 | 15.8 | 46.4 | 25.3 | 28.1 | 33.0 |
| Silt (% g/g) | 14 | 37.4 | 8.6 | 23.6 | 49.9 | 26.4 | 39.9 | 44.1 | 14 | 39.4 | 7.6 | 27.3 | 49.8 | 33.3 | 37.4 | 48.1 |
| Sand (% g/g) | 14 | 41.4 | 13.2 | 21.3 | 73.0 | 32.4 | 39.8 | 48.8 | 14 | 32.1 | 7.7 | 21.5 | 47.4 | 26.1 | 30.8 | 37.3 |
| Bulk density (g/cm ³) | 14 | 1.62 | 0.12 | 1.36 | 1.80 | 1.53 | 1.61 | 1.72 | 14 | 1.70 | 0.09 | 1.53 | 1.83 | 1.65 | 1.72 | 1.76 |
| Organic matter (% g/g) | 11 | 2.7 | 0.7 | 1.6 | 4.0 | 2.2 | 2.7 | 3.3 | 11 | 2.0 | 0.8 | 0.9 | 3.8 | 1.6 | 1.9 | 2.1 |
| Depth of horizon (mm) | 14 | 196 | 35.9 | 150 | 250 | 170 | 185 | 240 | 6 | 175 | 79.7 | 110 | 300 | 120 | 135 | 250 |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 11 | 0.11 | 0.04 | 0.06 | 0.18 | 0.07 | 0.1 | 0.13 | 11 | 0.08 | 0.02 | 0.05 | 0.14 | 0.07 | 0.08 | 0.09 |
| pH (H ₂ O) | 11 | 7.5 | 1.0 | 5.7 | 8.5 | 6.9 | 7.8 | 8.2 | 11 | 7.8 | 0.9 | 5.9 | 8.8 | 7.1 | 8.0 | 8.3 |
| pH (CaCl ₂) | 11 | 6.6 | 0.7 | 5.1 | 7.3 | 6.3 | 6.8 | 7.1 | 11 | 6.7 | 0.5 | 5.5 | 7.5 | 6.4 | 6.9 | 7.0 |
| Ca (meq/100g) | 11 | 4.0 | 0.7 | 2.9 | 5.8 | 3.7 | 3.9 | 4.0 | 11 | 3.4 | 1.1 | 2.0 | 5.7 | 2.5 | 3.5 | 4.3 |
| Mg (meq/100g) | 11 | 2.5 | 1.3 | 0.4 | 4.1 | 1.2 | 3.2 | 3.4 | 11 | 1.9 | 1.0 | 0.5 | 3.7 | 1.2 | 1.6 | 2.6 |
| Na (meq/100g) | 11 | 1.2 | 1.0 | 0.1 | 3.4 | 0.3 | 1.0 | 1.7 | 11 | 1.1 | 0.8 | 0.1 | 2.3 | 0.3 | 1.1 | 1.5 |
| K (meq/100g) | 11 | 0.6 | 0.1 | 0.3 | 0.9 | 0.5 | 0.6 | 0.6 | 11 | 0.6 | 0.1 | 0.4 | 0.8 | 0.5 | 0.7 | 0.7 |
| ESP | 11 | 12.9 | 9.0 | 1.3 | 31.3 | 5.7 | 11.2 | 17.2 | 11 | 14.5 | 10.7 | 1.6 | 32.8 | 5.2 | 13.6 | 22.7 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 14 | 58.7 | 38.4 | 10.3 | 143.3 | 27.2 | 49.0 | 80.9 | 14 | 12.31 | 23.35 | 1.76 | 91.19 | 2.38 | 4.75 | 8.00 |
| Final infiltration rate (mm/hr) | | | | | | | | | 11 | 10.30 | 12.50 | 0.05 | 33.78 | 0.19 | 7.50 | 17.87 |
| Available water capacity (% cm ³ /cm ³) | 6 | 13.3 | 3.4 | 8.7 | 18.5 | 12.2 | 12.5 | 15.8 | 6 | 9.4 | 4.3 | 4.1 | 15.0 | 5.8 | 9.1 | 13.2 |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 6 | 38.5 | 3.6 | 35.7 | 43.1 | 35.9 | 36.6 | 43.1 | 6 | 34.3 | 3.7 | 30.6 | 38.8 | 30.7 | 34.0 | 37.9 |
| 10 | 6 | 28.8 | 2.6 | 26.1 | 33.6 | 27.3 | 28.4 | 29.2 | 6 | 28.0 | 4.7 | 23.8 | 36.8 | 25.6 | 26.0 | 29.7 |
| 60 | 6 | 24.9 | 3.3 | 22.5 | 31.2 | 23.3 | 23.5 | 25.8 | 6 | 25.3 | 5.1 | 20.1 | 34.6 | 23.3 | 23.5 | 27.0 |
| 1500 | 6 | 15.5 | 5.2 | 10.4 | 25.0 | 12.1 | 14.2 | 17.0 | 6 | 18.6 | 7.5 | 11.1 | 29.6 | 12.8 | 17.2 | 24.0 |

Table 28.9 Goulburn clay loam

| Soil Type | Goulburn clay loam | | | | | | | | | | | | | | Soil Group | 4 | Irrigation Area | SCG |
|---|------------------------|-----------|------|------|------|------|------|------------------------|------------|------|------|------|------|------|-------------------|------|------------------------|-----|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | | | |
| Physical Properties | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 13.6 | 2.1 | 11.5 | 16.3 | 12.0 | 13.4 | 15.3 | 4 | 30.7 | 4.1 | 27.3 | 36.5 | 27.8 | 29.4 | 33.5 | | |
| Silt (% g/g) | 4 | 40.3 | 0.8 | 39.3 | 41.3 | 39.7 | 40.3 | 40.9 | 4 | 37.9 | 3.4 | 33.6 | 41.5 | 35.2 | 38.2 | 40.5 | | |
| Sand (% g/g) | 4 | 46.0 | 2.9 | 42.5 | 49.1 | 43.8 | 46.3 | 48.3 | 4 | 31.5 | 5.8 | 24.1 | 38.1 | 27.6 | 31.9 | 35.3 | | |
| Bulk density (g/cm ³) | 4 | 1.65 | 0.01 | 1.64 | 1.66 | 1.64 | 1.65 | 1.66 | 4 | 1.69 | 0.05 | 1.63 | 1.74 | 1.65 | 1.70 | 1.74 | | |
| Organic matter (% g/g) | 4 | 3.3 | 0.7 | 2.5 | 4.2 | 2.8 | 3.3 | 3.8 | 4 | 1.5 | 0.3 | 1.2 | 1.8 | 1.3 | 1.5 | 1.8 | | |
| Depth of horizon (mm) | 4 | 283 | 22.2 | 260 | 310 | 265 | 280 | 300 | 0 | | | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.05 | 0.02 | 0.04 | 0.07 | 0.04 | 0.04 | 0.06 | 4 | 0.06 | 0.02 | 0.04 | 0.09 | 0.04 | 0.06 | 0.08 | | |
| pH (H ₂ O) | 4 | 6.0 | 0.2 | 5.8 | 6.2 | 5.9 | 6.1 | 6.2 | 4 | 6.7 | 0.4 | 6.2 | 7.0 | 6.4 | 6.7 | 7.0 | | |
| pH (CaCl ₂) | 4 | 5.2 | 0.2 | 4.9 | 5.4 | 5.1 | 5.3 | 5.4 | 4 | 5.8 | 0.2 | 5.5 | 6.0 | 5.7 | 5.9 | 6.0 | | |
| Ca (meq/100g) | 4 | 5.2 | 0.8 | 4.0 | 5.9 | 4.7 | 5.5 | 5.8 | 4 | 6.2 | 1.7 | 3.8 | 7.7 | 4.9 | 6.6 | 7.5 | | |
| Mg (meq/100g) | 4 | 1.1 | 0.4 | 0.6 | 1.6 | 0.8 | 1.1 | 1.4 | 4 | 3.4 | 1.3 | 1.5 | 4.3 | 2.5 | 3.8 | 4.2 | | |
| Na (meq/100g) | 4 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 4 | 0.4 | 0.2 | 0.2 | 0.7 | 0.3 | 0.4 | 0.6 | | |
| K (meq/100g) | 4 | 0.8 | 0.4 | 0.5 | 1.4 | 0.5 | 0.6 | 1.1 | 4 | 0.4 | 0.2 | 0.2 | 0.7 | 0.3 | 0.4 | 0.6 | | |
| ESP | 4 | 1.9 | 0.5 | 1.5 | 2.6 | 1.5 | 1.7 | 2.2 | 4 | 4.0 | 1.3 | 2.6 | 5.4 | 3.0 | 4.1 | 5.1 | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 11.6 | 3.2 | 8.0 | 14.9 | 9.0 | 11.7 | 14.2 | 4 | 1.19 | 0.04 | 1.14 | 1.24 | 1.16 | 1.18 | 1.21 | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 4 | 0.14 | 0.03 | 0.10 | 0.17 | 0.12 | 0.14 | 0.16 | | |
| Available water capacity (% cm ³ /cm ³) | 0 | | | | | | | | 0 | | | | | | | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | |
| 0 | | 0 | | | | | | | | 0 | | | | | | | | |
| 10 | | 0 | | | | | | | | 0 | | | | | | | | |
| 60 | | 0 | | | | | | | | 0 | | | | | | | | |
| 1500 | | 0 | | | | | | | | 0 | | | | | | | | |

Table 28.10 Goulburn loam

| Soil Type | Soil Group 4 | | | | | | | | | | Irrigation Area | | SCG | | | | |
|---|-----------------|-----------|------|------|------|------|------------|-----------------|------|------|-----------------|------|-------|------------|------|------|----|
| Soil Properties | Sampling Points | Horizon A | | | | | Horizon B1 | | | | | | | | | | |
| | | Mean | Std | Min | Max | | Percentile | Sampling Points | Mean | Std | Min | Max | | Percentile | 25 | 50 | 75 |
| Physical Properties | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 20 | 17.7 | 9.6 | 4.2 | 36.5 | 9.0 | 16.9 | 24.1 | 20 | 33.0 | 13.1 | 6.5 | 50.5 | 26.3 | 35.6 | 40.6 | |
| Silt (% g/g) | 20 | 38.6 | 5.7 | 29.0 | 49.2 | 33.9 | 39.1 | 42.3 | 20 | 37.2 | 6.1 | 29.1 | 53.4 | 33.3 | 35.7 | 39.4 | |
| Sand (% g/g) | 20 | 43.7 | 8.2 | 31.3 | 57.7 | 35.3 | 46.0 | 50.2 | 20 | 29.8 | 11.0 | 17.0 | 57.7 | 21.3 | 25.3 | 36.4 | |
| Bulk density (g/cm ³) | 20 | 1.50 | 0.12 | 1.33 | 1.78 | 1.41 | 1.48 | 1.58 | 20 | 1.64 | 0.13 | 1.41 | 1.91 | 1.55 | 1.63 | 1.72 | |
| Organic matter (% g/g) | 17 | 4.6 | 0.8 | 3.4 | 6.7 | 4.2 | 4.6 | 5.1 | 17 | 2.2 | 1.0 | 1.0 | 5.0 | 1.5 | 2.1 | 2.4 | |
| Depth of horizon (mm) | 20 | 187 | 64.1 | 130 | 340 | 150 | 155 | 200 | 6 | 152 | 27.1 | 120 | 200 | 140 | 145 | 160 | |
| Chemical Properties | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 17 | 0.17 | 0.18 | 0.05 | 0.73 | 0.07 | 0.1 | 0.13 | 17 | 0.13 | 0.15 | 0.04 | 0.52 | 0.06 | 0.08 | 0.12 | |
| pH (H ₂ O) | 17 | 6.4 | 0.8 | 5.5 | 8.4 | 5.8 | 6.1 | 6.6 | 17 | 7.1 | 0.4 | 6.4 | 7.8 | 6.8 | 7.1 | 7.5 | |
| pH (CaCl ₂) | 17 | 5.8 | 1.1 | 4.9 | 8.3 | 5.2 | 5.4 | 5.9 | 17 | 6.3 | 0.5 | 5.5 | 7.4 | 5.9 | 6.3 | 6.6 | |
| Ca (meq/100g) | 17 | 5.6 | 1.4 | 3.5 | 9.4 | 4.6 | 5.5 | 6.3 | 17 | 5.7 | 2.0 | 2.6 | 9.6 | 4.0 | 5.8 | 7.1 | |
| Mg (meq/100g) | 17 | 3.1 | 1.3 | 1.8 | 6.5 | 2.2 | 2.9 | 4.1 | 17 | 4.1 | 1.4 | 1.4 | 6.4 | 3.1 | 4.4 | 5.2 | |
| Na (meq/100g) | 17 | 0.8 | 1.2 | 0.2 | 4.2 | 0.3 | 0.3 | 0.6 | 17 | 1.1 | 1.1 | 0.2 | 3.8 | 0.5 | 0.7 | 1.1 | |
| K (meq/100g) | 17 | 0.7 | 0.4 | 0.2 | 1.3 | 0.3 | 0.7 | 1.1 | 17 | 0.6 | 0.3 | 0.2 | 1.4 | 0.4 | 0.6 | 0.9 | |
| ESP | 17 | 6.3 | 5.8 | 1.9 | 23.0 | 3.1 | 4.2 | 6.4 | 17 | 8.4 | 6.2 | 2.0 | 26.0 | 5.0 | 6.7 | 8.4 | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 20 | 28.7 | 15.2 | 5.0 | 64.4 | 17.1 | 27.1 | 33.3 | 18 | 3.77 | 6.28 | 0.44 | 27.42 | 0.95 | 1.88 | 2.69 | |
| Final infiltration rate (mm/hr) | | | | | | | | | 16 | 0.43 | 0.59 | 0.01 | 1.92 | 0.07 | 0.23 | 0.44 | |
| Available water capacity (% cm ³ /cm ³) | 6 | 13.6 | 6.7 | 4.2 | 22.0 | 8.3 | 14.4 | 18.3 | 6 | 14.9 | 4.0 | 8.2 | 19.2 | 13.6 | 14.8 | 18.6 | |
| Water retention characteristic | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | |
| 0 | 6 | 41.8 | 5.8 | 37.1 | 50.1 | 37.5 | 38.9 | 48.1 | 6 | 42.9 | 4.9 | 38.9 | 52.0 | 39.5 | 41.3 | 44.8 | |
| 10 | 6 | 38.6 | 6.0 | 32.6 | 46.5 | 34.7 | 35.8 | 45.9 | 6 | 39.6 | 6.1 | 33.0 | 50.3 | 36.0 | 38.1 | 42.5 | |
| 60 | 6 | 35.5 | 5.9 | 28.8 | 43.4 | 32.2 | 33.3 | 42.0 | 6 | 36.2 | 7.7 | 25.7 | 48.8 | 32.8 | 35.0 | 40.0 | |
| 1500 | 6 | 24.9 | 5.2 | 17.9 | 32.1 | 20.6 | 25.4 | 28.3 | 6 | 24.8 | 8.0 | 13.8 | 34.6 | 17.3 | 26.4 | 30.2 | |

Table 28.11 Goulburn loam friable phase

| Soil Type | Goulburn loam friable phase | | | | | | | | | | | | Soil Group | 3 | | | Irrigation Area | SCG | | |
|---|-----------------------------|-----------|------|------|------|------|------|------------------------|------------|------|------|------|-------------------|------|------|------|------------------------|-----|--|--|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | | | | | |
| Physical Properties | | | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 17.1 | 4.3 | 12.0 | 21.0 | 13.6 | 17.7 | 20.6 | 4 | 54.1 | 4.8 | 48.2 | 59.8 | 50.9 | 54.3 | 57.3 | | | | |
| Silt (% g/g) | 4 | 31.1 | 2.9 | 28.2 | 33.7 | 28.6 | 31.2 | 33.5 | 4 | 20.7 | 3.9 | 17.5 | 26.0 | 17.8 | 19.7 | 23.7 | | | | |
| Sand (% g/g) | 4 | 51.9 | 7.1 | 45.7 | 59.8 | 45.9 | 51.0 | 57.8 | 4 | 25.1 | 5.2 | 19.1 | 30.5 | 20.9 | 25.5 | 29.3 | | | | |
| Bulk density (g/cm ³) | 4 | 1.75 | 0.06 | 1.68 | 1.81 | 1.71 | 1.76 | 1.80 | 4 | 1.57 | 0.03 | 1.52 | 1.60 | 1.55 | 1.58 | 1.59 | | | | |
| Organic matter (% g/g) | 4 | 2.9 | 0.6 | 2.5 | 3.8 | 2.6 | 2.7 | 3.3 | 4 | 1.6 | 0.1 | 1.4 | 1.7 | 1.5 | 1.7 | 1.7 | | | | |
| Depth of horizon (mm) | 4 | 195 | 17.3 | 180 | 220 | 185 | 190 | 205 | 0 | | | | | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.07 | 0.03 | 0.04 | 0.1 | 0.05 | 0.07 | 0.1 | 4 | 0.11 | 0.11 | 0.06 | 0.27 | 0.06 | 0.06 | 0.17 | | | | |
| pH (H ₂ O) | 4 | 6.0 | 0.5 | 5.3 | 6.4 | 5.6 | 6.1 | 6.4 | 4 | 7.6 | 0.7 | 7.1 | 8.6 | 7.2 | 7.4 | 8.1 | | | | |
| pH (CaCl ₂) | 4 | 5.3 | 0.4 | 4.8 | 5.6 | 5.0 | 5.4 | 5.6 | 4 | 6.7 | 0.8 | 6.2 | 7.8 | 6.2 | 6.4 | 7.2 | | | | |
| Ca (meq/100g) | 4 | 3.9 | 0.2 | 3.6 | 4.1 | 3.7 | 3.9 | 4.1 | 4 | 6.6 | 0.6 | 6.0 | 7.4 | 6.2 | 6.6 | 7.1 | | | | |
| Mg (meq/100g) | 4 | 2.3 | 0.6 | 1.9 | 3.1 | 2.0 | 2.1 | 2.6 | 4 | 7.6 | 1.7 | 5.2 | 9.4 | 6.5 | 7.8 | 8.7 | | | | |
| Na (meq/100g) | 4 | 0.5 | 0.3 | 0.3 | 0.9 | 0.3 | 0.4 | 0.7 | 4 | 1.4 | 1.3 | 0.6 | 3.3 | 0.7 | 1.0 | 2.2 | | | | |
| K (meq/100g) | 4 | 0.3 | 0.1 | 0.2 | 0.4 | 0.2 | 0.3 | 0.4 | 4 | 1.1 | 0.2 | 0.9 | 1.2 | 0.9 | 1.1 | 1.2 | | | | |
| ESP | 4 | 6.9 | 2.6 | 5.3 | 10.8 | 5.4 | 5.8 | 8.4 | 4 | 8.1 | 5.9 | 4.2 | 16.8 | 4.4 | 5.7 | 11.7 | | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 33.0 | 8.6 | 20.8 | 40.6 | 27.2 | 35.3 | 38.9 | 4 | 4.22 | 2.85 | 2.17 | 8.41 | 2.49 | 3.15 | 5.96 | | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 4 | 1.27 | 1.25 | 0.49 | 3.12 | 0.52 | 0.74 | 2.02 | | | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 12.3 | | 11.2 | 13.5 | | | | 2 | 12.0 | | 11.7 | 12.3 | | | | | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | | | |
| 0 | 2 | 37.8 | | 37.3 | 38.3 | | | | 2 | 50.7 | | 50.0 | 51.5 | | | | | | | |
| 10 | 2 | 34.2 | | 34.2 | 34.2 | | | | 2 | 43.6 | | 41.9 | 45.3 | | | | | | | |
| 60 | 2 | 30.5 | | 29.6 | 31.4 | | | | 2 | 39.1 | | 37.6 | 40.6 | | | | | | | |
| 1500 | 2 | 21.8 | | 20.7 | 23.0 | | | | 2 | 31.6 | | 30.2 | 33.0 | | | | | | | |

Table 28.12 Katamatite loam

| Soil Type | Soil Group 2 | | | | | | | | | | Irrigation Area | | SCG | | | | | | |
|---|-----------------|-----------|------|------|------|------|------------|------|----|------|-----------------|-----------------|------|------|------|------|------------|--|--|
| Soil Properties | Sampling Points | Horizon A | | | | | Horizon B1 | | | | | Sampling Points | Mean | Std | Min | Max | Percentile | | |
| | | 25 | 50 | 75 | 25 | 50 | 75 | 25 | 50 | 75 | 25 | | | | | 50 | 75 | | |
| Physical Properties | | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 11.7 | 2.0 | 10.2 | 14.6 | 10.4 | 10.9 | 12.9 | 4 | 20.9 | 11.3 | 11.6 | 37.3 | 13.8 | 17.4 | 28.0 | | | |
| Silt (% g/g) | 4 | 28.9 | 3.6 | 26.1 | 34.0 | 26.5 | 27.7 | 31.3 | 4 | 28.1 | 1.8 | 26.0 | 30.0 | 26.8 | 28.2 | 29.5 | | | |
| Sand (% g/g) | 4 | 59.5 | 3.2 | 55.3 | 63.0 | 57.3 | 59.8 | 61.6 | 4 | 51.0 | 9.7 | 36.7 | 58.4 | 45.2 | 54.4 | 56.7 | | | |
| Bulk density (g/cm ³) | 4 | 1.62 | 0.12 | 1.44 | 1.70 | 1.54 | 1.66 | 1.69 | 4 | 1.84 | 0.14 | 1.64 | 1.95 | 1.74 | 1.89 | 1.94 | | | |
| Organic matter (% g/g) | 4 | 4.3 | 1.9 | 2.5 | 6.8 | 2.9 | 3.9 | 5.6 | 4 | 1.4 | 0.3 | 1.1 | 1.7 | 1.2 | 1.5 | 1.7 | | | |
| Depth of horizon (mm) | 4 | 220 | 21.6 | 200 | 250 | 205 | 215 | 235 | 0 | | | | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.12 | 0.06 | 0.06 | 0.18 | 0.06 | 0.11 | 0.17 | 4 | 0.09 | 0.04 | 0.04 | 0.14 | 0.05 | 0.08 | 0.12 | | | |
| pH (H ₂ O) | 4 | 5.9 | 0.5 | 5.5 | 6.5 | 5.6 | 5.8 | 6.2 | 4 | 7.3 | 0.8 | 6.3 | 8.2 | 6.7 | 7.4 | 8.0 | | | |
| pH (CaCl ₂) | 4 | 5.3 | 0.5 | 4.9 | 6.0 | 5.0 | 5.2 | 5.7 | 4 | 6.4 | 0.8 | 5.4 | 7.3 | 5.7 | 6.4 | 7.1 | | | |
| Ca (meq/100g) | 4 | 5.2 | 3.2 | 3.2 | 10.0 | 3.3 | 3.8 | 7.1 | 4 | 3.4 | 1.6 | 2.4 | 5.8 | 2.5 | 2.7 | 4.3 | | | |
| Mg (meq/100g) | 4 | 2.1 | 1.6 | 0.9 | 4.3 | 1.0 | 1.6 | 3.1 | 4 | 2.3 | 1.7 | 1.1 | 4.7 | 1.2 | 1.7 | 3.4 | | | |
| Na (meq/100g) | 4 | 0.5 | 0.3 | 0.2 | 0.9 | 0.3 | 0.4 | 0.6 | 4 | 0.8 | 0.4 | 0.4 | 1.3 | 0.4 | 0.8 | 1.2 | | | |
| K (meq/100g) | 4 | 0.4 | 0.4 | 0.1 | 1.0 | 0.2 | 0.3 | 0.7 | 4 | 0.3 | 0.2 | 0.1 | 0.6 | 0.1 | 0.3 | 0.5 | | | |
| ESP | 4 | 5.5 | 0.3 | 5.2 | 6.0 | 5.3 | 5.5 | 5.8 | 4 | 11.8 | 3.8 | 8.2 | 17.0 | 9.3 | 11.1 | 14.4 | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 26.6 | 16.0 | 9.5 | 46.1 | 14.1 | 25.4 | 39.1 | 2 | 7.56 | | 5.52 | 9.59 | | | | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 4 | 3.99 | 3.80 | 1.63 | 9.60 | 1.66 | 2.36 | 6.31 | | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 13.5 | | 12.4 | 14.5 | | | | 2 | 14.0 | | 14.0 | 14.0 | | | | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | | |
| 0 | 2 | 49.0 | | 40.6 | 57.5 | | | | 2 | 42.8 | | 37.9 | 47.8 | | | | | | |
| 10 | 2 | 45.1 | | 36.9 | 53.3 | | | | 2 | 37.6 | | 31.9 | 43.3 | | | | | | |
| 60 | 2 | 42.6 | | 33.9 | 51.2 | | | | 2 | 33.8 | | 28.1 | 39.5 | | | | | | |
| 1500 | 2 | 31.7 | | 24.5 | 38.8 | | | | 2 | 23.6 | | 17.9 | 29.3 | | | | | | |

Table 28.13 Koga clay loam

| Soil Type | Koga clay loam | | | | | | | | | | | | | | Soil Group | 4 | Irrigation Area | RC |
|---|------------------------|-----------|------|------|------|------|------|------------------------|------------|------|------|------|------|------|-------------------|------|------------------------|----|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | | | |
| Physical Properties | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 29.6 | 11.8 | 21.7 | 47.0 | 22.4 | 24.9 | 36.9 | 4 | 39.7 | 12.8 | 23.1 | 54.0 | 31.0 | 40.9 | 48.5 | | |
| Silt (% g/g) | 4 | 41.3 | 11.0 | 28.5 | 54.5 | 32.9 | 41.1 | 49.6 | 4 | 40.1 | 9.8 | 33.2 | 54.5 | 34.2 | 36.3 | 46.0 | | |
| Sand (% g/g) | 4 | 29.1 | 17.0 | 8.3 | 44.7 | 15.4 | 31.7 | 42.8 | 4 | 20.2 | 8.3 | 8.5 | 28.0 | 15.2 | 22.1 | 25.2 | | |
| Bulk density (g/cm ³) | 4 | 1.52 | 0.09 | 1.41 | 1.63 | 1.46 | 1.52 | 1.59 | 4 | 1.54 | 0.04 | 1.49 | 1.57 | 1.52 | 1.56 | 1.56 | | |
| Organic matter (% g/g) | 2 | 4.0 | | 3.4 | 4.6 | | | | 2 | 2.0 | | 1.8 | 2.1 | | | | | |
| Depth of horizon (mm) | 4 | 173 | 20.6 | 150 | 200 | 160 | 170 | 185 | 4 | 228 | 20.6 | 200 | 250 | 215 | 230 | 240 | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 2 | 0.18 | | 0.13 | 0.23 | | | | 2 | 0.29 | | 0.27 | 0.3 | | | | | |
| pH (H ₂ O) | 2 | 6.3 | | 5.9 | 6.7 | | | | 2 | 7.6 | | 7.5 | 7.6 | | | | | |
| pH (CaCl ₂) | 2 | 5.7 | | 5.3 | 6.1 | | | | 2 | 6.8 | | 6.7 | 6.8 | | | | | |
| Ca (meq/100g) | 2 | 7.8 | | 7.5 | 8.1 | | | | 2 | 8.1 | | 7.4 | 8.7 | | | | | |
| Mg (meq/100g) | 2 | 4.3 | | 3.5 | 5.1 | | | | 2 | 8.8 | | 8.2 | 9.3 | | | | | |
| Na (meq/100g) | 2 | 1.1 | | 0.7 | 1.5 | | | | 2 | 3.1 | | 2.1 | 4.0 | | | | | |
| K (meq/100g) | 2 | 0.6 | | 0.4 | 0.7 | | | | 2 | 0.5 | | 0.4 | 0.5 | | | | | |
| ESP | 2 | 7.8 | | 5.9 | 9.7 | | | | 2 | 14.7 | | 11.5 | 17.9 | | | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 18.1 | 11.6 | 9.8 | 35.0 | 10.6 | 13.8 | 25.6 | 4 | 2.14 | 1.83 | 0.82 | 4.80 | 0.95 | 1.47 | 3.32 | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 2 | 0.75 | | 0.70 | 0.79 | | | | | |
| Available water capacity (% cm ³ /cm ³) | 4 | 12.2 | 1.7 | 10.0 | 14.0 | 10.9 | 12.3 | 13.4 | 4 | 15.8 | 2.8 | 13.1 | 18.5 | 13.4 | 15.8 | 18.2 | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | |
| 0 | 4 | 42.0 | 5.3 | 35.3 | 47.8 | 38.0 | 42.4 | 46.0 | 4 | 51.7 | 6.4 | 43.7 | 58.6 | 46.7 | 52.2 | 56.7 | | |
| 10 | 4 | 37.6 | 3.7 | 32.7 | 41.1 | 34.9 | 38.4 | 40.4 | 4 | 45.2 | 6.1 | 37.6 | 52.1 | 40.7 | 45.5 | 49.6 | | |
| 60 | 4 | 32.7 | 3.0 | 28.6 | 35.6 | 30.6 | 33.4 | 34.9 | 4 | 40.7 | 6.0 | 33.3 | 47.7 | 36.3 | 41.0 | 45.2 | | |
| 1500 | 4 | 25.5 | 4.8 | 19.9 | 29.6 | 21.5 | 26.2 | 29.5 | 4 | 29.4 | 3.7 | 24.5 | 33.6 | 26.9 | 29.7 | 31.9 | | |

Table 28.14 Koyuga clay loam

| Soil Type | Koyuga clay loam | | | | Soil Group 4 | | | Irrigation Area | | RC | | | | | | |
|---|------------------|-----------|------|------|--------------|------|------|-----------------|------------|------|------|------|------|------|------|------|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 20.9 | 5.8 | 13.4 | 27.4 | 16.7 | 21.3 | 25.0 | 4 | 51.9 | 4.1 | 47.5 | 57.3 | 49.1 | 51.5 | 54.7 |
| Silt (% g/g) | 4 | 39.4 | 5.0 | 34.2 | 45.3 | 35.4 | 39.0 | 43.3 | 4 | 29.2 | 5.7 | 24.2 | 37.3 | 25.6 | 27.5 | 32.7 |
| Sand (% g/g) | 4 | 39.8 | 3.2 | 36.0 | 43.2 | 37.3 | 39.9 | 42.2 | 4 | 18.9 | 2.9 | 15.2 | 22.2 | 16.8 | 19.1 | 21.0 |
| Bulk density (g/cm ³) | 4 | 1.64 | 0.10 | 1.51 | 1.74 | 1.57 | 1.66 | 1.72 | 4 | 1.50 | 0.05 | 1.43 | 1.55 | 1.46 | 1.51 | 1.54 |
| Organic matter (% g/g) | 2 | 3.4 | | 3.4 | 3.4 | | | | 2 | 2.2 | | 1.9 | 2.5 | | | |
| Depth of horizon (mm) | 4 | 135 | 17.3 | 120 | 160 | 125 | 130 | 145 | 4 | 205 | 77.2 | 160 | 320 | 160 | 170 | 250 |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 2 | 0.22 | | 0.21 | 0.23 | | | | 2 | 0.31 | | 0.17 | 0.45 | | | |
| pH (H ₂ O) | 2 | 5.7 | | 5.4 | 6.0 | | | | 2 | 6.7 | | 6.6 | 6.7 | | | |
| pH (CaCl ₂) | 2 | 5.2 | | 5.0 | 5.4 | | | | 2 | 6.1 | | 5.9 | 6.2 | | | |
| Ca (meq/100g) | 2 | 3.6 | | 3.1 | 4.0 | | | | 2 | 6.2 | | 4.4 | 7.9 | | | |
| Mg (meq/100g) | 2 | 4.1 | | 3.9 | 4.2 | | | | 2 | 8.6 | | 7.5 | 9.6 | | | |
| Na (meq/100g) | 2 | 1.2 | | 1.0 | 1.4 | | | | 2 | 2.0 | | 1.7 | 2.2 | | | |
| K (meq/100g) | 2 | 0.4 | | 0.2 | 0.6 | | | | 2 | 0.7 | | 0.4 | 1.0 | | | |
| ESP | 2 | 13.1 | | 10.6 | 15.6 | | | | 2 | 11.3 | | 10.9 | 11.7 | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 3 | 23.4 | | 15.8 | 37.0 | | | | 3 | 3.63 | | 2.63 | 4.46 | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 2 | 1.21 | | 1.16 | 1.26 | | | |
| Available water capacity (% cm ³ /cm ³) | 4 | 10.3 | 2.6 | 8.2 | 14.1 | 8.7 | 9.5 | 11.9 | 4 | 13.2 | 2.2 | 11.4 | 16.2 | 11.5 | 12.6 | 14.9 |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 4 | 40.0 | 3.5 | 35.2 | 43.6 | 37.6 | 40.5 | 42.3 | 4 | 49.8 | 4.9 | 46.1 | 56.7 | 46.3 | 48.2 | 53.3 |
| 10 | 4 | 35.5 | 4.3 | 29.0 | 38.1 | 32.9 | 37.3 | 38.0 | 4 | 46.5 | 4.3 | 41.5 | 51.3 | 43.1 | 46.6 | 49.8 |
| 60 | 4 | 31.5 | 4.9 | 24.7 | 35.4 | 27.9 | 33.0 | 35.1 | 4 | 42.7 | 4.5 | 36.3 | 46.3 | 39.5 | 44.1 | 45.8 |
| 1500 | 4 | 25.1 | 4.7 | 19.7 | 29.7 | 21.2 | 25.5 | 29.1 | 4 | 33.3 | 2.3 | 30.1 | 35.0 | 31.6 | 34.0 | 35.0 |

Table 28.15 Lemnos loam

| Soil Type | Lemnos loam | Soil Group 3 | | | | Irrigation Area | | SCG | | | | | | | | |
|---|-----------------|--------------|------|------|-------|-----------------|------|------|-----------------|------------|------|------|-------|------------|------|------|
| Soil Properties | Sampling Points | Horizon A | | | | Percentile | | | Sampling Points | Horizon B1 | | | | Percentile | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | | Mean | Std | Min | Max | 25 | 50 | 75 |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 38 | 18.0 | 8.3 | 7.4 | 41.7 | 11.6 | 16.2 | 21.9 | 37 | 42.6 | 13.9 | 14.5 | 70.4 | 32.4 | 43.6 | 51.3 |
| Silt (% g/g) | 38 | 36.4 | 9.0 | 23.6 | 65.0 | 30.3 | 35.9 | 40.9 | 37 | 29.4 | 7.3 | 15.4 | 44.7 | 24.6 | 29.9 | 34.4 |
| Sand (% g/g) | 38 | 45.6 | 12.5 | 16.7 | 65.1 | 43.0 | 47.2 | 53.6 | 37 | 28.0 | 11.6 | 4.2 | 63.5 | 20.4 | 26.3 | 35.7 |
| Bulk density (g/cm ³) | 38 | 1.51 | 0.19 | 1.00 | 1.77 | 1.40 | 1.56 | 1.62 | 37 | 1.65 | 0.10 | 1.48 | 1.94 | 1.59 | 1.63 | 1.73 |
| Organic matter (% g/g) | 20 | 4.7 | 1.6 | 2.7 | 8.2 | 3.5 | 4.3 | 5.6 | 20 | 2.0 | 0.7 | 1.1 | 3.8 | 1.6 | 1.7 | 2.5 |
| Depth of horizon (mm) | 38 | 166 | 33.6 | 100 | 290 | 150 | 165 | 180 | 21 | 151 | 46.1 | 60 | 250 | 128 | 140 | 170 |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 20 | 0.21 | 0.15 | 0.06 | 0.67 | 0.13 | 0.17 | 0.24 | 20 | 0.14 | 0.08 | 0.05 | 0.3 | 0.08 | 0.11 | 0.21 |
| pH (H ₂ O) | 20 | 6.9 | 0.6 | 5.8 | 8.6 | 6.5 | 6.9 | 7.1 | 20 | 7.3 | 0.6 | 6.3 | 8.8 | 7.0 | 7.3 | 7.7 |
| pH (CaCl ₂) | 20 | 6.3 | 0.7 | 5.4 | 8.6 | 5.9 | 6.3 | 6.6 | 20 | 6.5 | 0.8 | 5.5 | 8.3 | 6.1 | 6.3 | 6.8 |
| Ca (meq/100g) | 20 | 6.8 | 2.2 | 3.9 | 12.0 | 5.3 | 6.1 | 8.6 | 20 | 5.1 | 2.5 | 1.9 | 14.0 | 3.8 | 4.9 | 5.7 |
| Mg (meq/100g) | 20 | 3.8 | 1.5 | 1.4 | 7.1 | 2.9 | 3.5 | 4.4 | 20 | 4.3 | 1.8 | 1.6 | 7.5 | 2.8 | 4.0 | 5.7 |
| Na (meq/100g) | 20 | 1.1 | 1.0 | 0.2 | 4.6 | 0.5 | 0.7 | 1.3 | 20 | 1.5 | 1.1 | 0.3 | 4.8 | 0.8 | 1.3 | 2.0 |
| K (meq/100g) | 20 | 0.7 | 0.4 | 0.1 | 1.5 | 0.4 | 0.7 | 1.1 | 20 | 0.6 | 0.4 | 0.2 | 1.4 | 0.3 | 0.6 | 0.9 |
| ESP | 20 | 8.9 | 6.7 | 2.3 | 25.5 | 3.7 | 6.5 | 12.2 | 20 | 13.1 | 6.8 | 2.9 | 28.2 | 7.2 | 12.5 | 17.6 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 38 | 45.2 | 30.6 | 4.2 | 127.5 | 21.0 | 41.8 | 67.0 | 37 | 6.05 | 5.37 | 0.14 | 29.40 | 2.79 | 5.11 | 8.21 |
| Final infiltration rate (mm/hr) | | | | | | | | | 19 | 1.41 | 1.27 | 0.23 | 4.85 | 0.66 | 1.11 | 1.74 |
| Available water capacity (% cm ³ /cm ³) | 15 | 13.2 | 5.0 | 3.7 | 22.1 | 9.3 | 13.4 | 16.7 | 18 | 11.9 | 3.7 | 4.3 | 18.2 | 9.3 | 12.1 | 14.1 |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 15 | 46.1 | 7.0 | 36.0 | 61.5 | 41.4 | 45.1 | 50.4 | 18 | 42.7 | 4.8 | 33.7 | 50.4 | 40.2 | 42.5 | 46.9 |
| 10 | 15 | 38.4 | 7.3 | 29.3 | 50.5 | 31.7 | 37.0 | 43.8 | 18 | 39.0 | 5.8 | 26.4 | 47.0 | 35.7 | 38.9 | 45.0 |
| 60 | 15 | 34.5 | 7.0 | 25.2 | 46.0 | 27.4 | 32.9 | 40.6 | 18 | 35.2 | 6.2 | 24.0 | 44.9 | 32.4 | 34.0 | 40.6 |
| 1500 | 15 | 25.2 | 5.0 | 15.4 | 33.3 | 23.8 | 25.2 | 29.0 | 18 | 27.1 | 6.1 | 15.1 | 39.0 | 23.2 | 27.8 | 29.7 |

Table 28.16 Lemnos loam friable phase

| Soil Type | Lemnos loam friable phase | | | | | | | | | | | | | | Soil Group | 3 | | | Irrigation Area | SCG | | |
|---|---------------------------|-----------|------|------|------|------|------|------------------------|------------|------|-------|------|-------|------|-------------------|------|--|--|------------------------|-----|--|--|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | | | | | | | |
| Physical Properties | | | | | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 8 | 19.9 | 5.8 | 14.3 | 32.3 | 15.9 | 18.3 | 22.2 | 8 | 46.6 | 9.9 | 31.9 | 60.1 | 38.7 | 47.4 | 54.5 | | | | | | |
| Silt (% g/g) | 8 | 40.8 | 7.3 | 28.0 | 48.7 | 36.2 | 40.8 | 47.7 | 8 | 32.1 | 6.6 | 23.0 | 42.9 | 26.3 | 33.0 | 36.1 | | | | | | |
| Sand (% g/g) | 8 | 39.3 | 7.7 | 29.8 | 49.5 | 31.2 | 40.9 | 45.5 | 8 | 21.3 | 5.7 | 14.6 | 31.7 | 17.0 | 19.6 | 25.3 | | | | | | |
| Bulk density (g/cm ³) | 8 | 1.67 | 0.09 | 1.53 | 1.79 | 1.58 | 1.68 | 1.74 | 8 | 1.69 | 0.09 | 1.58 | 1.81 | 1.63 | 1.66 | 1.79 | | | | | | |
| Organic matter (% g/g) | 8 | 3.3 | 0.8 | 2.1 | 4.6 | 2.8 | 3.3 | 3.7 | 8 | 1.8 | 0.2 | 1.4 | 2.1 | 1.7 | 1.9 | 1.9 | | | | | | |
| Depth of horizon (mm) | 8 | 179 | 57.2 | 100 | 280 | 135 | 190 | 200 | 0 | | | | | | | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 8 | 0.08 | 0.03 | 0.04 | 0.13 | 0.06 | 0.07 | 0.1 | 8 | 0.06 | 0.02 | 0.04 | 0.09 | 0.05 | 0.06 | 0.08 | | | | | | |
| pH (H ₂ O) | 8 | 6.0 | 0.5 | 5.3 | 6.8 | 5.7 | 5.9 | 6.4 | 8 | 6.7 | 0.6 | 5.8 | 7.5 | 6.4 | 6.8 | 7.2 | | | | | | |
| pH (CaCl ₂) | 8 | 5.3 | 0.6 | 4.7 | 6.1 | 4.9 | 5.2 | 5.9 | 8 | 5.8 | 0.5 | 5.1 | 6.5 | 5.4 | 5.7 | 6.1 | | | | | | |
| Ca (meq/100g) | 8 | 4.0 | 1.0 | 3.1 | 6.1 | 3.3 | 3.7 | 4.4 | 8 | 3.9 | 0.7 | 2.6 | 4.7 | 3.6 | 3.8 | 4.5 | | | | | | |
| Mg (meq/100g) | 8 | 1.9 | 0.3 | 1.4 | 2.3 | 1.7 | 1.9 | 2.1 | 8 | 4.1 | 1.3 | 2.2 | 5.9 | 3.1 | 4.1 | 5.4 | | | | | | |
| Na (meq/100g) | 8 | 0.3 | 0.1 | 0.2 | 0.4 | 0.2 | 0.3 | 0.4 | 8 | 0.7 | 0.4 | 0.2 | 1.4 | 0.3 | 0.5 | 1.0 | | | | | | |
| K (meq/100g) | 8 | 0.6 | 0.5 | 0.3 | 1.6 | 0.3 | 0.3 | 0.9 | 8 | 0.7 | 0.5 | 0.3 | 1.4 | 0.4 | 0.4 | 1.1 | | | | | | |
| ESP | 8 | 4.5 | 1.4 | 2.8 | 6.4 | 3.3 | 4.5 | 5.8 | 8 | 6.6 | 3.3 | 3.3 | 11.5 | 3.5 | 6.1 | 9.4 | | | | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 8 | 46.1 | 21.9 | 16.0 | 80.9 | 29.8 | 42.4 | 63.7 | 8 | 8.54 | 14.82 | 0.30 | 43.27 | 0.40 | 2.74 | 9.22 | | | | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 8 | 3.85 | 9.01 | 0.10 | 25.92 | 0.12 | 0.21 | 2.06 | | | | | | |
| Available water capacity (% cm ³ /cm ³) | 4 | 16.4 | 3.6 | 12.9 | 20.8 | 13.6 | 16.0 | 19.3 | 4 | 14.6 | 2.8 | 11.2 | 17.8 | 12.5 | 14.7 | 16.7 | | | | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 4 | 43.7 | 4.7 | 39.4 | 50.3 | 40.4 | 42.6 | 47.0 | 4 | 45.5 | 4.9 | 41.5 | 52.4 | 42.0 | 44.0 | 48.9 | | | | | | |
| 10 | 4 | 37.9 | 5.1 | 33.1 | 44.8 | 34.2 | 36.8 | 41.6 | 4 | 38.2 | 5.8 | 34.8 | 46.8 | 34.9 | 35.5 | 41.4 | | | | | | |
| 60 | 4 | 33.7 | 4.9 | 28.9 | 39.9 | 29.9 | 33.1 | 37.6 | 4 | 34.2 | 5.5 | 30.0 | 42.3 | 30.9 | 32.2 | 37.5 | | | | | | |
| 1500 | 4 | 21.4 | 3.3 | 17.4 | 24.2 | 18.8 | 22.1 | 24.1 | 4 | 23.5 | 4.3 | 19.4 | 29.0 | 20.2 | 22.9 | 26.9 | | | | | | |

Table 28.17 Lemnos loam semi friable phase

| Soil Type | Lemnos loam semi friable phase | | | | | | | | | | Soil Group | | 3 | | Irrigation Area | | SCG | |
|---|--------------------------------|------------------|------|------|-------|------|------|------------------------|-------------------|------|-------------------|------|-------|------|------------------------|------|------------|--|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | | | |
| Physical Properties | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 9.1 | 1.9 | 7.6 | 11.9 | 8.0 | 8.5 | 10.2 | 4 | 45.3 | 3.5 | 40.9 | 49.4 | 42.8 | 45.4 | 47.8 | | |
| Silt (% g/g) | 4 | 33.6 | 1.2 | 31.8 | 34.4 | 32.9 | 34.2 | 34.4 | 4 | 25.9 | 3.7 | 23.0 | 31.4 | 23.8 | 24.6 | 28.0 | | |
| Sand (% g/g) | 4 | 57.2 | 2.4 | 54.1 | 59.7 | 55.6 | 57.5 | 58.9 | 4 | 28.8 | 2.7 | 26.0 | 32.2 | 26.8 | 28.5 | 30.8 | | |
| Bulk density (g/cm ³) | 4 | 1.61 | 0.03 | 1.58 | 1.64 | 1.60 | 1.62 | 1.63 | 4 | 1.66 | 0.12 | 1.49 | 1.73 | 1.60 | 1.72 | 1.73 | | |
| Organic matter (% g/g) | 4 | 4.1 | 0.6 | 3.6 | 4.8 | 3.6 | 3.9 | 4.5 | 4 | 2.5 | 0.5 | 1.8 | 3.1 | 2.2 | 2.6 | 2.9 | | |
| Depth of horizon (mm) | 4 | 203 | 18.9 | 190 | 230 | 190 | 195 | 215 | 0 | | | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.16 | 0.06 | 0.08 | 0.22 | 0.11 | 0.16 | 0.21 | 4 | 0.10 | 0.04 | 0.06 | 0.15 | 0.07 | 0.1 | 0.14 | | |
| pH (H ₂ O) | 4 | 5.0 | 0.3 | 4.7 | 5.3 | 4.8 | 5.0 | 5.2 | 4 | 6.2 | 0.4 | 5.9 | 6.8 | 6.0 | 6.1 | 6.5 | | |
| pH (CaCl ₂) | 4 | 4.6 | 0.2 | 4.4 | 4.8 | 4.5 | 4.6 | 4.7 | 4 | 5.5 | 0.6 | 5.0 | 6.3 | 5.2 | 5.4 | 5.9 | | |
| Ca (meq/100g) | 4 | 3.7 | 0.4 | 3.1 | 4.0 | 3.5 | 3.9 | 4.0 | 4 | 6.0 | 2.4 | 4.2 | 9.5 | 4.5 | 5.1 | 7.4 | | |
| Mg (meq/100g) | 4 | 1.2 | 0.2 | 0.9 | 1.3 | 1.0 | 1.2 | 1.3 | 4 | 3.8 | 1.0 | 2.5 | 4.9 | 3.1 | 3.8 | 4.5 | | |
| Na (meq/100g) | 4 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 4 | 0.5 | 0.2 | 0.3 | 0.8 | 0.3 | 0.4 | 0.6 | | |
| K (meq/100g) | 4 | 0.3 | 0.1 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 4 | 0.5 | 0.4 | 0.2 | 1.1 | 0.3 | 0.4 | 0.8 | | |
| ESP | 4 | 1.8 | 0.5 | 1.5 | 2.5 | 1.5 | 1.6 | 2.1 | 4 | 4.4 | 1.8 | 2.4 | 6.7 | 3.2 | 4.3 | 5.7 | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 91.4 | 56.9 | 31.8 | 143.3 | 42.8 | 95.2 | 140.0 | 4 | 5.38 | 7.14 | 1.19 | 16.00 | 1.21 | 2.16 | 9.54 | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 4 | 0.64 | 0.56 | 0.18 | 1.44 | 0.25 | 0.47 | 1.03 | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 12.5 | | 12.2 | 12.7 | | | | 2 | 8.3 | | 8.2 | 8.5 | | | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | |
| 0 | 2 | 40.9 | | 40.4 | 41.4 | | | | 2 | 43.6 | | 39.5 | 47.8 | | | | | |
| 10 | 2 | 29.9 | | 28.7 | 31.1 | | | | 2 | 36.5 | | 31.1 | 41.9 | | | | | |
| 60 | 2 | 25.5 | | 23.8 | 27.1 | | | | 2 | 32.8 | | 27.0 | 38.7 | | | | | |
| 1500 | 2 | 17.4 | | 16.5 | 18.4 | | | | 2 | 28.2 | | 22.9 | 33.4 | | | | | |

Table 28.18 Moira loam

| Soil Type | Soil Group 3 | | | | | Irrigation Area | | MV | | | | | | | |
|---|-----------------|-----------|-----|------|------|------------------|-----------------|------------|------|------|-----|------|------------------|----|----|
| Soil Properties | Sampling Points | Horizon A | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | Percentile 25 | 50 | 75 | Mean | Std | Min | Max | Percentile 25 | 50 | 75 |
| Physical Properties | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | |
| Clay (% g/g) | 2 | 11.1 | | 7.2 | 15.0 | | | | 2 | 32.5 | | 22.0 | 43.0 | | |
| Silt (% g/g) | 2 | 30.8 | | 27.6 | 34.1 | | | | 2 | 25.7 | | 20.4 | 30.9 | | |
| Sand (% g/g) | 2 | 58.1 | | 57.4 | 58.7 | | | | 2 | 41.8 | | 36.6 | 47.1 | | |
| Bulk density (g/cm ³) | 2 | 1.64 | | 1.55 | 1.73 | | | | 2 | 1.73 | | 1.62 | 1.84 | | |
| Organic matter (% g/g) | 1 | 2.9 | | | | | | | 1 | 1.4 | | | | | |
| Depth of horizon (mm) | 2 | 210 | | 190 | 230 | | | | 2 | 175 | | 140 | 210 | | |
| Chemical Properties | | | | | | | | | | | | | | | |
| EC (dS/m) | 1 | 0.08 | | | | | | | 1 | 0.07 | | | | | |
| pH (H ₂ O) | 1 | 5.8 | | | | | | | 1 | 6.9 | | | | | |
| pH (CaCl ₂) | 1 | 5.1 | | | | | | | 1 | 6.1 | | | | | |
| Ca (meq/100g) | 1 | 3.8 | | | | | | | 1 | 6.4 | | | | | |
| Mg (meq/100g) | 1 | 1.8 | | | | | | | 1 | 4.7 | | | | | |
| Na (meq/100g) | 1 | 0.3 | | | | | | | 1 | 0.5 | | | | | |
| K (meq/100g) | 1 | 0.9 | | | | | | | 1 | 0.9 | | | | | |
| ESP | 1 | 3.7 | | | | | | | 1 | 4.2 | | | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 2 | 16.1 | | 12.8 | 19.4 | | | | 2 | 0.94 | | 0.76 | 1.13 | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 1 | 2.95 | | | | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 18.7 | | 16.9 | 20.5 | | | | 2 | 12.1 | | 11.6 | 12.7 | | |
| Water retention characteristic | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | |
| 0 | 2 | 42.0 | | 36.4 | 47.6 | | | | 2 | 40.1 | | 37.8 | 42.5 | | |
| 10 | 2 | 34.6 | | 31.0 | 38.2 | | | | 2 | 34.8 | | 30.1 | 39.5 | | |
| 60 | 2 | 31.5 | | 29.0 | 34.0 | | | | 2 | 32.1 | | 27.1 | 37.1 | | |
| 1500 | 2 | 15.9 | | 14.1 | 17.7 | | | | 2 | 22.7 | | 18.5 | 26.8 | | |

Table 28.19 Moira loam friable phase

| Soil Type | Moira loam friable phase | | | | | | | | | | Soil Group 2 | | Irrigation Area | | MV | |
|---|--------------------------|-----------|------|------|------|------|------|-----------------|------------|------|--------------|------|-----------------|------|------|------|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 10 | 17.2 | 7.2 | 9.6 | 32.0 | 11.5 | 14.6 | 22.1 | 10 | 46.5 | 9.4 | 31.2 | 58.3 | 37.5 | 49.4 | 52.3 |
| Silt (% g/g) | 10 | 31.0 | 3.3 | 26.2 | 36.4 | 27.7 | 31.3 | 32.9 | 10 | 23.3 | 4.1 | 18.0 | 30.0 | 20.3 | 22.6 | 25.6 |
| Sand (% g/g) | 10 | 51.7 | 6.3 | 40.3 | 61.8 | 47.4 | 52.2 | 56.4 | 10 | 30.2 | 6.3 | 22.3 | 41.4 | 25.8 | 29.9 | 32.5 |
| Bulk density (g/cm ³) | 10 | 1.65 | 0.08 | 1.49 | 1.76 | 1.61 | 1.66 | 1.71 | 10 | 1.59 | 0.07 | 1.44 | 1.66 | 1.57 | 1.61 | 1.63 |
| Organic matter (% g/g) | 7 | 4.7 | 1.0 | 3.1 | 5.9 | 3.8 | 5.0 | 5.3 | 7 | 2.6 | 0.3 | 2.3 | 3.1 | 2.4 | 2.5 | 2.7 |
| Depth of horizon (mm) | 10 | 205 | 37.5 | 150 | 280 | 190 | 200 | 230 | 4 | 203 | 42.7 | 150 | 250 | 170 | 205 | 235 |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 7 | 0.11 | 0.06 | 0.06 | 0.21 | 0.06 | 0.08 | 0.17 | 7 | 0.16 | 0.08 | 0.04 | 0.26 | 0.08 | 0.18 | 0.23 |
| pH (H ₂ O) | 7 | 6.3 | 0.9 | 5.3 | 7.9 | 5.9 | 5.9 | 7.1 | 7 | 6.9 | 1.0 | 6.0 | 8.5 | 6.2 | 6.4 | 7.8 |
| pH (CaCl ₂) | 7 | 5.6 | 1.1 | 4.8 | 7.4 | 4.9 | 5.1 | 6.5 | 7 | 6.0 | 1.3 | 4.9 | 7.8 | 5.1 | 5.5 | 7.3 |
| Ca (meq/100g) | 7 | 5.7 | 2.8 | 4.1 | 12.0 | 4.3 | 4.7 | 5.4 | 7 | 5.7 | 4.7 | 2.0 | 16.0 | 3.3 | 3.9 | 6.2 |
| Mg (meq/100g) | 7 | 2.7 | 1.7 | 1.0 | 5.3 | 1.8 | 1.9 | 4.4 | 7 | 4.6 | 1.8 | 2.6 | 7.2 | 2.9 | 4.9 | 5.7 |
| Na (meq/100g) | 7 | 0.6 | 0.2 | 0.4 | 1.1 | 0.5 | 0.5 | 0.7 | 7 | 1.4 | 1.0 | 0.5 | 2.9 | 0.6 | 0.9 | 2.2 |
| K (meq/100g) | 7 | 0.5 | 0.4 | 0.2 | 1.1 | 0.2 | 0.3 | 0.9 | 7 | 0.5 | 0.4 | 0.2 | 1.1 | 0.2 | 0.3 | 0.8 |
| ESP | 7 | 6.9 | 2.0 | 2.8 | 8.8 | 6.2 | 7.1 | 8.5 | 7 | 12.8 | 7.9 | 2.1 | 23.8 | 6.5 | 13.7 | 19.3 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 10 | 16.5 | 9.0 | 4.4 | 30.3 | 10.5 | 14.4 | 25.3 | 6 | 2.83 | 3.47 | 0.78 | 9.86 | 1.19 | 1.50 | 2.18 |
| Final infiltration rate (mm/hr) | | | | | | | | | 6 | 0.25 | 0.43 | 0.01 | 1.09 | 0.01 | 0.04 | 0.33 |
| Available water capacity (% cm ³ /cm ³) | 4 | 15.4 | 3.7 | 12.8 | 20.9 | 13.0 | 14.1 | 17.8 | 4 | 12.2 | 2.8 | 8.6 | 14.5 | 9.9 | 12.8 | 14.5 |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 4 | 38.2 | 5.2 | 33.5 | 44.2 | 33.9 | 37.6 | 42.6 | 4 | 43.5 | 2.1 | 40.6 | 45.6 | 42.0 | 43.8 | 44.9 |
| 10 | 4 | 35.7 | 4.6 | 31.1 | 40.4 | 31.8 | 35.7 | 39.6 | 4 | 41.7 | 1.4 | 39.9 | 43.3 | 40.8 | 41.8 | 42.5 |
| 60 | 4 | 32.7 | 3.9 | 28.7 | 36.5 | 29.3 | 32.8 | 36.0 | 4 | 39.5 | 1.3 | 38.2 | 41.2 | 38.6 | 39.2 | 40.4 |
| 1500 | 4 | 20.3 | 2.7 | 17.8 | 24.1 | 18.7 | 19.6 | 21.9 | 4 | 29.5 | 2.5 | 27.2 | 32.0 | 27.3 | 29.3 | 31.6 |

Table 28.20 Muckatah clay loam

| Soil Type | Muckatah clay loam | | | | Soil Group 6 | | | Irrigation Area | | | MV | | | | | |
|---|--------------------|-----------|------|------|--------------|------|------|-----------------|------------|------|------|------|------|------|------|------|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 6 | 31.0 | 7.3 | 21.3 | 41.5 | 25.6 | 31.0 | 35.8 | 6 | 43.8 | 12.0 | 33.9 | 60.9 | 35.5 | 37.8 | 57.0 |
| Silt (% g/g) | 6 | 39.5 | 8.7 | 27.4 | 50.9 | 31.8 | 40.6 | 45.8 | 6 | 32.3 | 10.4 | 18.8 | 45.1 | 22.9 | 32.3 | 42.7 |
| Sand (% g/g) | 6 | 29.4 | 6.6 | 21.0 | 39.4 | 23.4 | 30.2 | 32.4 | 6 | 23.8 | 7.6 | 16.2 | 33.4 | 17.3 | 21.8 | 32.7 |
| Bulk density (g/cm ³) | 6 | 1.54 | 0.09 | 1.38 | 1.64 | 1.54 | 1.55 | 1.57 | 6 | 1.63 | 0.08 | 1.52 | 1.71 | 1.57 | 1.63 | 1.71 |
| Organic matter (% g/g) | 3 | 1.7 | | 1.4 | 2.1 | | | | 3 | 1.2 | | 1.1 | 1.3 | | | |
| Depth of horizon (mm) | 6 | 217 | 16.3 | 200 | 240 | 200 | 215 | 230 | 6 | 205 | 21.7 | 180 | 240 | 190 | 200 | 220 |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 3 | 0.08 | | 0.06 | 0.12 | | | | 3 | 0.11 | | 0.06 | 0.2 | | | |
| pH (H ₂ O) | 3 | 7.0 | | 6.4 | 7.6 | | | | 3 | 7.4 | | 7.0 | 8.0 | | | |
| pH (CaCl ₂) | 3 | 6.2 | | 5.8 | 6.7 | | | | 3 | 6.5 | | 6.2 | 7.2 | | | |
| Ca (meq/100g) | 3 | 6.4 | | 5.2 | 8.4 | | | | 3 | 6.9 | | 5.4 | 9.7 | | | |
| Mg (meq/100g) | 3 | 4.5 | | 1.7 | 8.0 | | | | 3 | 5.8 | | 3.0 | 10.0 | | | |
| Na (meq/100g) | 3 | 0.8 | | 0.1 | 1.5 | | | | 3 | 1.2 | | 0.2 | 2.6 | | | |
| K (meq/100g) | 3 | 1.1 | | 0.5 | 1.9 | | | | 3 | 1.0 | | 0.5 | 1.2 | | | |
| ESP | 3 | 5.2 | | 1.8 | 7.6 | | | | 3 | 6.8 | | 2.1 | 11.1 | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 6 | 18.1 | 13.0 | 4.8 | 42.7 | 12.6 | 14.4 | 20.0 | 6 | 0.64 | 0.30 | 0.35 | 1.17 | 0.44 | 0.56 | 0.76 |
| Final infiltration rate (mm/hr) | | | | | | | | | 3 | 0.32 | 0.15 | 0.17 | 0.46 | | | |
| Available water capacity (% cm ³ /cm ³) | 6 | 7.9 | 2.2 | 5.6 | 11.5 | 5.8 | 7.8 | 8.9 | 6 | 12.2 | 4.0 | 6.5 | 16.7 | 9.2 | 12.2 | 16.2 |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 6 | 39.9 | 4.6 | 35.2 | 46.7 | 36.7 | 38.1 | 44.5 | 6 | 46.9 | 8.6 | 38.1 | 57.9 | 41.6 | 43.1 | 57.5 |
| 10 | 6 | 36.9 | 5.3 | 31.8 | 45.3 | 33.3 | 34.6 | 41.6 | 6 | 43.6 | 7.3 | 35.4 | 53.8 | 39.3 | 40.8 | 51.5 |
| 60 | 6 | 34.3 | 5.6 | 29.6 | 43.1 | 30.5 | 31.6 | 39.5 | 6 | 40.7 | 6.7 | 33.7 | 50.6 | 36.7 | 38.1 | 47.2 |
| 1500 | 6 | 29.0 | 4.9 | 23.9 | 36.0 | 25.6 | 27.2 | 33.8 | 6 | 31.4 | 4.0 | 26.9 | 37.6 | 28.9 | 30.2 | 34.7 |

Table 28.21 Nanneella fine sandy loam

| Soil Type | Nanneella fine sandy loam | | | | | | | | | | | | Soil Group | 1D | | | Irrigation Area | RC | | |
|---|---------------------------|-----------|------|------|-------|------|------|------------------------|------------|------|------|------|-------------------|------|-------|-------|------------------------|----|--|--|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | | | | | |
| Physical Properties | | | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 54 | 9.5 | 3.7 | 3.1 | 22.1 | 6.9 | 8.9 | 11.2 | 54 | 30.5 | 9.0 | 11.5 | 52.3 | 24.6 | 31.0 | 35.9 | | | | |
| Silt (% g/g) | 54 | 38.2 | 7.7 | 19.5 | 54.0 | 32.7 | 38.5 | 43.4 | 54 | 42.5 | 10.5 | 18.0 | 57.2 | 38.9 | 44.9 | 49.3 | | | | |
| Sand (% g/g) | 54 | 52.3 | 9.2 | 35.0 | 76.6 | 46.2 | 51.6 | 60.5 | 54 | 27.1 | 11.5 | 9.4 | 59.8 | 19.4 | 24.6 | 32.3 | | | | |
| Bulk density (g/cm ³) | 54 | 1.43 | 0.16 | 0.96 | 1.80 | 1.37 | 1.44 | 1.50 | 54 | 1.68 | 0.08 | 1.46 | 1.93 | 1.63 | 1.68 | 1.72 | | | | |
| Organic matter (% g/g) | 44 | 7.7 | 2.1 | 1.9 | 12.0 | 6.8 | 7.8 | 8.9 | 44 | 2.6 | 0.6 | 1.0 | 3.8 | 2.3 | 2.5 | 2.9 | | | | |
| Depth of horizon (mm) | 14 | 186 | 37.2 | 140 | 260 | 150 | 175 | 220 | 14 | 193 | 48.7 | 110 | 320 | 170 | 180 | 220 | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 44 | 0.16 | 0.08 | 0.06 | 0.45 | 0.11 | 0.14 | 0.17 | 44 | 0.09 | 0.04 | 0.04 | 0.3 | 0.07 | 0.08 | 0.1 | | | | |
| pH (H ₂ O) | 44 | 5.7 | 0.3 | 5.2 | 6.7 | 5.6 | 5.6 | 5.8 | 44 | 6.8 | 0.5 | 5.9 | 8.3 | 6.6 | 6.8 | 7.1 | | | | |
| pH (CaCl ₂) | 44 | 5.1 | 0.3 | 4.6 | 6.3 | 4.9 | 5.0 | 5.2 | 44 | 6.0 | 0.5 | 5.1 | 7.7 | 5.7 | 5.9 | 6.1 | | | | |
| Ca (meq/100g) | 44 | 6.9 | 1.6 | 2.0 | 11.0 | 6.2 | 7.1 | 8.0 | 44 | 6.5 | 1.6 | 2.0 | 10.0 | 5.8 | 6.6 | 7.4 | | | | |
| Mg (meq/100g) | 44 | 4.0 | 0.7 | 2.3 | 5.6 | 3.6 | 4.0 | 4.5 | 44 | 4.4 | 1.0 | 1.9 | 6.5 | 3.8 | 4.3 | 4.9 | | | | |
| Na (meq/100g) | 44 | 0.5 | 0.2 | 0.2 | 1.2 | 0.4 | 0.5 | 0.6 | 44 | 0.7 | 0.3 | 0.3 | 1.7 | 0.5 | 0.6 | 0.8 | | | | |
| K (meq/100g) | 44 | 0.7 | 0.5 | 0.1 | 2.1 | 0.3 | 0.5 | 1.1 | 44 | 0.4 | 0.3 | 0.1 | 1.5 | 0.2 | 0.4 | 0.5 | | | | |
| ESP | 44 | 4.8 | 2.6 | 1.5 | 19.4 | 3.6 | 4.3 | 5.5 | 44 | 5.7 | 1.8 | 3.1 | 12.8 | 4.5 | 5.3 | 6.6 | | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 52 | 46.4 | 27.5 | 10.3 | 130.5 | 28.1 | 38.2 | 60.9 | 12 | 9.59 | 6.64 | 0.65 | 20.38 | 3.47 | 10.14 | 13.87 | | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 43 | 3.98 | 7.17 | 0.01 | 36.18 | 0.20 | 1.23 | 3.28 | | | | |
| Available water capacity (% cm ³ /cm ³) | 8 | 20.4 | 6.7 | 12.9 | 31.1 | 15.3 | 18.1 | 26.3 | 8 | 15.4 | 6.6 | 10.1 | 30.8 | 11.7 | 13.9 | 15.4 | | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | | | |
| 0 | 8 | 41.5 | 4.7 | 34.8 | 49.7 | 38.9 | 40.6 | 44.4 | 8 | 39.8 | 3.9 | 32.3 | 45.4 | 38.2 | 40.3 | 41.8 | | | | |
| 10 | 8 | 36.3 | 6.1 | 29.2 | 46.2 | 32.7 | 34.4 | 40.4 | 8 | 35.7 | 4.2 | 26.3 | 39.7 | 34.5 | 37.1 | 38.2 | | | | |
| 60 | 8 | 30.2 | 7.8 | 23.7 | 43.1 | 25.5 | 26.0 | 35.7 | 8 | 29.9 | 5.6 | 20.6 | 36.0 | 25.6 | 31.8 | 34.1 | | | | |
| 1500 | 8 | 15.9 | 4.1 | 7.6 | 21.8 | 14.9 | 16.4 | 17.5 | 8 | 20.3 | 6.7 | 7.8 | 26.8 | 16.0 | 22.5 | 25.4 | | | | |

Table 28.22 Naring loam

| Soil Type | Soil Group 3 | | | | | | | | | | Irrigation Area MV | | | | | | | | |
|---|-----------------|-----------|------|------|------|------|------------|------|----|------|--------------------|-----------------|------|------|------|------|------------|--|--|
| Soil Properties | Sampling Points | Horizon A | | | | | Horizon B1 | | | | | Sampling Points | Mean | Std | Min | Max | Percentile | | |
| | | 25 | 50 | 75 | 25 | 50 | 75 | 25 | 50 | 75 | 25 | | | | | 50 | 75 | | |
| Physical Properties | | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 8 | 21.1 | 6.6 | 13.9 | 32.3 | 15.9 | 19.5 | 25.9 | 8 | 34.6 | 19.1 | 16.9 | 66.4 | 18.0 | 31.1 | 47.7 | | | |
| Silt (% g/g) | 8 | 31.2 | 5.2 | 24.7 | 38.4 | 25.7 | 33.0 | 34.6 | 8 | 27.8 | 7.5 | 15.3 | 37.6 | 22.5 | 28.5 | 33.7 | | | |
| Sand (% g/g) | 8 | 47.7 | 6.8 | 41.2 | 61.3 | 43.0 | 45.9 | 50.7 | 8 | 37.6 | 12.8 | 18.3 | 51.4 | 27.2 | 40.0 | 48.4 | | | |
| Bulk density (g/cm ³) | 8 | 1.68 | 0.07 | 1.57 | 1.77 | 1.64 | 1.67 | 1.73 | 8 | 1.66 | 0.13 | 1.42 | 1.84 | 1.59 | 1.68 | 1.74 | | | |
| Organic matter (% g/g) | 4 | 4.1 | 0.2 | 3.8 | 4.2 | 3.9 | 4.1 | 4.2 | 4 | 2.2 | 0.8 | 1.1 | 2.9 | 1.6 | 2.3 | 2.7 | | | |
| Depth of horizon (mm) | 8 | 160 | 18.5 | 130 | 180 | 145 | 165 | 175 | 6 | 192 | 31.3 | 160 | 230 | 170 | 180 | 230 | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.11 | 0.03 | 0.08 | 0.16 | 0.09 | 0.1 | 0.13 | 4 | 0.07 | 0.02 | 0.05 | 0.1 | 0.06 | 0.07 | 0.09 | | | |
| pH (H ₂ O) | 4 | 5.9 | 0.7 | 5.0 | 6.6 | 5.4 | 6.1 | 6.5 | 4 | 7.4 | 0.9 | 6.3 | 8.3 | 6.7 | 7.6 | 8.2 | | | |
| pH (CaCl ₂) | 4 | 5.3 | 0.7 | 4.5 | 6.0 | 4.8 | 5.4 | 5.9 | 4 | 6.4 | 0.9 | 5.1 | 7.3 | 5.7 | 6.6 | 7.1 | | | |
| Ca (meq/100g) | 4 | 4.8 | 0.5 | 4.3 | 5.5 | 4.5 | 4.6 | 5.1 | 4 | 4.8 | 2.6 | 2.5 | 7.1 | 2.6 | 4.9 | 7.1 | | | |
| Mg (meq/100g) | 4 | 3.3 | 0.5 | 2.8 | 4.0 | 2.9 | 3.2 | 3.7 | 4 | 5.2 | 3.9 | 1.5 | 9.7 | 1.9 | 4.7 | 8.4 | | | |
| Na (meq/100g) | 4 | 0.6 | 0.1 | 0.4 | 0.7 | 0.5 | 0.6 | 0.7 | 4 | 1.1 | 0.7 | 0.5 | 2.0 | 0.6 | 1.0 | 1.7 | | | |
| K (meq/100g) | 4 | 0.4 | 0.2 | 0.2 | 0.6 | 0.2 | 0.3 | 0.5 | 4 | 0.5 | 0.5 | 0.1 | 1.1 | 0.1 | 0.3 | 0.8 | | | |
| ESP | 4 | 6.5 | 1.2 | 4.9 | 7.9 | 5.7 | 6.7 | 7.4 | 4 | 10.5 | 2.5 | 6.8 | 12.3 | 8.9 | 11.5 | 12.1 | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 8 | 20.7 | 12.1 | 6.6 | 39.4 | 12.1 | 17.7 | 30.2 | 8 | 1.90 | 1.36 | 0.22 | 4.48 | 0.97 | 1.65 | 2.62 | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 3 | 0.18 | 0.29 | 0.01 | 0.52 | | | | | | |
| Available water capacity (% cm ³ /cm ³) | 5 | 12.1 | 3.4 | 6.6 | 14.7 | 10.0 | 13.2 | 14.7 | 6 | 10.8 | 3.3 | 5.9 | 15.7 | 9.6 | 10.6 | 12.5 | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | | |
| 0 | 5 | 39.9 | 4.9 | 34.4 | 47.0 | 36.8 | 38.0 | 43.6 | 6 | 40.3 | 8.5 | 32.3 | 51.6 | 32.7 | 39.0 | 47.1 | | | |
| 10 | 5 | 34.0 | 6.1 | 26.4 | 42.9 | 30.1 | 33.1 | 37.7 | 6 | 36.8 | 10.0 | 25.8 | 48.2 | 28.2 | 36.4 | 45.6 | | | |
| 60 | 5 | 30.5 | 5.7 | 22.9 | 38.5 | 27.5 | 29.4 | 34.1 | 6 | 33.9 | 10.5 | 23.1 | 44.4 | 24.2 | 33.9 | 44.1 | | | |
| 1500 | 5 | 21.9 | 4.9 | 15.2 | 28.2 | 18.7 | 21.4 | 25.6 | 6 | 26.0 | 8.1 | 17.1 | 35.7 | 19.6 | 24.9 | 33.7 | | | |

Table 28.23 Rochester clay

| Soil Type | Soil Group 5 | | | | | Irrigation Area | | RC | | | | |
|---|------------------------|-------------|------------|------------|------------|------------------------|------------------------|-------------|------------|------------|------------|-------------------|
| Soil Properties | Horizon A | | | | | Horizon B1 | | | | | | |
| | Sampling Points | Mean | Std | Min | Max | Percentile | Sampling Points | Mean | Std | Min | Max | Percentile |
| Physical Properties | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | |
| Clay (% g/g) | 2 | 45.8 | | 41.4 | 50.2 | | 2 | 59.5 | | 56.8 | 62.3 | |
| Silt (% g/g) | 2 | 24.7 | | 22.9 | 26.4 | | 2 | 16.7 | | 16.3 | 17.2 | |
| Sand (% g/g) | 2 | 29.6 | | 26.9 | 32.2 | | 2 | 23.7 | | 20.5 | 26.9 | |
| Bulk density (g/cm ³) | 2 | 1.51 | | 1.50 | 1.53 | | 2 | 1.47 | | 1.46 | 1.48 | |
| Organic matter (% g/g) | 1 | 2.9 | | | | | 1 | 1.8 | | | | |
| Depth of horizon (mm) | 2 | 160 | | 150 | 170 | | 2 | 170 | | 140 | 200 | |
| Chemical Properties | | | | | | | | | | | | |
| EC (dS/m) | 1 | 0.13 | | | | | 1 | 0.24 | | | | |
| pH (H ₂ O) | 1 | 6.6 | | | | | 1 | 7.7 | | | | |
| pH (CaCl ₂) | 1 | 5.7 | | | | | 1 | 6.9 | | | | |
| Ca (meq/100g) | 1 | 5.9 | | | | | 1 | 8.1 | | | | |
| Mg (meq/100g) | 1 | 7.2 | | | | | 1 | 13.0 | | | | |
| Na (meq/100g) | 1 | 1.7 | | | | | 1 | 3.4 | | | | |
| K (meq/100g) | 1 | 0.4 | | | | | 1 | 0.5 | | | | |
| ESP | 1 | 11.2 | | | | | 1 | 13.6 | | | | |
| Hydraulic Properties | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 2 | 19.5 | | 14.4 | 24.6 | | 2 | 1.73 | | 1.64 | 1.83 | |
| Final infiltration rate (mm/hr) | | | | | | | 1 | 0.51 | | | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 9.9 | | 7.2 | 12.6 | | 2 | 11.4 | | 11.2 | 11.7 | |
| Water retention characteristic | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | |
| 0 | 2 | 45.5 | | 45.2 | 45.9 | | 2 | 49.4 | | 49.0 | 49.8 | |
| 10 | 2 | 43.0 | | 43.0 | 43.1 | | 2 | 47.7 | | 47.5 | 47.9 | |
| 60 | 2 | 40.1 | | 39.5 | 40.7 | | 2 | 45.9 | | 45.9 | 46.0 | |
| 1500 | 2 | 33.2 | | 30.5 | 35.8 | | 2 | 36.2 | | 36.2 | 36.3 | |

Table 28.24 Sandmount sand

| Soil Type | Sandmount sand | Soil Group 1S | | | | Irrigation Area | | MV | | | | | | | | |
|---|-----------------|---------------|-------|------|-------|-----------------|-------|-----------------|------------|--------|-------|-------|--------|-------|--------|--------|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 1.1 | 0.5 | 0.3 | 1.5 | 0.7 | 1.2 | 1.4 | 4 | 2.6 | 2.5 | 1.2 | 6.4 | 1.2 | 1.5 | 4.1 |
| Silt (% g/g) | 4 | 7.9 | 3.4 | 5.8 | 13.0 | 6.0 | 6.4 | 9.8 | 4 | 8.4 | 7.3 | 2.8 | 18.9 | 3.5 | 6.1 | 13.3 |
| Sand (% g/g) | 4 | 91.1 | 3.7 | 85.6 | 93.9 | 89.0 | 92.3 | 93.2 | 4 | 88.9 | 9.7 | 74.7 | 96.0 | 82.6 | 92.5 | 95.2 |
| Bulk density (g/cm ³) | 4 | 1.59 | 0.07 | 1.52 | 1.66 | 1.53 | 1.58 | 1.64 | 4 | 1.65 | 0.10 | 1.54 | 1.74 | 1.56 | 1.66 | 1.74 |
| Organic matter (% g/g) | 4 | 1.4 | 0.1 | 1.3 | 1.6 | 1.4 | 1.4 | 1.5 | 4 | 1.2 | 0.2 | 1.0 | 1.5 | 1.0 | 1.1 | 1.4 |
| Depth of horizon (mm) | 0 | | | | | | | | 0 | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.04 | 0 | 0.04 | 0.04 | 0.04 | 0.04 | 0.04 | 4 | 0.04 | 0 | 0.04 | 0.04 | 0.04 | 0.04 | 0.04 |
| pH (H ₂ O) | 4 | 6.3 | 0.3 | 5.8 | 6.5 | 6.1 | 6.4 | 6.5 | 4 | 5.4 | 0.2 | 5.2 | 5.7 | 5.3 | 5.4 | 5.6 |
| pH (CaCl ₂) | 4 | 5.7 | 0.5 | 5.0 | 6.0 | 5.4 | 5.9 | 6.0 | 4 | 4.7 | 0.2 | 4.5 | 5.0 | 4.6 | 4.7 | 4.9 |
| Ca (meq/100g) | 4 | 1.7 | 0.5 | 1.0 | 2.0 | 1.4 | 1.9 | 2.0 | 4 | 1.0 | 0.5 | 0.7 | 1.7 | 0.8 | 0.9 | 1.3 |
| Mg (meq/100g) | 4 | 0.3 | 0.1 | 0.2 | 0.5 | 0.3 | 0.3 | 0.4 | 4 | 0.2 | 0.1 | 0.1 | 0.4 | 0.2 | 0.2 | 0.3 |
| Na (meq/100g) | 4 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 4 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 |
| K (meq/100g) | 4 | 0.3 | 0.1 | 0.2 | 0.4 | 0.2 | 0.3 | 0.4 | 4 | 0.2 | 0.2 | 0.1 | 0.5 | 0.1 | 0.2 | 0.3 |
| ESP | 4 | 2.8 | 1.6 | 1.8 | 5.2 | 1.9 | 2.2 | 3.8 | 4 | 4.5 | 2.0 | 2.3 | 6.5 | 2.9 | 4.7 | 6.1 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 254.2 | 140.6 | 57.2 | 366.9 | 153.9 | 296.4 | 354.6 | 4 | 57.06 | 33.53 | 11.41 | 83.16 | 31.91 | 66.84 | 82.21 |
| Final infiltration rate (mm/hr) | | | | | | | | | 4 | 244.08 | 76.69 | 40.32 | 420.00 | 98.16 | 258.00 | 390.00 |
| Available water capacity (% cm ³ /cm ³) | 2 | 15.6 | | 12.8 | 18.5 | | | | 2 | 12.1 | | 9.0 | 15.2 | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 2 | 42.7 | | 41.3 | 44.2 | | | | 2 | 39.7 | | 37.3 | 42.0 | | | |
| 10 | 2 | 19.8 | | 16.8 | 22.9 | | | | 2 | 16.1 | | 12.2 | 20.0 | | | |
| 60 | 2 | 12.4 | | 10.7 | 14.1 | | | | 2 | 10.0 | | 7.7 | 12.3 | | | |
| 1500 | 2 | 4.2 | | 4.0 | 4.3 | | | | 2 | 4.0 | | 3.2 | 4.7 | | | |

Table 28.25 Sandmount sand phase

| Soil Type | Sandmount sand phase | Soil Group 1S | | | | Irrigation Area | | MV | | | | | | | | |
|---|----------------------|---------------|------|------|------|-----------------|------|-----------------|------------|-------|-------|------|-------|-------|-------|-------|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 2.0 | 0.2 | 1.8 | 2.2 | 1.8 | 2.0 | 2.2 | 4 | 5.7 | 1.9 | 3.0 | 7.3 | 4.5 | 6.2 | 6.8 |
| Silt (% g/g) | 4 | 21.1 | 1.8 | 19.7 | 23.7 | 20.0 | 20.5 | 22.2 | 4 | 20.1 | 2.5 | 17.6 | 23.0 | 18.1 | 19.9 | 22.2 |
| Sand (% g/g) | 4 | 76.9 | 1.7 | 74.4 | 78.2 | 75.9 | 77.5 | 77.9 | 4 | 74.2 | 2.0 | 71.4 | 76.0 | 72.7 | 74.7 | 75.7 |
| Bulk density (g/cm ³) | 4 | 1.71 | 0.05 | 1.67 | 1.79 | 1.67 | 1.70 | 1.75 | 4 | 1.83 | 0.07 | 1.73 | 1.88 | 1.79 | 1.85 | 1.86 |
| Organic matter (% g/g) | 4 | 2.1 | 0.3 | 1.8 | 2.5 | 1.9 | 2.0 | 2.3 | 4 | 1.0 | 0.5 | 0.6 | 1.7 | 0.7 | 0.8 | 1.3 |
| Depth of horizon (mm) | 0 | | | | | | | | 0 | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.12 | 0.02 | 0.1 | 0.14 | 0.1 | 0.12 | 0.14 | 4 | 0.1 | 0.006 | 0.09 | 0.1 | 0.09 | 0.1 | 0.1 |
| pH (H ₂ O) | 4 | 8.5 | 0.5 | 7.9 | 9.0 | 8.2 | 8.6 | 8.9 | 4 | 8.7 | 0.1 | 8.6 | 8.8 | 8.7 | 8.8 | 8.8 |
| pH (CaCl ₂) | 4 | 7.5 | 0.4 | 6.9 | 7.9 | 7.2 | 7.6 | 7.8 | 4 | 7.7 | 0.1 | 7.5 | 7.8 | 7.6 | 7.7 | 7.8 |
| Ca (meq/100g) | 4 | 4.2 | 0.4 | 3.9 | 4.7 | 4.0 | 4.1 | 4.4 | 4 | 2.8 | 0.7 | 2.2 | 3.8 | 2.3 | 2.5 | 3.3 |
| Mg (meq/100g) | 4 | 2.6 | 0.3 | 2.3 | 2.9 | 2.4 | 2.6 | 2.8 | 4 | 1.9 | 0.2 | 1.7 | 2.2 | 1.8 | 1.9 | 2.1 |
| Na (meq/100g) | 4 | 0.7 | 0.1 | 0.6 | 0.8 | 0.7 | 0.7 | 0.8 | 4 | 0.5 | 0.0 | 0.5 | 0.6 | 0.5 | 0.5 | 0.6 |
| K (meq/100g) | 4 | 0.7 | 0.1 | 0.6 | 0.7 | 0.6 | 0.7 | 0.7 | 4 | 0.7 | 0.1 | 0.6 | 0.8 | 0.6 | 0.7 | 0.7 |
| ESP | 4 | 8.8 | 1.0 | 8.2 | 10.3 | 8.2 | 8.4 | 9.4 | 4 | 9.0 | 1.2 | 7.5 | 10.4 | 8.2 | 9.2 | 9.9 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 26.7 | 10.3 | 17.8 | 39.4 | 18.3 | 24.8 | 35.1 | 4 | 15.90 | 7.49 | 6.13 | 23.18 | 10.19 | 17.15 | 21.62 |
| Final infiltration rate (mm/hr) | | | | | | | | | 4 | 13.28 | 3.61 | 8.52 | 16.86 | 10.59 | 13.86 | 15.96 |
| Available water capacity (% cm ³ /cm ³) | 2 | 17.1 | | 17.0 | 17.3 | | | | 2 | 16.3 | | 16.2 | 16.5 | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 2 | 35.4 | | 35.1 | 35.7 | | | | 2 | 32.7 | | 30.7 | 34.6 | | | |
| 10 | 2 | 27.3 | | 25.9 | 28.7 | | | | 2 | 25.3 | | 24.2 | 26.3 | | | |
| 60 | 2 | 22.5 | | 20.8 | 24.2 | | | | 2 | 20.8 | | 18.3 | 23.3 | | | |
| 1500 | 2 | 10.2 | | 8.6 | 11.7 | | | | 2 | 9.0 | | 7.8 | 10.1 | | | |

Table 28.26 Shepparton fine sandy loam

| Soil Type | Shepparton fine sandy loam | | | | Soil Group 2 | | | | Irrigation Area | | | | SCG | | | |
|---|----------------------------|-----------|------|------|--------------|------|------|-----------------|-----------------|------|------|------|-------|------|------|------|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 54 | 12.9 | 4.6 | 4.4 | 25.6 | 9.5 | 11.9 | 16.2 | 54 | 37.6 | 11.2 | 11.5 | 57.7 | 31.0 | 39.6 | 44.9 |
| Silt (% g/g) | 54 | 37.9 | 7.3 | 21.0 | 63.4 | 33.4 | 35.3 | 42.3 | 54 | 36.4 | 7.0 | 10.1 | 48.6 | 32.9 | 36.3 | 41.6 |
| Sand (% g/g) | 54 | 49.2 | 10.3 | 23.2 | 74.7 | 45.3 | 50.6 | 57.0 | 54 | 26.1 | 9.1 | 10.3 | 49.8 | 20.2 | 24.7 | 31.2 |
| Bulk density (g/cm ³) | 54 | 1.53 | 0.12 | 1.01 | 1.76 | 1.49 | 1.53 | 1.57 | 54 | 1.64 | 0.06 | 1.51 | 1.81 | 1.59 | 1.63 | 1.67 |
| Organic matter (% g/g) | 48 | 5.4 | 1.1 | 2.3 | 7.6 | 4.6 | 5.5 | 6.3 | 48 | 2.8 | 0.6 | 1.3 | 4.2 | 2.5 | 2.9 | 3.3 |
| Depth of horizon (mm) | 14 | 176 | 25.3 | 140 | 220 | 150 | 175 | 190 | 10 | 211 | 61.5 | 120 | 310 | 180 | 215 | 240 |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 48 | 0.12 | 0.09 | 0.04 | 0.71 | 0.09 | 0.11 | 0.13 | 48 | 0.11 | 0.11 | 0.04 | 0.84 | 0.08 | 0.09 | 0.1 |
| pH (H ₂ O) | 48 | 6.0 | 0.5 | 5.0 | 8.3 | 5.9 | 5.9 | 6.1 | 48 | 6.8 | 0.5 | 6.1 | 8.7 | 6.5 | 6.7 | 6.9 |
| pH (CaCl ₂) | 48 | 5.3 | 0.5 | 4.5 | 7.9 | 5.2 | 5.3 | 5.4 | 48 | 5.9 | 0.5 | 5.2 | 8.2 | 5.6 | 5.8 | 6.1 |
| Ca (meq/100g) | 48 | 5.3 | 0.9 | 3.2 | 7.5 | 4.7 | 5.5 | 6.0 | 48 | 5.4 | 1.1 | 3.5 | 7.5 | 4.6 | 5.5 | 6.4 |
| Mg (meq/100g) | 48 | 3.4 | 0.8 | 1.3 | 6.3 | 3.3 | 3.5 | 3.8 | 48 | 3.8 | 1.3 | 2.1 | 8.5 | 2.8 | 3.5 | 4.4 |
| Na (meq/100g) | 48 | 0.9 | 0.5 | 0.1 | 3.9 | 0.8 | 0.9 | 1.0 | 48 | 1.1 | 0.8 | 0.2 | 5.6 | 0.8 | 1.0 | 1.2 |
| K (meq/100g) | 48 | 0.3 | 0.2 | 0.1 | 1.0 | 0.2 | 0.3 | 0.4 | 48 | 0.5 | 0.3 | 0.1 | 1.8 | 0.3 | 0.4 | 0.6 |
| ESP | 48 | 8.6 | 3.2 | 2.0 | 22.3 | 7.5 | 8.6 | 9.5 | 48 | 10.1 | 3.9 | 2.3 | 28.4 | 8.7 | 10.1 | 11.4 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 54 | 27.4 | 16.1 | 3.9 | 67.4 | 14.5 | 24.5 | 34.6 | 14 | 4.82 | 5.30 | 0.11 | 18.28 | 0.52 | 2.80 | 7.22 |
| Final infiltration rate (mm/hr) | | | | | | | | | 48 | 0.54 | 1.61 | 0.01 | 10.86 | 0.07 | 0.13 | 0.33 |
| Available water capacity (% cm ³ /cm ³) | 10 | 12.6 | 5.2 | 5.3 | 19.6 | 7.4 | 14.0 | 17.3 | 10 | 12.2 | 2.6 | 7.0 | 16.6 | 11.2 | 12.3 | 12.7 |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 10 | 39.7 | 2.7 | 34.4 | 44.1 | 38.5 | 39.2 | 41.5 | 10 | 45.2 | 5.0 | 38.7 | 52.3 | 39.6 | 45.6 | 49.2 |
| 10 | 10 | 34.7 | 2.5 | 29.5 | 37.2 | 34.4 | 35.3 | 36.9 | 10 | 43.3 | 4.9 | 35.4 | 49.8 | 38.6 | 43.3 | 47.3 |
| 60 | 10 | 31.3 | 2.8 | 25.8 | 34.6 | 29.2 | 31.7 | 33.1 | 10 | 40.7 | 5.0 | 33.6 | 47.3 | 36.0 | 39.2 | 45.5 |
| 1500 | 10 | 22.1 | 5.7 | 13.6 | 30.2 | 17.4 | 21.2 | 28.5 | 10 | 31.1 | 4.7 | 26.0 | 37.8 | 26.5 | 29.5 | 35.3 |

Table 28.27 Similar range Ss to Csl

| Soil Type | Similar range Ss to Csl | | Soil Group 1D | | | | Irrigation Area | | MV | | | | | | | |
|---|-------------------------|------|---------------|------|------|------------|-----------------|----|-----------------|-------|-----|-------|-------|------------|----|----|
| Soil Properties | Sampling Points | Mean | Std | Min | Max | Percentile | | | Sampling Points | Mean | Std | Min | Max | Percentile | | |
| | | | | | | 25 | 50 | 75 | | | | | | 25 | 50 | 75 |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 2 | 26.9 | | 26.8 | 26.9 | | | | 2 | 16.3 | | 12.6 | 19.9 | | | |
| Silt (% g/g) | 2 | 28.2 | | 28.0 | 28.3 | | | | 2 | 31.4 | | 24.7 | 38.0 | | | |
| Sand (% g/g) | 2 | 45.0 | | 44.8 | 45.2 | | | | 2 | 52.4 | | 42.1 | 62.7 | | | |
| Bulk density (g/cm ³) | 2 | 1.63 | | 1.58 | 1.69 | | | | 2 | 1.71 | | 1.67 | 1.74 | | | |
| Organic matter (% g/g) | 2 | 3.6 | | 3.3 | 3.8 | | | | 2 | 2.6 | | 2.1 | 3.1 | | | |
| Depth of horizon (mm) | 2 | 260 | | 200 | 320 | | | | 0 | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 2 | 0.11 | | 0.1 | 0.11 | | | | 2 | 0.08 | | 0.07 | 0.08 | | | |
| pH (H ₂ O) | 2 | 6.9 | | 6.8 | 7.0 | | | | 2 | 7.2 | | 6.6 | 7.7 | | | |
| pH (CaCl ₂) | 2 | 6.4 | | 6.3 | 6.5 | | | | 2 | 6.6 | | 6.1 | 7.1 | | | |
| Ca (meq/100g) | 2 | 6.3 | | 6.0 | 6.5 | | | | 2 | 4.1 | | 3.5 | 4.7 | | | |
| Mg (meq/100g) | 2 | 5.3 | | 5.1 | 5.5 | | | | 2 | 2.5 | | 1.9 | 3.0 | | | |
| Na (meq/100g) | 2 | 0.3 | | 0.3 | 0.3 | | | | 2 | 0.2 | | 0.2 | 0.2 | | | |
| K (meq/100g) | 2 | 1.2 | | 1.0 | 1.3 | | | | 2 | 0.7 | | 0.6 | 0.8 | | | |
| ESP | 2 | 2.4 | | 2.2 | 2.6 | | | | 2 | 2.7 | | 2.6 | 2.8 | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 2 | 28.8 | | 24.3 | 33.4 | | | | 2 | 19.86 | | 9.81 | 29.90 | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 2 | 21.45 | | 20.90 | 21.99 | | | |
| Available water capacity (% cm ³ /cm ³) | 0 | | | | | | | | 0 | | | | | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | | 0 | | | | | | | 0 | | | | | | | |
| 10 | | 0 | | | | | | | 0 | | | | | | | |
| 60 | | 0 | | | | | | | 0 | | | | | | | |
| 1500 | | 0 | | | | | | | 0 | | | | | | | |

Table 28.28 Timmering loam

| Soil Type | Timmering loam | | | | | | | | | | Soil Group 2 | | Irrigation Area | | RC | |
|---|-----------------|-----------|------|------|-------|------|------|-----------------|------------|------|--------------|------|-----------------|------|------|------|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | 25 | 50 | 75 | Mean | Std | Min | Max | 25 | 50 | 75 | |
| Physical Properties | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 18 | 12.3 | 5.9 | 4.4 | 28.5 | 8.5 | 11.3 | 13.4 | 18 | 40.6 | 14.6 | 8.2 | 61.5 | 34.3 | 43.4 | 50.5 |
| Silt (% g/g) | 18 | 36.0 | 7.0 | 26.8 | 51.6 | 29.3 | 35.3 | 38.0 | 18 | 31.6 | 6.9 | 17.0 | 43.4 | 26.7 | 34.2 | 36.3 |
| Sand (% g/g) | 18 | 51.8 | 10.6 | 25.6 | 66.9 | 45.5 | 53.7 | 59.1 | 18 | 27.8 | 15.8 | 7.1 | 61.2 | 15.9 | 21.5 | 38.3 |
| Bulk density (g/cm ³) | 18 | 1.43 | 0.18 | 1.09 | 1.77 | 1.28 | 1.44 | 1.58 | 18 | 1.62 | 0.10 | 1.48 | 1.81 | 1.55 | 1.59 | 1.68 |
| Organic matter (% g/g) | 11 | 5.0 | 1.8 | 1.9 | 8.4 | 4.0 | 5.3 | 6.1 | 11 | 2.3 | 0.3 | 1.8 | 2.9 | 2.1 | 2.3 | 2.5 |
| Depth of horizon (mm) | 18 | 191 | 42.4 | 130 | 290 | 160 | 185 | 210 | 10 | 166 | 29.5 | 120 | 230 | 160 | 170 | 170 |
| Chemical Properties | | | | | | | | | | | | | | | | |
| EC (dS/m) | 11 | 0.25 | 0.27 | 0.07 | 0.98 | 0.09 | 0.12 | 0.29 | 11 | 0.21 | 0.21 | 0.08 | 0.81 | 0.10 | 0.13 | 0.27 |
| pH (H ₂ O) | 11 | 6.3 | 0.7 | 5.3 | 7.6 | 6.0 | 6.2 | 6.7 | 11 | 7.6 | 0.5 | 6.8 | 8.4 | 7.4 | 7.7 | 7.9 |
| pH (CaCl ₂) | 11 | 5.7 | 0.8 | 4.9 | 7.2 | 5.2 | 5.4 | 6.0 | 11 | 6.7 | 0.5 | 5.8 | 7.8 | 6.5 | 6.6 | 7.0 |
| Ca (meq/100g) | 11 | 6.7 | 2.2 | 3.4 | 10.0 | 5.4 | 6.8 | 8.3 | 11 | 6.5 | 1.4 | 3.9 | 9.1 | 5.8 | 6.7 | 7.2 |
| Mg (meq/100g) | 11 | 4.2 | 2.0 | 2.3 | 9.1 | 2.8 | 3.4 | 5.3 | 11 | 6.2 | 1.3 | 4.9 | 8.1 | 5.3 | 5.5 | 7.7 |
| Na (meq/100g) | 11 | 1.0 | 1.1 | 0.4 | 4.4 | 0.5 | 0.6 | 0.8 | 11 | 2.0 | 1.1 | 1.0 | 5.0 | 1.6 | 1.8 | 2.1 |
| K (meq/100g) | 11 | 0.5 | 0.4 | 0.1 | 1.4 | 0.2 | 0.4 | 0.6 | 11 | 0.6 | 0.5 | 0.2 | 1.9 | 0.3 | 0.4 | 0.7 |
| ESP | 11 | 7.5 | 4.4 | 3.0 | 19.0 | 4.6 | 6.4 | 9.2 | 11 | 12.9 | 4.2 | 7.4 | 22.8 | 10.3 | 11.7 | 15.1 |
| Hydraulic Properties | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 18 | 40.1 | 30.3 | 9.4 | 109.1 | 19.2 | 29.5 | 45.0 | 18 | 2.96 | 3.48 | 0.16 | 13.75 | 0.81 | 1.27 | 4.12 |
| Final infiltration rate (mm/hr) | | | | | | | | | 8 | 1.29 | 1.50 | 0.08 | 3.92 | 0.18 | 0.41 | 2.57 |
| Available water capacity (% cm ³ /cm ³) | 6 | 15.9 | 3.6 | 11.4 | 20.1 | 13.4 | 15.6 | 19.3 | 6 | 11.6 | 3.0 | 8.4 | 16.4 | 9.4 | 10.7 | 14.0 |
| Water retention characteristic | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | |
| 0 | 6 | 48.0 | 9.9 | 36.7 | 66.0 | 43.0 | 46.5 | 49.4 | 6 | 47.1 | 5.6 | 35.8 | 51.2 | 48.6 | 48.7 | 49.7 |
| 10 | 6 | 40.5 | 7.4 | 30.5 | 52.8 | 37.7 | 39.3 | 43.7 | 6 | 43.7 | 6.8 | 30.6 | 50.0 | 44.1 | 45.4 | 46.9 |
| 60 | 6 | 35.2 | 7.0 | 25.7 | 46.2 | 30.4 | 35.2 | 38.8 | 6 | 40.0 | 6.9 | 26.1 | 44.3 | 41.1 | 42.6 | 43.5 |
| 1500 | 6 | 24.6 | 6.5 | 17.1 | 33.5 | 18.4 | 24.2 | 30.3 | 6 | 32.1 | 6.2 | 19.6 | 36.1 | 32.9 | 34.2 | 35.7 |

Table 28.29 Ulupna clay

| Soil Type | Soil Group 5 | | | | | Irrigation Area | | MV | | | | |
|---|------------------------|-------------|------------|------------|------------|------------------------|------------------------|-------------|------------|------------|------------|-------------------|
| Soil Properties | Horizon A | | | | | Horizon B1 | | | | | | |
| | Sampling Points | Mean | Std | Min | Max | Percentile | Sampling Points | Mean | Std | Min | Max | Percentile |
| Physical Properties | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | |
| Clay (% g/g) | 2 | 43.8 | | 33.7 | 53.8 | | 2 | 49.1 | | 26.8 | 71.3 | |
| Silt (% g/g) | 2 | 33.9 | | 27.6 | 40.1 | | 2 | 31.1 | | 20.2 | 41.9 | |
| Sand (% g/g) | 2 | 22.4 | | 18.5 | 26.2 | | 2 | 19.9 | | 8.5 | 31.2 | |
| Bulk density (g/cm ³) | 2 | 1.56 | | 1.47 | 1.65 | | 2 | 1.55 | | 1.42 | 1.69 | |
| Organic matter (% g/g) | 1 | 4.0 | | | | | 1 | 1.7 | | | | |
| Depth of horizon (mm) | 2 | 140 | | 130 | 150 | | 2 | 170 | | 150 | 190 | |
| Chemical Properties | | | | | | | | | | | | |
| EC (dS/m) | 1 | 0.1 | | | | | 1 | 0.09 | | | | |
| pH (H ₂ O) | 1 | 6.0 | | | | | 1 | 6.3 | | | | |
| pH (CaCl ₂) | 1 | 5.1 | | | | | 1 | 5.3 | | | | |
| Ca (meq/100g) | 1 | 7.2 | | | | | 1 | 3.4 | | | | |
| Mg (meq/100g) | 1 | 6.8 | | | | | 1 | 3.7 | | | | |
| Na (meq/100g) | 1 | 1.1 | | | | | 1 | 1.0 | | | | |
| K (meq/100g) | 1 | 0.8 | | | | | 1 | 0.2 | | | | |
| ESP | 1 | 6.9 | | | | | 1 | 12.0 | | | | |
| Hydraulic Properties | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 2 | 44.8 | | 37.2 | 52.5 | | 2 | 1.66 | | 1.03 | 2.29 | |
| Final infiltration rate (mm/hr) | | | | | | | 1 | 1.14 | | | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 9.4 | | 8.5 | 10.2 | | 2 | 11.8 | | 10.1 | 13.5 | |
| Water retention characteristic | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | |
| 0 | 2 | 46.0 | | 43.8 | 48.2 | | 2 | 45.2 | | 36.7 | 53.7 | |
| 10 | 2 | 44.3 | | 41.9 | 46.7 | | 2 | 42.4 | | 32.5 | 52.3 | |
| 60 | 2 | 42.6 | | 40.0 | 45.2 | | 2 | 40.1 | | 29.8 | 50.4 | |
| 1500 | 2 | 34.9 | | 31.7 | 38.2 | | 2 | 30.6 | | 22.4 | 38.8 | |

Table 28.30 Waaia loam

| Soil Type | Soil Group 2 | | | | | | | | | | Irrigation Area MV | | | | | | | | |
|---|-----------------|-----------|------|------|------|------|------------|------|----|------|--------------------|-----------------|------|------|------|------|------------|--|--|
| Soil Properties | Sampling Points | Horizon A | | | | | Horizon B1 | | | | | Sampling Points | Mean | Std | Min | Max | Percentile | | |
| | | 25 | 50 | 75 | 25 | 50 | 75 | 25 | 50 | 75 | 25 | | | | | 50 | 75 | | |
| Physical Properties | | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 10 | 14.5 | 5.8 | 7.3 | 26.4 | 10.6 | 13.2 | 19.4 | 10 | 40.4 | 14.2 | 3.3 | 53.6 | 39.7 | 43.9 | 47.6 | | | |
| Silt (% g/g) | 10 | 31.9 | 5.5 | 23.8 | 39.6 | 27.3 | 31.9 | 36.6 | 10 | 25.4 | 6.5 | 14.0 | 32.4 | 20.6 | 27.5 | 29.8 | | | |
| Sand (% g/g) | 10 | 53.6 | 7.3 | 43.9 | 68.9 | 49.1 | 51.3 | 57.9 | 10 | 34.2 | 17.5 | 20.2 | 81.3 | 26.4 | 27.7 | 36.4 | | | |
| Bulk density (g/cm ³) | 10 | 1.57 | 0.13 | 1.26 | 1.74 | 1.53 | 1.59 | 1.61 | 10 | 1.60 | 0.07 | 1.49 | 1.69 | 1.56 | 1.58 | 1.67 | | | |
| Organic matter (% g/g) | 4 | 3.9 | 0.8 | 2.7 | 4.6 | 3.5 | 4.2 | 4.4 | 4 | 2.6 | 0.7 | 1.9 | 3.4 | 2.0 | 2.5 | 3.2 | | | |
| Depth of horizon (mm) | 10 | 151 | 27.3 | 130 | 200 | 130 | 140 | 160 | 8 | 174 | 60.9 | 110 | 280 | 120 | 165 | 215 | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.14 | 0.08 | 0.05 | 0.24 | 0.09 | 0.14 | 0.2 | 4 | 0.19 | 0.05 | 0.15 | 0.25 | 0.16 | 0.17 | 0.22 | | | |
| pH (H ₂ O) | 4 | 6.6 | 0.8 | 5.6 | 7.3 | 5.9 | 6.7 | 7.3 | 4 | 7.6 | 0.8 | 6.4 | 8.3 | 7.1 | 7.8 | 8.1 | | | |
| pH (CaCl ₂) | 4 | 5.9 | 0.8 | 5.0 | 6.5 | 5.2 | 6.0 | 6.5 | 4 | 6.9 | 1.0 | 5.5 | 7.8 | 6.3 | 7.1 | 7.5 | | | |
| Ca (meq/100g) | 4 | 5.8 | 0.8 | 4.7 | 6.7 | 5.2 | 5.9 | 6.4 | 4 | 9.9 | 5.3 | 4.3 | 17.0 | 6.6 | 9.1 | 13.2 | | | |
| Mg (meq/100g) | 4 | 4.0 | 1.7 | 1.9 | 5.4 | 2.6 | 4.3 | 5.4 | 4 | 5.2 | 2.3 | 3.2 | 7.7 | 3.3 | 5.0 | 7.2 | | | |
| Na (meq/100g) | 4 | 1.1 | 0.7 | 0.3 | 2.1 | 0.7 | 1.1 | 1.6 | 4 | 1.4 | 0.8 | 0.3 | 2.1 | 0.9 | 1.6 | 1.9 | | | |
| K (meq/100g) | 4 | 0.5 | 0.5 | 0.2 | 1.2 | 0.2 | 0.2 | 0.7 | 4 | 0.7 | 0.8 | 0.3 | 1.9 | 0.3 | 0.4 | 1.2 | | | |
| ESP | 4 | 10.1 | 7.4 | 3.4 | 20.7 | 5.5 | 8.2 | 14.7 | 4 | 9.9 | 8.3 | 1.5 | 21.3 | 4.6 | 8.4 | 15.2 | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 10 | 25.3 | 12.6 | 13.6 | 49.9 | 15.0 | 20.9 | 35.7 | 8 | 1.60 | 1.03 | 0.42 | 2.88 | 0.59 | 1.54 | 2.62 | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 3 | 0.36 | 0.37 | 0.10 | 0.78 | | | | | | |
| Available water capacity (% cm ³ /cm ³) | 4 | 18.2 | 3.9 | 13.3 | 22.8 | 15.8 | 18.4 | 20.6 | 4 | 16.0 | 3.8 | 11.3 | 20.1 | 13.0 | 16.2 | 18.9 | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | | |
| 0 | 4 | 43.6 | 3.1 | 39.6 | 46.9 | 41.3 | 44.0 | 45.9 | 4 | 48.2 | 5.0 | 43.7 | 55.3 | 45.2 | 46.8 | 51.2 | | | |
| 10 | 4 | 40.2 | 3.1 | 37.0 | 43.6 | 37.6 | 40.1 | 42.8 | 4 | 44.6 | 4.4 | 40.6 | 50.7 | 41.6 | 43.6 | 47.6 | | | |
| 60 | 4 | 32.7 | 1.9 | 30.7 | 34.9 | 31.2 | 32.6 | 34.3 | 4 | 37.9 | 3.3 | 34.4 | 40.9 | 35.0 | 38.1 | 40.7 | | | |
| 1500 | 4 | 22.0 | 2.8 | 19.3 | 25.1 | 19.6 | 21.8 | 24.4 | 4 | 28.6 | 4.0 | 24.9 | 33.3 | 25.3 | 28.2 | 31.9 | | | |

Table 28.31 Waaia loam phase

| Soil Type | Waaia loam phase | | | | | | | | | | | | Soil Group | 2 | | | Irrigation Area | MV | | |
|---|------------------|------|------|------|------|------------|-----------------|------|-----|------|------|------------|-------------------|------|------|------|------------------------|----|----|----|
| Soil Properties | Horizon A | | | | | | Horizon B1 | | | | | | | | | | | | | |
| | Sampling Points | Mean | Std | Min | Max | Percentile | Sampling Points | Mean | Std | Min | Max | Percentile | | 25 | 50 | 75 | | 25 | 50 | 75 |
| Physical Properties | | | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 4 | 9.3 | 1.9 | 6.9 | 11.4 | 8.1 | 9.5 | 10.5 | 4 | 47.7 | 3.8 | 42.0 | 50.4 | 45.3 | 49.1 | 50.1 | | | | |
| Silt (% g/g) | 4 | 23.5 | 2.9 | 19.5 | 26.2 | 21.5 | 24.2 | 25.6 | 4 | 28.5 | 3.4 | 25.7 | 33.3 | 26.1 | 27.5 | 30.9 | | | | |
| Sand (% g/g) | 4 | 67.2 | 4.4 | 64.1 | 73.6 | 64.6 | 65.4 | 69.7 | 4 | 23.8 | 1.8 | 21.1 | 24.9 | 22.8 | 24.6 | 24.8 | | | | |
| Bulk density (g/cm ³) | 4 | 1.33 | 0.05 | 1.26 | 1.37 | 1.30 | 1.35 | 1.37 | 4 | 1.64 | 0.04 | 1.60 | 1.70 | 1.61 | 1.63 | 1.67 | | | | |
| Organic matter (% g/g) | 4 | 6.2 | 0.7 | 5.7 | 7.2 | 5.8 | 5.9 | 6.6 | 4 | 2.9 | 0.7 | 2.3 | 3.8 | 2.4 | 2.7 | 3.4 | | | | |
| Depth of horizon (mm) | 4 | 175 | 20.8 | 150 | 200 | 160 | 175 | 190 | 0 | | | | | | | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 4 | 0.22 | 0.07 | 0.14 | 0.31 | 0.17 | 0.21 | 0.26 | 4 | 0.22 | 0.07 | 0.17 | 0.33 | 0.18 | 0.2 | 0.27 | | | | |
| pH (H ₂ O) | 4 | 6.9 | 0.1 | 6.8 | 7.0 | 6.8 | 6.9 | 7.0 | 4 | 7.1 | 0.4 | 6.6 | 7.6 | 6.8 | 7.2 | 7.5 | | | | |
| pH (CaCl ₂) | 4 | 6.2 | 0.1 | 6.0 | 6.3 | 6.1 | 6.2 | 6.3 | 4 | 6.5 | 0.3 | 6.0 | 6.8 | 6.3 | 6.6 | 6.7 | | | | |
| Ca (meq/100g) | 4 | 7.3 | 1.2 | 5.8 | 8.7 | 6.4 | 7.3 | 8.2 | 4 | 8.0 | 0.7 | 7.4 | 8.9 | 7.5 | 7.8 | 8.4 | | | | |
| Mg (meq/100g) | 4 | 3.9 | 0.6 | 3.4 | 4.7 | 3.4 | 3.7 | 4.4 | 4 | 5.4 | 0.5 | 5.0 | 6.1 | 5.1 | 5.2 | 5.7 | | | | |
| Na (meq/100g) | 4 | 1.1 | 0.2 | 0.8 | 1.2 | 1.0 | 1.2 | 1.2 | 4 | 1.0 | 0.3 | 0.5 | 1.2 | 0.8 | 1.2 | 1.2 | | | | |
| K (meq/100g) | 4 | 1.8 | 0.7 | 0.7 | 2.2 | 1.4 | 2.1 | 2.2 | 4 | 1.7 | 0.8 | 1.0 | 2.8 | 1.1 | 1.6 | 2.4 | | | | |
| ESP | 4 | 7.8 | 1.6 | 5.8 | 9.3 | 6.4 | 8.0 | 9.1 | 4 | 6.2 | 2.0 | 3.4 | 8.1 | 4.7 | 6.7 | 7.7 | | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 4 | 16.0 | 14.9 | 6.8 | 38.2 | 7.7 | 9.4 | 24.2 | 4 | 7.53 | 3.61 | 2.49 | 11.00 | 5.21 | 8.32 | 9.85 | | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 4 | 3.14 | 4.95 | 0.42 | 10.56 | 0.58 | 0.79 | 5.70 | | | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 15.6 | | 10.6 | 20.6 | | | | 2 | 12.5 | | 11.5 | 13.5 | | | | | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | | | |
| 0 | 2 | 52.2 | | 48.9 | 55.5 | | | | 2 | 49.1 | | 48.4 | 49.8 | | | | | | | |
| 10 | 2 | 49.5 | | 47.0 | 52.0 | | | | 2 | 45.7 | | 44.5 | 46.8 | | | | | | | |
| 60 | 2 | 46.1 | | 45.9 | 46.3 | | | | 2 | 43.1 | | 40.8 | 45.4 | | | | | | | |
| 1500 | 2 | 33.9 | | 31.4 | 36.4 | | | | 2 | 33.2 | | 31.0 | 35.4 | | | | | | | |

Table 28.32 Wallenjoe clay

| Soil Type | Soil Group 6 | | | | | Irrigation Area | | RC | | | | | | | |
|---|-----------------|-----------|-----|------|------|------------------|-----------------|------------|------|------|-----|------|------------------|----|----|
| Soil Properties | Sampling Points | Horizon A | | | | | Sampling Points | Horizon B1 | | | | | | | |
| | | Mean | Std | Min | Max | Percentile 25 | 50 | 75 | Mean | Std | Min | Max | Percentile 25 | 50 | 75 |
| Physical Properties | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | |
| Clay (% g/g) | 2 | 65.0 | | 59.1 | 70.8 | | | | 2 | 61.0 | | 58.3 | 63.7 | | |
| Silt (% g/g) | 2 | 26.1 | | 21.5 | 30.6 | | | | 2 | 31.6 | | 28.8 | 34.4 | | |
| Sand (% g/g) | 2 | 9.0 | | 7.6 | 10.3 | | | | 2 | 7.4 | | 7.3 | 7.5 | | |
| Bulk density (g/cm ³) | 2 | 1.42 | | 1.23 | 1.61 | | | | 2 | 1.49 | | 1.41 | 1.57 | | |
| Organic matter (% g/g) | 1 | 2.5 | | | | | | | 1 | 1.3 | | | | | |
| Depth of horizon (mm) | 2 | 120 | | 100 | 140 | | | | 2 | 235 | | 200 | 270 | | |
| Chemical Properties | | | | | | | | | | | | | | | |
| EC (dS/m) | 1 | 0.21 | | | | | | | 1 | 0.21 | | | | | |
| pH (H ₂ O) | 1 | 7.1 | | | | | | | 1 | 7.8 | | | | | |
| pH (CaCl ₂) | 1 | 6.6 | | | | | | | 1 | 7.3 | | | | | |
| Ca (meq/100g) | 1 | 16.0 | | | | | | | 1 | 15.0 | | | | | |
| Mg (meq/100g) | 1 | 8.6 | | | | | | | 1 | 9.9 | | | | | |
| Na (meq/100g) | 1 | 0.6 | | | | | | | 1 | 1.2 | | | | | |
| K (meq/100g) | 1 | 2.9 | | | | | | | 1 | 2.2 | | | | | |
| ESP | 1 | 2.1 | | | | | | | 1 | 4.2 | | | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 2 | 26.8 | | 4.0 | 49.6 | | | | 1 | 3.12 | | | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 0 | | | | | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 9.1 | | 8.5 | 9.7 | | | | 2 | 10.8 | | 10.2 | 11.4 | | |
| Water retention characteristic | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | |
| 0 | 2 | 62.4 | | 57.0 | 67.8 | | | | 2 | 62.5 | | 59.3 | 65.7 | | |
| 10 | 2 | 47.5 | | 43.4 | 51.6 | | | | 2 | 51.0 | | 50.2 | 51.8 | | |
| 60 | 2 | 44.6 | | 40.2 | 49.0 | | | | 2 | 47.8 | | 47.5 | 48.2 | | |
| 1500 | 2 | 38.4 | | 33.7 | 43.0 | | | | 2 | 40.2 | | 38.8 | 41.6 | | |

Table 28.33 Wana loam

| Soil Type | Wana loam | | | | | | | | | | Soil Group | 4 | | | Irrigation Area | RC | | |
|---|------------------------|-----------|-----|------|------|------------------|----|------------------------|------------|------|-------------------|------|------------------|----|------------------------|----|--|--|
| Soil Properties | Sampling Points | Horizon A | | | | | | Sampling Points | Horizon B1 | | | | | | | | | |
| | | Mean | Std | Min | Max | Percentile 25 | 50 | 75 | Mean | Std | Min | Max | Percentile 25 | 50 | 75 | | | |
| Physical Properties | | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 2 | 45.1 | | 42.3 | 47.9 | | | | 2 | 59.1 | | 58.1 | 60.1 | | | | | |
| Silt (% g/g) | 2 | 34.7 | | 33.3 | 36.2 | | | | 2 | 28.5 | | 26.4 | 30.6 | | | | | |
| Sand (% g/g) | 2 | 20.2 | | 18.8 | 21.5 | | | | 2 | 12.4 | | 11.3 | 13.5 | | | | | |
| Bulk density (g/cm ³) | 2 | 1.40 | | 1.34 | 1.45 | | | | 2 | 1.50 | | 1.47 | 1.52 | | | | | |
| Organic matter (% g/g) | 1 | 5.3 | | | | | | | 1 | 1.5 | | | | | | | | |
| Depth of horizon (mm) | 2 | 120 | | 120 | 120 | | | | 2 | 205 | | 200 | 210 | | | | | |
| Chemical Properties | | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 1 | 0.27 | | | | | | | 1 | 0.37 | | | | | | | | |
| pH (H ₂ O) | 1 | 6.3 | | | | | | | 1 | 8.0 | | | | | | | | |
| pH (CaCl ₂) | 1 | 6.0 | | | | | | | 1 | 7.7 | | | | | | | | |
| Ca (meq/100g) | 1 | 13.0 | | | | | | | 1 | 17.0 | | | | | | | | |
| Mg (meq/100g) | 1 | 5.5 | | | | | | | 1 | 13.0 | | | | | | | | |
| Na (meq/100g) | 1 | 0.1 | | | | | | | 1 | 0.9 | | | | | | | | |
| K (meq/100g) | 1 | 0.6 | | | | | | | 1 | 0.8 | | | | | | | | |
| ESP | 1 | 0.5 | | | | | | | 1 | 2.8 | | | | | | | | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 2 | 49.0 | | 23.2 | 74.8 | | | | 0 | | | | | | | | | |
| Final infiltration rate (mm/hr) | | | | | | | | | 1 | 1.98 | | | | | | | | |
| Available water capacity (% cm ³ /cm ³) | 2 | 10.8 | | 10.7 | 10.8 | | | | 2 | 7.3 | | 5.9 | 8.7 | | | | | |
| Water retention characteristic | | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | | |
| 0 | 2 | 51.7 | | 51.1 | 52.2 | | | | 2 | 48.4 | | 48.3 | 48.6 | | | | | |
| 10 | 2 | 46.4 | | 46.1 | 46.7 | | | | 2 | 44.6 | | 44.4 | 44.7 | | | | | |
| 60 | 2 | 42.7 | | 42.6 | 42.8 | | | | 2 | 42.1 | | 42.1 | 42.1 | | | | | |
| 1500 | 2 | 35.6 | | 35.4 | 35.9 | | | | 2 | 37.3 | | 36.1 | 38.5 | | | | | |

Table 28.34 Wanalta loam

| Soil Type | Wanalta loam | Soil Group 3 | | | | Irrigation Area | | RC | | | | | | | | | |
|---|-----------------|--------------|------|------|-------|-----------------|------|------|----|-----------------|------|------|-------|------|------------|------|----|
| Soil Properties | Sampling Points | Horizon A | | | | Horizon B1 | | | | Sampling Points | Mean | Std | Min | Max | Percentile | | |
| | | 25 | 50 | 75 | 25 | 50 | 75 | 25 | 50 | | | | | | 25 | 50 | 75 |
| Physical Properties | | | | | | | | | | | | | | | | | |
| Particle size distribution | | | | | | | | | | | | | | | | | |
| Clay (% g/g) | 22 | 25.5 | 9.9 | 9.1 | 46.2 | 17.4 | 22.6 | 33.7 | 22 | 41.1 | 15.5 | 17.7 | 60.1 | 22.6 | 47.9 | 53.7 | |
| Silt (% g/g) | 22 | 35.6 | 9.3 | 17.2 | 53.4 | 27.9 | 36.4 | 42.5 | 22 | 35.7 | 15.2 | 12.0 | 73.3 | 23.7 | 32.8 | 47.3 | |
| Sand (% g/g) | 22 | 38.9 | 11.1 | 18.5 | 57.4 | 30.9 | 38.0 | 46.5 | 22 | 23.2 | 10.2 | 7.9 | 46.6 | 15.2 | 22.7 | 30.8 | |
| Bulk density (g/cm ³) | 22 | 1.50 | 0.15 | 1.19 | 1.73 | 1.38 | 1.54 | 1.61 | 22 | 1.53 | 0.11 | 1.29 | 1.71 | 1.47 | 1.52 | 1.59 | |
| Organic matter (% g/g) | 16 | 5.0 | 1.7 | 2.5 | 7.4 | 3.6 | 4.8 | 6.4 | 16 | 2.2 | 0.2 | 1.7 | 2.5 | 2.1 | 2.2 | 2.4 | |
| Depth of horizon (mm) | 22 | 162 | 37.9 | 100 | 262 | 140 | 160 | 180 | 10 | 160 | 39.4 | 80 | 210 | 140 | 155 | 200 | |
| Chemical Properties | | | | | | | | | | | | | | | | | |
| EC (dS/m) | 16 | 0.25 | 0.21 | 0.07 | 0.72 | 0.11 | 0.16 | 0.36 | 16 | 0.3 | 0.28 | 0.07 | 1.1 | 0.11 | 0.22 | 0.37 | |
| pH (H ₂ O) | 16 | 6.4 | 0.7 | 5.5 | 8.4 | 5.8 | 6.5 | 6.7 | 16 | 7.3 | 0.8 | 5.8 | 9.1 | 6.8 | 7.3 | 7.7 | |
| pH (CaCl ₂) | 16 | 5.8 | 0.8 | 4.9 | 7.9 | 5.1 | 6.0 | 6.3 | 16 | 6.6 | 0.9 | 5.4 | 8.5 | 6.0 | 6.6 | 7.2 | |
| Ca (meq/100g) | 16 | 7.7 | 3.2 | 4.8 | 18.0 | 5.6 | 7.2 | 9.0 | 16 | 7.8 | 3.2 | 4.2 | 18.0 | 6.0 | 6.9 | 8.6 | |
| Mg (meq/100g) | 16 | 6.1 | 2.0 | 3.0 | 8.7 | 4.1 | 6.3 | 7.7 | 16 | 7.9 | 1.9 | 4.0 | 10.0 | 6.9 | 8.4 | 9.6 | |
| Na (meq/100g) | 16 | 1.1 | 0.7 | 0.3 | 2.9 | 0.6 | 1.0 | 1.5 | 16 | 1.8 | 1.0 | 0.3 | 3.7 | 1.1 | 1.5 | 2.9 | |
| K (meq/100g) | 16 | 0.6 | 0.4 | 0.2 | 1.4 | 0.3 | 0.4 | 1.0 | 16 | 0.7 | 0.3 | 0.2 | 1.2 | 0.4 | 0.7 | 1.0 | |
| ESP | 16 | 7.0 | 3.0 | 2.8 | 14.6 | 4.9 | 7.5 | 8.7 | 16 | 9.7 | 4.8 | 2.8 | 17.2 | 4.8 | 9.4 | 14.0 | |
| Hydraulic Properties | | | | | | | | | | | | | | | | | |
| Sat. hydraulic conductivity (mm/hr) | 18 | 46.8 | 29.1 | 12.0 | 120.7 | 26.3 | 36.4 | 72.6 | 17 | 6.30 | 4.38 | 0.19 | 14.85 | 2.86 | 6.03 | 9.59 | |
| Final infiltration rate (mm/hr) | | | | | | | | | 16 | 2.48 | 3.66 | 0.01 | 10.26 | 0.25 | 0.74 | 3.07 | |
| Available water capacity (% cm ³ /cm ³) | 7 | 11.8 | 2.1 | 9.5 | 15.0 | 9.9 | 11.7 | 13.5 | 8 | 12.5 | 2.5 | 9.1 | 16.2 | 10.5 | 12.7 | 14.2 | |
| Water retention characteristic | | | | | | | | | | | | | | | | | |
| Volumetric water content (% cm ³ /cm ³) at | | | | | | | | | | | | | | | | | |
| Matric suction (kPa) | | | | | | | | | | | | | | | | | |
| 0 | 7 | 45.1 | 4.5 | 38.1 | 53.2 | 43.5 | 44.7 | 46.2 | 8 | 47.4 | 9.8 | 32.9 | 60.5 | 40.1 | 46.3 | 56.5 | |
| 10 | 7 | 40.5 | 3.4 | 34.3 | 43.5 | 38.7 | 41.0 | 43.3 | 8 | 40.7 | 8.3 | 27.1 | 51.2 | 34.9 | 40.7 | 48.1 | |
| 60 | 7 | 35.4 | 4.4 | 30.0 | 40.3 | 30.8 | 36.9 | 39.3 | 8 | 36.5 | 8.7 | 22.2 | 47.4 | 30.7 | 36.6 | 43.8 | |
| 1500 | 7 | 28.8 | 3.2 | 24.4 | 33.0 | 26.1 | 29.7 | 31.0 | 8 | 28.2 | 7.4 | 13.8 | 36.0 | 23.6 | 30.5 | 33.7 | |