

6. Listing by Soil Property / Soil Group

Table 19.1 Particle size distribution – Horizon A

Soil Group	No. of Sampling Points	Particle Size Distribution																				
		Clay (% g/g)						Silt (% g/g)						Sand (% g/g)								
		Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile		
						25	50	75					25	50	75					25	50	75
1S*	8	1.5	0.6	0.3	2.2	1.2	1.6	2.0	14.5	7.5	5.8	23.7	6.4	16.3	20.5	84.0	8.0	74.4	93.9	77.5	81.9	92.3
1D*	70	12.3	8.5	3.1	44.4	7.4	10.0	12.2	37.8	7.9	19.5	54.0	32.3	38.5	43.6	49.9	10.9	21.3	76.6	43.5	48.6	56.9
2	112	13.7	6.0	4.3	38.6	9.7	11.9	16.5	35.0	7.4	19.5	63.4	30.7	34.2	37.5	51.3	10.2	23.2	74.7	46.4	53.3	57.5
3	86	19.8	8.9	7.2	46.2	14.0	17.5	23.1	35.6	8.3	17.2	65.0	30.2	34.9	39.9	44.6	11.7	16.7	65.1	37.3	46.0	53.8
4	34	20.6	11.3	4.2	47.9	12.5	20.9	25.5	39.0	5.9	28.5	54.5	35.8	39.5	42.1	40.4	10.8	8.3	57.7	34.3	42.8	47.6
5	16	32.5	13.3	16.2	62.7	23.1	29.9	35.6	30.6	4.9	22.9	40.3	27.0	30.2	32.5	36.9	12.3	10.9	56.6	26.8	39.6	46.5
6	22	29.1	13.7	16.1	70.8	21.0	24.8	33.0	34.6	6.9	21.5	50.9	31.9	33.2	38.9	36.3	12.6	7.6	56.5	30.2	39.7	45.3

Note: S* Sandy soils, D* Duplex soils

Table 19.2 Particle size distribution – Horizon B1

Soil Group	No. of Sampling Points	Particle Size Distribution																				
		Clay (% g/g)						Silt (% g/g)						Sand (% g/g)								
		Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile		
						25	50	75					25	50	75					25	50	75
1S*	8	4.2	2.6	1.2	7.3	1.5	4.5	6.4	14.3	8.0	2.8	23.0	6.1	18.1	20.1	81.6	10.2	71.4	96.0	74.4	75.7	92.5
1D*	70	29.7	8.9	11.5	52.3	24.3	29.4	35.5	41.5	10.1	18.0	57.2	36.6	44.4	48.8	28.8	11.7	9.4	62.7	20.8	26.3	36.1
2	112	38.7	12.4	3.3	61.5	32.2	41.5	48.0	31.7	8.1	10.1	48.6	26.3	32.4	36.9	29.6	12.3	7.1	81.3	21.9	26.7	36.5
3	85	42.3	14.2	14.5	70.4	31.9	44.7	52.9	30.5	10.3	12.0	73.3	23.6	29.9	35.0	27.3	11.2	4.2	63.5	18.5	26.0	33.8
4	34	37.3	13.7	6.5	60.1	28.1	37.7	48.4	36.2	6.8	24.2	54.5	32.3	35.5	39.2	26.6	10.6	8.5	57.7	19.9	24.4	32.2
5	16	55.1	12.4	26.8	71.3	46.0	59.1	63.4	25.0	8.0	13.9	41.9	17.8	24.2	30.7	19.8	7.4	8.5	31.2	14.2	19.8	26.8
6	22	46.9	12.3	21.3	63.7	35.5	49.1	57.0	29.3	8.3	15.2	45.1	23.3	30.1	34.2	23.8	8.8	7.3	45.2	18.5	22.6	29.5

Note: S* Sandy soils, D* Duplex soils

Table 20.1 Depth, bulk density and organic matter content – Horizon A

Soil Group	Depth of Horizon A (mm)							Bulk Density (g/cm ³)							Organic Matter (% g/g)									
	Sampling Points	Mean	Std.	Min.	Max.	Percentile			Sampling Points	Mean	Std.	Min.	Max.	Percentile			Sampling Points	Mean	Std.	Min.	Max.	Percentile		
						25	50	75						25	50	75						25	50	75
1S*									8	1.65	0.09	1.52	1.79	1.58	1.67	1.70	8	1.8	0.4	1.3	2.5	1.4	1.7	2.0
1D*	30	196	42	140	320	170	185	230	70	1.47	0.17	0.96	1.80	1.39	1.47	1.60	57	6.6	2.8	1.6	12.0	4.0	7.2	8.5
2	72	185	36	130	290	160	185	210	112	1.53	0.15	1.01	1.77	1.46	1.55	1.62	84	5.1	1.3	1.9	8.4	4.4	5.1	6.1
3	86	170	36	100	290	150	170	190	86	1.55	0.17	1.00	1.81	1.48	1.59	1.68	57	4.3	1.5	2.1	8.2	3.1	4.0	5.1
4	34	186	65	120	340	150	160	210	34	1.53	0.12	1.33	1.78	1.43	1.53	1.64	26	4.3	0.9	2.5	6.7	3.4	4.3	4.8
5	16	176	29	130	230	155	170	200	16	1.43	0.10	1.29	1.65	1.37	1.41	1.51	12	5.1	1.6	2.5	8.0	4.1	5.3	6.1
6	22	190	34	100	240	180	200	210	22	1.56	0.12	1.23	1.72	1.53	1.55	1.64	17	3.7	1.4	1.4	6.5	2.8	3.8	4.3

Note: S* Sandy soils, D* Duplex soils.

Table 20.2 Depth, bulk density and organic matter content – Horizon B1

Soil Group	Depth of Horizon B1 (mm)							Bulk Density (g/cm ³)							Organic Matter (% g/g)									
	Sampling Points	Mean	Std.	Min.	Max.	Percentile			Sampling Points	Mean	Std.	Min.	Max.	Percentile			Sampling Points	Mean	Std.	Min.	Max.	Percentile		
		25	50	75	25	50	75	25	50	75	25	50	75	25	50	75		25	50	75	25	50	75	
1S*	0							8	1.74	0.12	1.54	1.88	1.66	1.74	1.85	8	1.1	0.4	0.6	1.7	0.8	1.0	1.4	
1D*	20	188	58	110	320	150	175	220	70	1.68	0.08	1.46	1.93	1.63	1.68	1.73	57	2.5	0.6	0.9	3.8	2.1	2.5	2.8
2	40	192	55	100	310	155	180	230	112	1.64	0.09	1.44	1.95	1.58	1.63	1.68	84	2.6	0.7	1.1	4.2	2.1	2.6	3.1
3	39	161	44	60	250	130	160	198	85	1.62	0.12	1.29	1.94	1.56	1.62	1.71	57	2.0	0.5	1.1	3.8	1.7	1.9	2.4
4	16	191	51	120	320	155	190	220	34	1.61	0.12	1.42	1.91	1.52	1.60	1.66	26	2.0	0.9	1.0	5.0	1.5	1.9	2.1
5	8	165	34	110	210	145	160	195	16	1.51	0.09	1.41	1.69	1.44	1.47	1.59	12	1.9	0.4	1.3	2.5	1.7	1.8	2.2
6	10	198	41	120	170	180	200	220	22	1.60	0.12	1.41	1.86	1.52	1.59	1.65	17	1.7	0.7	0.7	3.3	1.3	1.6	2.2

Note: S* Sandy soils, D* Duplex soils.

Table 21.1 EC, pH (H_2O) and pH ($CaCl_2$) – Horizon A

Soil Group	No. of Sampling Points	EC (dS/m)						pH (H_2O)						pH ($CaCl_2$)								
		Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile		
						25	50	75					25	50	75					25	50	75
1S*	8	0.08	0.04	0.04	0.14	0.04	0.07	0.12	7.4	1.3	5.8	9.0	6.4	7.2	8.6	6.6	1.0	5.0	7.9	5.9	6.5	7.6
1D*	57	0.15	0.08	0.06	0.45	0.11	0.13	0.16	6.1	0.9	5.2	8.5	5.6	5.7	6.1	5.4	0.7	4.6	7.3	5.0	5.1	5.5
2	84	0.14	0.13	0.04	0.98	0.09	0.12	0.16	6.2	0.7	5.0	8.4	5.9	6.0	6.3	5.5	0.7	4.5	7.9	5.2	5.3	5.7
3	57	0.18	0.16	0.04	0.72	0.08	0.13	0.22	6.3	0.8	4.7	8.6	5.8	6.4	6.8	5.8	0.8	4.4	8.6	5.1	5.8	6.2
4	26	0.16	0.16	0.04	0.73	0.07	0.11	0.21	6.2	0.7	5.4	8.4	5.8	6.1	6.4	5.7	0.9	4.9	8.3	5.2	5.4	5.9
5	12	0.29	0.16	0.10	0.64	0.19	0.22	0.42	6.8	0.4	6.0	7.8	6.6	6.9	7.1	6.3	0.5	5.1	7.1	6.1	6.4	6.6
6	17	0.09	0.04	0.04	0.21	0.08	0.08	0.11	6.1	0.7	5.4	7.6	5.6	5.8	6.4	5.4	0.6	4.8	6.7	4.9	5.1	5.7

Note: S* Sandy soils, D* Duplex soils.

Table 21.2 EC, pH (H_2O) and pH ($CaCl_2$) – Horizon B1

Soil Group	No. of Sampling Points	EC (dS/m)						pH (H_2O)						pH ($CaCl_2$)								
		Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile		
						25	50	75					25	50	75					25	50	75
1S*	8	0.1	0.0	0.0	0.1	0.0	0.1	0.1	7.1	1.8	5.2	8.8	5.4	7.2	8.8	6.2	1.6	4.5	7.8	4.7	6.3	7.7
1D*	57	0.1	0.0	0.0	0.3	0.1	0.1	0.1	7.0	0.7	5.9	8.8	6.6	6.9	7.2	6.1	0.6	5.1	7.7	5.7	6.0	6.4
2	84	0.1	0.1	0.0	0.8	0.1	0.1	0.2	7.0	0.7	6.0	8.8	6.5	6.9	7.5	6.2	0.7	4.9	8.2	5.7	5.9	6.6
3	57	0.2	0.2	0.0	1.1	0.1	0.1	0.2	7.2	0.7	5.8	9.1	6.7	7.1	7.5	6.4	0.8	5.0	8.5	5.9	6.2	6.8
4	26	0.2	0.2	0.0	0.5	0.1	0.1	0.3	7.1	0.5	6.2	8.0	6.7	7.0	7.5	6.3	0.6	5.5	7.7	5.9	6.3	6.6
5	12	0.3	0.2	0.1	0.6	0.1	0.2	0.4	7.5	0.4	6.3	7.9	7.5	7.7	7.7	6.8	0.5	5.3	7.3	6.9	6.9	6.9
6	17	0.1	0.1	0.0	0.2	0.1	0.1	0.1	7.0	0.6	6.1	8.0	6.4	7.1	7.2	6.1	0.6	5.1	7.3	5.6	6.1	6.3

Note: S* Sandy soils, D* Duplex soils.

Table 22.1 Exchangeable cations – Horizon A

Soil Group	No. of Sampling Points	Exchangeable Cations (meq/100 g)																											
		Ca						Mg						Na						K									
		Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile		
						25	50	75					25	50	75					25	50	75				25	50	75	
1S*	8	2.9	1.4	1.0	4.7	1.9	3.0	4.1	1.5	1.2	0.2	2.9	0.3	1.4	2.6	0.4	0.4	0.0	0.8	0.1	0.4	0.7	0.5	0.2	0.2	0.7	0.3	0.5	0.7
1D*	57	6.3	1.8	2.0	11.0	4.9	6.7	7.6	3.7	1.0	0.4	5.6	3.3	3.9	4.4	0.7	0.5	0.1	3.4	0.4	0.5	0.7	0.7	0.4	0.1	2.1	0.3	0.6	0.9
2	84	5.8	1.6	3.2	12.0	4.7	5.7	6.2	3.4	1.3	0.9	9.1	2.8	3.4	3.9	0.9	0.6	0.1	4.4	0.5	0.8	1.0	0.5	0.5	0.1	2.2	0.2	0.3	0.4
3	57	6.0	2.7	3.1	18.0	4.0	5.4	7.3	3.8	2.1	0.9	8.7	2.1	3.1	5.3	0.8	0.8	0.1	4.6	0.3	0.6	1.1	0.6	0.4	0.1	1.6	0.3	0.4	0.9
4	26	5.9	2.1	3.1	13.0	4.6	5.6	6.5	3.1	1.5	0.6	6.5	2.0	3.0	4.2	0.7	1.0	0.1	4.2	0.2	0.3	0.8	0.7	0.4	0.2	1.4	0.4	0.6	0.9
5	12	9.7	2.5	5.9	15.0	7.8	9.5	11.5	7.0	1.3	5.0	10.0	6.4	6.9	7.6	1.3	0.6	0.5	2.4	0.8	1.4	1.8	1.0	0.3	0.4	1.4	0.9	1.0	1.3
6	17	5.9	2.9	3.8	16.0	4.3	5.2	6.2	3.4	2.2	1.0	8.6	1.8	3.2	4.0	0.5	0.3	0.1	1.5	0.4	0.5	0.6	0.6	0.7	0.2	2.9	0.2	0.4	0.7

Note: S* Sandy soils, D* Duplex soils.

Table 22.2 Exchangeable cations – Horizon B1

Soil Group	No. of Sampling Points	Exchangeable Cations (meq/100 g)																											
		Ca						Mg						Na						K									
		Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile									
						25	50	75					25	50	75					25	50	75							
1S*	8	1.9	1.1	0.7	3.8	0.9	2.0	2.5	1.1	0.9	0.1	2.2	0.2	1.0	1.9	0.3	0.2	0.0	0.6	0.1	0.3	0.5	0.5	0.3	0.1	0.8	0.2	0.5	0.7
1D*	57	5.8	2.0	2.0	10.0	4.5	6.2	7.2	3.8	1.4	0.5	6.5	3.0	4.0	4.6	0.7	0.4	0.1	2.3	0.5	0.7	0.9	0.5	0.3	0.1	1.5	0.3	0.4	0.6
2	84	5.8	2.3	2.0	17.0	4.4	5.6	6.8	4.3	1.7	1.1	8.7	3.0	4.2	5.4	1.3	0.9	0.2	5.6	0.8	1.1	1.5	0.6	0.5	0.1	2.8	0.3	0.4	0.7
3	57	5.8	2.7	1.9	18.0	4.2	5.4	6.8	5.6	2.5	1.5	10.0	3.5	5.0	7.6	1.3	1.0	0.2	4.8	0.6	1.1	1.8	0.7	0.4	0.1	1.4	0.4	0.7	1.0
4	26	6.4	2.9	2.6	17.0	4.2	6.3	7.4	5.0	2.7	1.4	13.0	3.5	4.6	5.9	1.2	1.1	0.2	4.0	0.5	0.8	1.4	0.6	0.3	0.2	1.4	0.4	0.5	0.8
5	12	8.8	2.6	3.4	14.0	7.5	9.1	9.7	8.9	3.0	3.7	13.0	6.4	9.8	11.5	2.4	1.4	0.7	4.3	1.1	2.3	3.7	1.4	0.7	0.2	2.6	0.9	1.4	1.9
6	17	6.3	3.1	2.8	15.0	3.2	6.5	7.5	6.0	3.2	1.3	11.0	3.2	5.0	9.8	1.0	0.7	0.2	2.6	0.5	1.0	1.2	0.7	0.5	0.2	2.2	0.4	0.5	1.0

Note: S* Sandy soils, D* Duplex soils.

Table 23.1 Exchangeable sodium percentage (ESP) – Horizon A

Soil Group	No. of Sampling Points	ESP						
		Mean	Std.	Min.	Max.	Percentile		
						25	50	75
1S*	8	5.8	3.4	1.8	10.3	2.2	6.7	8.4
1D*	57	6.2	5.5	1.3	31.3	3.6	4.5	5.7
2	84	7.9	3.6	2.0	22.3	6.0	8.1	9.3
3	57	6.9	4.7	1.5	25.5	3.6	5.6	8.6
4	26	6.1	5.6	0.5	23.0	2.0	4.1	7.8
5	12	7.1	3.4	2.9	13.6	4.3	7.3	9.2
6	17	5.1	1.8	1.8	7.6	3.8	5.8	6.5

Note: S* Sandy soils, D* Duplex soils.

Table 23.2 Exchangeable sodium percentage (ESP) – Horizon B1

Soil Group	No. of Sampling Points	ESP					Percentile		
		Mean	Std.	Min.	Max.	25	50	75	
1S*	8	6.8	2.9	2.3	10.4	4.7	7.0	9.2	
1D*	57	7.3	6.0	1.6	32.8	4.4	5.5	7.3	
2	84	10.6	5.2	1.5	28.8	7.9	10.1	11.8	
3	57	9.9	5.8	2.4	28.2	4.8	8.5	13.2	
4	26	8.3	5.8	2.0	26.0	4.9	6.6	11.0	
5	12	10.7	5.0	3.9	17.2	5.9	11.4	15.7	
6	17	7.0	2.3	2.1	11.1	5.9	7.1	8.2	

Note: S* Sandy soils, D* Duplex soils.

Table 24.1 Saturated hydraulic conductivity – Horizon A

Soil Group	No of Sites	No of Sampling Points	Saturated Hydraulic Conductivity (mm/hr)					Percentile		
			Mean	Std.	Min.	Max.				
			25	50	75					
1S*	2	8	140.5	152.7	17.8	366.9	24.8	48.3	296.4	
1D*	9	65	48.5	30.1	10.3	143.3	27.5	38.4	63.0	
2	19	112	27.3	18.9	3.9	109.1	14.3	23.3	34.4	
3	24	82	44.2	31.3	4.2	143.3	20.8	37.2	60.3	
4	11	33	26.1	16.5	5.0	74.8	14.6	23.2	33.1	
5	6	14	36.3	20.3	14.4	82.5	23.6	30.3	40.4	
6	8	22	21.5	15.5	4.0	55.9	10.8	14.4	30.5	

Note: S* Sandy soils, D* Duplex soils.

Table 24.2 Saturated hydraulic conductivity – Horizon B1

Soil Group	Mean Depth to Horizon B1 (mm)	No of Sampling Points	Saturated Hydraulic Conductivity (mm/hr)						
			Mean	Std.	Min.	Max.	Percentile		
							25	50	75
1S*		8	36.5	31.5	6.1	83.2	12.8	21.6	66.8
1D*	188	28	11.7	17.2	0.7	91.2	2.7	7.3	13.9
2	185	63	3.6	3.9	0.1	18.3	0.8	2.1	5.3
3	170	80	5.7	6.5	0.1	43.3	2.0	3.7	7.4
4	186	29	3.2	5.0	0.4	27.4	1.1	1.4	3.0
5	176	12	2.0	1.5	0.4	5.7	0.8	1.7	2.5
6	190	17	1.3	1.1	0.0	3.8	0.4	1.1	2.4

Note: S* Sandy soils, D* Duplex soils.

Table 24.3 Saturated hydraulic conductivity – Horizon B2

Soil Group	Mean Depth to Horizon B2 (mm)	No of Sampling Points	Saturated Hydraulic Conductivity (mm/hr)						
			Mean	Std.	Min.	Max.	Percentile		
							25	50	75
1D*	373	20	12.9	11.2	0.7	48.6	5.1	11.8	16.2
2	373	40	5.7	5.8	0.0	24.7	1.9	3.4	6.8
3	319	38	6.5	5.0	0.3	18.1	2.0	5.5	10.2
4	341	16	2.8	3.0	0.0	12.5	1.3	1.7	4.1
5	329	5	1.9	1.8	0.2	4.7	0.6	0.9	3.2
6	398	10	1.1	0.9	0.0	2.4	0.6	1.0	2.0

Note: D* Duplex soils.

Table 25 Final infiltration rate of Horizon B1

Soil Group	Mean Depth to Horizon B1 (mm)	No of Sampling Points	Final Infiltration Rate (mm/hr)						
			Mean	Std.	Min.	Max.	Percentile		
							25	50	75
1S*		8	129.0	169.0	8.52	420.0	13.90	28.60	258.0
1D*	188	56	5.85	9.12	0.005	36.20	0.20	1.30	7.59
2	185	78	0.88	2.06	0.005	10.86	0.07	0.14	0.74
3	170	55	1.97	3.99	0.005	25.92	0.29	0.66	1.43
4	186	25	0.53	0.61	0.005	1.98	0.10	0.29	0.81
5	176	12	0.36	0.42	0.024	1.20	0.05	0.14	0.49
6	190	16	0.19	0.24	0.003	0.73	0.02	0.06	0.38

Note: S* Sandy soils, D* Duplex soils.

Table 26.1 Water retention characteristic – Horizon A

Soil Group	No. of Sampling Points	Volumetric Water Content (% cm ³ /cm ³)																															
		0 kPa								10 kPa								60 kPa								1500 kPa							
		Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile						
						25	50	75																	25	50	75						
1S*	4	39.0	6.6	19.4	35.1	35.4	38.5	42.7	23.6	5.4	26.2	16.8	19.8	24.4	27.3	17.5	4.9	37.5	10.7	12.4	17.5	22.5	7.2	3.4	13.6	4.0	4.2	6.5	10.2				
1D*	14	40.2	7.0	18.9	34.8	36.2	39.5	43.1	33.1	6.8	37.0	26.1	28.9	32.7	35.7	27.9	6.6	44.4	22.5	23.6	25.7	29.4	15.7	5.0	19.3	7.6	13.5	16.3	17.0				
2	36	43.3	6.8	33.5	66.0	38.9	41.8	46.5	38.4	6.1	29.3	53.3	34.6	37.1	41.6	34.1	5.9	25.7	51.2	30.6	33.4	36.0	23.7	5.8	13.6	38.8	19.4	23.3	27.4				
3	37	43.9	6.0	34.4	61.5	38.3	43.7	47.2	37.2	6.2	26.4	50.5	32.3	36.0	42.7	33.2	5.9	22.9	46.0	29.0	32.3	38.8	23.9	5.3	14.1	33.3	19.7	24.2	27.8				
4	16	42.6	5.7	35.2	52.2	38.0	40.8	47.9	38.5	5.4	29.0	46.6	35.0	37.5	43.5	34.7	5.5	24.6	43.4	31.7	34.1	38.8	26.5	5.6	17.9	35.8	21.6	27.6	29.7				
5	8	48.4	4.3	43.8	53.8	44.7	47.0	53.1	44.6	2.7	41.5	48.7	42.4	43.8	47.0	42.3	2.8	39.5	47.0	40.0	41.5	44.6	34.4	3.7	28.3	38.2	31.1	35.7	37.6				
6	16	45.5	8.4	35.2	67.8	38.9	44.8	48.3	40.1	5.3	31.8	51.6	35.1	41.2	42.5	36.9	5.4	29.6	49.0	32.1	36.9	39.9	29.8	5.1	23.9	43.0	26.0	28.4	33.3				

Note: S* Sandy soils, D* Duplex soils.

Table 26.2 Water retention characteristic – Horizon B1

Soil Group	No. of Sampling Points	Volumetric Water Content (% cm ³ /cm ³)																											
		0 kPa							10 kPa							60 kPa							1500 kPa						
		Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile			Mean	Std.	Min.	Max.	Percentile		
						25	50	75																		25	50	75	
1S*	4	36.2	4.8	30.7	42.0	32.7	36.0	39.7	20.7	6.3	12.2	26.3	16.1	22.1	25.3	15.4	6.8	7.7	23.3	10.0	15.3	20.8	6.5	3.1	3.2	10.1	4.0	6.3	9.0
1D*	14	37.4	4.6	30.6	45.4	32.3	38.3	41.5	32.4	5.8	23.8	39.7	26.1	34.5	37.4	28.0	5.7	20.1	36.0	23.3	27.4	33.9	19.6	6.8	7.8	29.6	12.8	21.7	24.3
2	36	45.1	4.9	35.0	55.3	41.8	45.5	48.7	41.8	5.4	28.6	50.7	39.7	42.2	45.4	38.4	5.5	25.3	47.3	35.7	38.9	41.6	29.3	5.2	17.9	37.8	26.0	29.5	33.5
3	42	43.8	6.8	32.3	60.5	40.0	43.1	48.6	38.8	6.8	25.8	51.2	34.8	39.2	45.3	35.1	7.0	22.2	47.4	30.0	34.5	40.6	26.9	6.3	13.8	39.0	22.4	27.8	30.8
4	16	47.5	6.0	38.9	58.6	42.5	47.4	51.0	43.3	5.7	33.0	52.1	38.1	44.1	47.8	39.7	6.3	25.7	48.7	35.0	41.0	44.1	29.6	6.8	13.8	38.5	26.5	30.2	34.7
5	8	51.2	8.0	36.7	61.5	48.5	49.5	57.5	46.0	6.2	32.5	52.3	45.0	46.5	50.0	44.0	6.4	29.8	50.4	43.1	44.9	47.9	33.7	5.3	22.4	38.8	31.6	35.2	37.3
6	16	49.5	8.9	38.1	65.7	42.4	45.7	58.6	44.3	6.9	34.2	53.8	39.5	42.1	51.6	41.0	7.0	28.2	50.6	36.7	39.5	47.8	31.7	6.2	17.6	41.6	29.4	30.4	37.7

Note: S* Sandy soils, D* Duplex soils.

Table 27.1 Available water capacity – Horizon A

Soil Group	No. Sampling Points	Mean Depth of Horizon A (mm)	Available Water Capacity (% cm ³ /cm ³)						
			Mean	Std.	Min.	Max.	Percentile		
							25	50	75
1S*	4		16.4	2.5	12.8	18.5	14.9	17.1	17.9
1D*	14	196	17.4	6.5	8.7	31.1	12.6	15.8	19.6
2	36	185	14.6	4.3	5.3	22.8	11.9	13.9	18.4
3	37	170	13.3	4.1	3.7	22.1	11.2	13.2	15.1
4	16	186	12.1	4.3	4.2	22.0	9.5	11.3	14.1
5	8	176	10.2	4.1	6.0	18.9	7.3	9.4	11.6
6	16	190	10.3	3.7	5.5	16.3	7.2	9.3	13.9

Note: S* Sandy soils, D* Duplex soils.

Table 27.2 Available water capacity – Horizon B1

Soil Group	No. Sampling Points	Mean Depth of Horizon B1 (mm)	Available Water Capacity (% cm ³ /cm ³)						
			Mean	Std.	Min.	Max.	Percentile		
							25	50	75
1S*	4		14.2	1.9	9.0	16.5	12.1	15.7	16.3
1D*	14	188	12.8	2.5	4.1	30.8	10.1	13.0	15.0
2	36	192	12.5	2.9	7.0	20.1	10.5	12.3	14.5
3	42	161	12.0	3.2	4.3	18.2	9.7	12.0	13.8
4	16	191	13.7	3.9	5.9	19.2	11.5	13.6	17.1
5	8	165	12.3	1.5	10.1	13.8	11.0	12.6	13.6
6	16	198	12.6	3.0	6.5	16.7	10.5	12.6	15.6

Note: S* Sandy soils, D* Duplex soils.