

LIST OF FIGURES

Figure	2.1 Location of Reefton Experimental Area
	2.2 Arrangement of the six experimental catchments
	2.3 Geology of Reefton Experimental Area
	2.4 Soils of Reefton Experimental Area
	2.5 Average monthly rainfall at Reefton meteorological station
	2.6 Average monthly temperature at Reefton Meteorological station
	2.7 Average monthly relative humidity at Reefton meteorological station
	2.8 Average daily wind speed at Reefton meteorological Station
	2.9 Average monthly evaporation at Reefton meteorological station
	2.10 Vegetation survey of experimental catchments
	2.11 Location of transects and quadrats for understorey vegetation survey
	3.1 Schematic diagram of a Reefton weir pond
	3.2 Original weir plate configuration
	3.3 Present weir plate configuration
	3.4 Rating curves for Reefton weirs
	3.5 Repair of no streamflow record by logarithmic plot
	3.6 Number of days of no streamflow second
	3.7 2A35 recorder operation 1963-1970
	3.8 2A35 recorder operation 1971-1980
	3.9 General pattern of bedload in weir pond
	3.10 Flow chart of laboratory analysis of bedload
	4.1 Double mass curves for base stations vs. Melbourne Regional Office. annual rainfall 1964-1980
	4.2 Double mass curves for five-station mean vs Reefton gauge 1. annual rainfall 1964-1980
	4.3 Regression residuals for five-station mean vs. Reefton gauge 1
	4.4 Double mass curves for gauges 2,5,6 and 7 vs. Reefton gauge 1
	4.5 Double mass curves for gauges, 3,4,8, 31 and 32 vs. gauge 1 monthly rainfall
	4.6 Thiessen polygons for original rain gauge network
	4.7 Thiessen polygons for present rain gauge network
	4.8 Catchment rainfall vs. aspect
	4.9 Catchment rainfall vs. slope
	4.10 Catchment rainfall vs. mean elevation
	4.11 Streamflow vs. catchment rainfall
	4.12 Streamflow vs. mean catchment elevation
	4.13 Streamflow vs. catchment slope
	4.14 Mean catchment loss vs. catchment rainfall
	4.15 Monthly runoff for Reefton catchment 2. 1971-1979
	4.16 Procedure to separate stormflow and baseflow
	4.17 Relation of area of wet soil type in each catchment and mean annual stormflow
	4.18 Relation of catchment rainfall minus stormflow and catchment area
	4.19 Flow duration curves for weirs 1 to 4
	4.20 Flow duration curves for

- weirs 4 to 6 4.21 Linear regression for annual streamflow of catchment 2 on catchment 4
- 4.22 Residuals from regression of annual streamflow - catchment 5 on catchment 4
- 4.23 Correlation of annual catchment runoff and various rainfall periods
- 4.24 Median values for water quality parameters. 1971-1980 4.25 Block diagram of available bedload information
- 4.26 General characteristics of Reefton bedload

LIST OF TABLES

Table	2.1 Drainage basin characteristics
	2.2 Proportion of each catchment in four slope classes
	2.3 Proportion of the six soil types in each catchment
	2.4. Some physical properties for each soil type
	2.5 Vegetation alliances identified in the Experimental Area
	2.6 Proportion of each alliance in the six catchments
	2.7 Reference points for transects used to survey understorey vegetation
	2.8 Abundance-cover of understorey vegetation in catchments 1 to 4
	2.9 Total merchantable volumes of E. regnans regrowth in catchments 3 to 6
	2.10 Estimated pulpwood resources in mature and overmature forest within the experimental area
	3.1 Details of rain gauge network
	3.2 Meteorological instrumentation at Reefton meteorological station
	3.3 Depth survey of each weir pond
	3.4 Number of bedload samples collected for analysis
	4.1 Linear regression of monthly rainfall from rain gauges against gauge 1
	4.2 Site parameters of 203mm rain gauges
	4.3 Correlation matrix for present rain gauge network
	4.4 Linear regression of catchment rainfall vs. gauge 1
	4.5 Correlation matrix for catchment rainfall and certain catchment characteristics
	4.6 Second order partial correlation coefficients-catchment rainfall and some catchment characteristics
	4.7 Mean annual streamflow and some catchment characteristics
	4.8 Baseflow-stormflow separation (mm)
	4.9 Stormflow volumes and area of wet soil type for each catchment
	4.10 Catchment rainfall minus stormflow for each catchment
	4.11 Proportion of time that flow is in given weir stage
	4.12 Annual streamflow correlation matrix for the Reefton catchments between 1971 and 1980
	4.13 Regressions of annual runoff from a control catchment against runoff from remaining catchments. 1971-1980
	4.14 Regressions of annual runoff from catchment 5 against runoff from remaining catchments. 1971-1980
	4.15 Linear regression of annual streamflow against rainfall at the Reefton Meteorological Station
	4.16 Monthly streamflow

correlation matrix for the six Reefton catchments between 1971 and 1980

4.17 Basic statistics of Reefton water quality 4.18 Correlation matrix relating water quality parameters within each catchment

4.19 Intra-catchment calibration for electrical conductivity and suspended solids against streamflow 4.20 Inter-catchment calibration of water quality using catchment 4 as control

4.21 Inter-catchment calibration of water quality data (annual means) using catchment 4 as control

4.22 Reproducibility of analytical methods

4.23 Catchment bedload characteristics

4.24 Bedload volumes between 1964 and 1981

4.25 Bedload volume correlation matrix for the six catchments between 1964 and 1981

4.26 Correlation coefficients of bedload volume and various runoff parameters (1971-1980)

4.27 Correlation matrix for inter-catchment comparisons of bedload quantity