

## REFERENCES

- Anderson, V.G. 1941. 'The origin of dissolved inorganic solids in natural waters', J. Australian Chem. Ist., 8: 130 - 50
- Arnot, G. 1968. An ecological study of the zooplankton of the Gippsland Lakes. Unpublished Honours Thesis, Zoology Department, Monash University.
- Bagnold, R.A. 1947. 'Sand movements by waves', J. Inst. Civil Eng., 27: 447 – 69.
- Beach Erosion Board, 1961. Ushore protection planning and design. Washington.
- Benson, W.N., and Raeside, J.D. 1963. 'Tidal colks in Australia and New Zealand', N.Z. J. Geol. & Geophys., 6: 634 – 40.
- Bird, E.C.F. 1960. 'The formation of sand beach ridges', Australian J. Sci., 22: 349 – 50.
- 1961a. 'Reed growth in the Gippsland Lakes', Victoria Nat., 77: 262 – 8.
  - 1961b. 'Landform changes at Lakes Entrance', Victorian Nat., 78: 137 – 46.
  - 1961c. 'The coastal barriers of East Gippsland, Australia', Geogr. J., 127: 460 – 8.
  - 1962a. 'The river deltas of the Gippsland Lakes', Proc. Roy. Soc. Victoria, 75: 65 – 74.
  - 1962b. 'The swamp Paper-bark', Victoria Nat., 79: 72 – 81.
  - 1962c. 'The utilisation of some Australian coastal lakes', Australian Geogr. 8: 199 – 206.
- 1965. A Geomorphological Study of the Gippsland Lakes. Department of Geography Publication G/1, Australian National University, Canberra.
- Bird, E.C.F. 1967. 'Coastal lagoons of southeastern Australia', Landform Studies from Australia and New Guinea, (eds. J.N Jennings, J.A. Mabbutt) : 365 – 85.
- 1968. 'Coastal lagoon dynamics', Encyclopaedia of Geomorphology, (e.d R.W. Fairbridge) : 139 – 44.
  - 1970. 'The Mitchell River silt jetties', Victorian Nat., 87: 162 – 8.
  - 1972a. 'Effects of the 1971 floods on the Gippsland Lakes', Geography Teacher, 12: 20 – 28 .
  - 1972b. The silt jetties of the Mitchell River, Bairnsdale Advertiser: Gippsland Studies No. 1.
  - 1973. 'Australian coastal barriers', Barrier Islands, (ed. M.L. Schwartz): 410 – 26.
  - 1976a. Coasts, (2<sup>nd</sup> edition). Australian National University Press, Canberra.
  - 1976b. Shoreline changes during the past century: a preliminary review, I.G.U. Working Group on the Dynamics of Shoreline Erosion. Melbourne.
- Bird, E.C.F. and Rosengren, N.J. 1971. 'The disappearing Mitchell delta', Proc. Roy. Soc. Victoria, 84: 153 – 8.
- Bird, E.C.F. and Lennon, J.L. 1973. The Entrance to the Gippsland Lakes. Bairnsdale Advertiser: Gippsland Studies No. 2.

- Boutakoff, N. 1995. 'A new approach to petroleum geology and oil possibilities in Gippsland', Mining & Geol. J., 5(part 4 - 5): 39 – 57.
- 1957. 'Lake Wellington formation, Gippsland', Mining & Geol. J., 6(part 2): 46 – 9.
- Burges, A. and Drover, D.P., 1953. 'The rate of podsol development in the sands of the Woy Woy district, N.S.W.', Australian J. Botany, 1: 83 – 94.
- Bury, F.C. 1954. 'History of Metung'. Articles published in the Bairnsdale Advertiser, Nov. – Dec. 1954.
- Chapman, F. 1918. 'On the age of the Bairnsdale gravels', Proc. Ry. Soc. Victoria, 31: 166 – 75.
- Chapman, V.J. 1960. Salt Marshes and Salt Deserts of the World. London and New York.
- Clifford, H.T. 1949. 'The Mitchell River Delta', Victorian Nat., 65: 278.
- Cotton, C.A. 1951. 'Une côte déformation transverse á Wellington Nouvelle Zealande)', Rev. Geomorph. Dyn., 2: 97 – 109.
- Coode, J. 1979. Report on the Gippsland Lake Entrance. Government Printer, Melbourne.
- Cringle, T. 1866. 'The Gippsland Lakes and the proposed new entrance', Victorian Pamphlets, 127.
- Davies, J.L. 1957. 'The importance of cut and fill in the development of sand beach ridges', Australian J. Sci., 20: 105 – 11.
- 1959. 'Wave refraction and the evolution of shoreline curves'. Geogr. Studies, 5: 1 – 14.
- 1964. 'A morphogenic approach to world shorelines', Zeitschrift für Geomorph., 8 (Mortensen Birthday Volume): 127 – 42.
- Davis, R.A., Delporte, B.C. and Marsden, M.A.H. 1977. Morphology, surface facies, and sediment distribution, Gippsland Lakes, Victoria. Gippsland Regional Environmental Study, Publication 146.
- Day, J.H. 1951. 'The ecology of South African estuaries, I – a review of estuarine conditions in general', Trans. Roy. Soc. S. Africa, 33: 53 – 91.
- Day, J.H., Millard, N.A.H. and Broekhuysen, G.J., 1954. 'The ecology of South African estuaries, IV – the St Lucia system', Trans. Roy. Soc. S. Africa, 34: 129 – 56.
- Douglas, J.C. and Ferguson, J.A. 1976. Geology of Victoria, Geol. Soc. Australia, Special Publication 5.
- Ducker, S.C., Brown, V.B and Calder, D.M. 1977. An identification of the aquatic vegetation in the Gippsland Lakes, Gippsland Regional Environmental Study, Publication 136.
- Earle, W. 1973. Port Fairy: a history, Olinda.
- Emmery, K.O. and Stevenson, R.E. 1957. 'Estuaries and Lagoons', Treatise on Marine Ecology and Palaeoecology Vol. 1, Ecology (ed, J.W. Hedgpeth), Memoirs of the geological Society of America, 67: 673 – 750
- Fairbridge, R.W. 1961. 'Eustatic changes in sea level', Physics and Chemistry of the Earth, 4: 99 – 185.

- Fisher, J.J. 1971. Gippsland Lakes Entrance Investigation. Public Works Department, Melbourne.
- 1973. 'Development of the Gippsland Lakes Entrance since 1951', Proc.Roy. Soc. Victoria, 85: 125 – 31
- Gierloff-Emden, H.G. 1961. 'Nehrungen und lagunen', Petermanns Geogr. Mitteilungen, 105: 81 – 92; 161 – 76.
- Gill, E.D. 1961. 'Changes in the level of the sea relative to the land in Australia during the Quaternary era', Zeitschrift für geomorph., Supplement band 3 (Pacific Island Terraces: Eustatic), 71 – 9
- Good, R. 1947. The geography of the Flowering Plants. London.
- Grant, U.S. 1943. 'Waves as a sand-transporting agent', Amer. J. Sci., 241: 117 – 23.
- Gregory, J.W. 1892. 'The physical features of the Norfolk Broads', Nat. Sci.1: 347 – 55.
- 1903. Geography of Victoria. Melbourne.
- Hagyard, T., Gilmour, I.A. and Mattram, W.D. 1969. 'A proposal to remove sand bars by fluidisation', New Zealand J. Science, 12: 851 – 64.
- Hall, T.S. 1914. 'Some notes on the Gippsland Lakes', Victorian Nat., 31: 31 – 5
- Hart, T.S. 1922. 'The Gippsland Lakes country: physiographical features', Victorian Nat., 38: 75 – 82.
- Hills, E.S. 1940. The Physiography of Victoria, (new edition 1975), Melbourne.
- Hocking, J.B. 1976. 'Gippsland Basin', Geology of Victoria, eds. J.C. Douglas and J.R. Ferguson): 248 – 73.
- Howitt, A.W. 1877. 'Notes of the geology of part of the Mitchell river division of the Gippsland mining district', Geol. Surv. Victoria, Report of Progress, 2: 118 – 26.
- 1879. 'Notes on the physical geography and geology of north Gippsland, Victoria', Quart.J. Geol.Soc. (Lon.), 35: 1 – 41.
- Jenkin, J.J. 1968. The geomorphology and Upper Cainozoic geology of south-east Gippsland, Geol. Surv. Victoria Memoir 27.
- Jennings, J.N. 1952. 'The origin of the Broads', Roy. Geogr. Soc. (Lond.) Research Series No. 2.
- 1955. 'Cyclic salt in Australia', Geogr. Review, 45: 277 – 9.
- 1957. 'On the orientation of parabolic or U-dunes', Geogr. J. 123: 474 – 80.
- 1959a. 'The coastal geomorphology of King Island, Bass Strait', Records Queen Victoria Museum, Launceston, No. 11.
- 1959b. 'The submarine topography of Bass Strait', Proc. Roy. Soc. Victoria, 71: 49 – 72.
- 1961. 'Sea level changes in King Island, Bass Strait', Zeitschrift für Geomorph., Sullementband 3 (Pacific Island Terraces: Eustatic): 84 – 4.
- Jennings, J.J., and Bird, E.C.F. 1964. 'Regional geomorphological characteristics of some Australian estuaries', Estuaries (ed. G.H. Lauff): 121 – 8.

- Johnson, D.W. 1919. Shore processes and shoreline development. New York
- Ladd, P.G., Ladiges, P.Y., and Calder, D.M. 1976. Identification of the land-based vegetation surrounding the Gippsland Lakes and Lake Tyers. Gippsland Regional Environmental Study, Publication 131.
- Lambert, J.M., Jennings, J.N., Smith, C.T., Green, C., and Hutchinson, J.N. 1960. 'The making of the Broads', Roy. Geogr. Soc. (Lond.) Research Series No. 3.
- Lanford-Smith, T., and Thom, B.G. 1969. 'New South Wales coastal morphology', J. Geol. Soc. Australia, 16: 572 – 80.
- Lewis, W.V. 1943. 'Miniature spits and embankments on a lake shore, Iceland', Geogr. J., 102: 175 – 9.
- Livingstone, D.A. 1954. 'On the orientation of lake basins', Amer. J. Sci., 252: 547 – 54.
- Lucke, J.B. 1934. 'A study of Barnegat Inlet, New Jersey', Shore and Beach, 2: 1 – 54.
- Lüther, H. 1951. 'Verbreitung und ökologie der höheren wasserpflanzen in brackwasser der Ekenäs-Gegend in Südfinnlan', Acta Botanica Fennica, 49: 1 – 232; ibid, 50: 1 – 370.
- Miles, N.B. 1977. Geomorphological and botanical change at Cunninghame Arm. Unpublished Honours thesis, Dept. of Geography, University of Melbourne.
- McKenzie, P. 1958. 'Rip-current systems', J. Geol., 66: 103 – 13.
- Parliamentary Public Works Committee Victorian Government. 1952. Report of the effects of salinity in the Gippsland Lakes, etc. Government Printer, Melbourne.
- Presscott, J.A. 1947. 'Atmospheric saturation deficit in Australia', Trans. Roy. Soc. S. Australia, 55: 65 – 6.
- Price, W.A. 1947. 'Equilibrium of form and forces in tidal basins of the coast of Texas and Louisiana', Bull. American Ass. Petroleum Geologists, 31: 1619 – 63.
- Price, W.A., and Wilson, B.W. 1956. 'Cuspate spits of St Lawrence Island, Alaska: a discussion', J. Geol., 64: 94 – 5.
- Ranwell, D.S. 1972. Ecology of salt marshes and sand dunes. London.
- Ranwell, d.S., Bird, E.C.F., Hubbard, J.C.E., and Stebbings, R.E. 1964. 'Tidal submergence and chlorinity in Poole Harbour, Dorset', J. Ecol., 52: 627 – 41.
- Rawlingson, T.E. 1863. 'Report on the entrance to the Gippsland Lakes and notes on the coast and lakes of Gippsland'. Trans. Roy. Soc. Victoria, 6: 84 – 90, 92 – 8.
- Resources Survey. 1954. East Gippsland Region. Melbourne.
- Russell, R.J. 1936. 'Physiography of the lower Mississippi river delta', Bull. Louisiana Geol. Surv., 8: 3 – 199.
- Schou, A. 1945. Det Marine Forland. Copenhagen.
- 1952. 'Direction-determining influence of the wind on the shoreline simplification and coastal dunes', Proc. 17<sup>th</sup> Int. Geogr Congress (Washington, U.S.S.): 370 – 3.
- Schwartz, M.L. 1973. Barrier Islands. Dowden, Hutchinson and Sons.

- Shepard, F.P. 1961. 'Sea level rise during the past 20,000 years', Zeitschrift für Geomorph., Supplementband 3 (Pacific Island Terraces: Eustatic): 30 – 5.
- Shillinglaw, J. 1874. Letters and pamphlets concerning the discovery and exploration of Gippsland. Public Library of Victoria.
- Skene, A.J., and Smyth, R.B. 1874. Report of the Physical Character and Resources of Gippsland. Melbourne.
- State Rivers and Water Supply Commission, Victoria, 1969. River Gaugings. Melbourne.
- Stephens, C.G. 1962. A manual of Australian soils (3<sup>rd</sup> edition). Melbourne.
- Tan, S.H. 1970. 'Sediment sorting across the Lakes Entrance inlet', Mining and Geol. J., 7: 14 – 16.
- Taylor, N. 1939. 'Salt tolerance of Long Island salt marsh plants', New York State Museum Circular 23: 1 – 42.
- Turner, J.S. Carr, S.G.M., and Bird, E.C.F. 1962. 'The dune succession at Corner Inlet, Victoria', Proc. Roy. Soc. Victoria, 75: 17 – 33.
- Van Straaten, L.M.J.U. 1959. 'Littoral and submarine morphology of the Rhône delta', 2<sup>nd</sup> Coastal Geogr. Conf., 233 – 64.
- 1961. 'Directional effects of winds, waves and currents along the Dutch North Sea Coast', Geologie en Mijnbouw, 40: 333 – 46.
- Ward, W.T., and Jessup, R.W. 1965. 'Changes of sea-level in Southern Australia', Nature, 205: 791 – 2.
- Wood, E.J.F. 1959. 'Some East Australian sea grass communities', Proc. Linn. Soc. N.S.W. 84: 218 – 26.
- Woolnough, W.G. 1930. 'Origin of Mud Island near Paynesville, Victoria', Proc Roy. Soc. Victoria, 42: 221 – 34.
- Zenkovich, V.P. 1967. Processes of Coastal Development. Edinburgh.