

9 References

- Acworth, R., Hughes, C. and Turner, I. (2007) A radioisotope tracer investigation to determine the direction of groundwater movement adjacent to a tidal creek during spring and neap tides. *Hydrogeology Journal* **15**, 281-296.
- Adam, P. (1994) Saltmarsh and mangrove. In *Australian Vegetation*, 2nd Edition, ed. R.H. Groves, 395-435. Cambridge Univ. Press.
- Almendinger, J. and Leete, J. (1998) Regional and local hydrogeology of calcareous fens in the Minnesota River basin, USA. *Wetlands* **18**, 184-202.
- Bacon, P. E., Stone, C., Binns, D. L., Leslie, D. J., and Edwards, D. W. (1993) Relationships between water availability and Eucalyptus camaldulensis growth in a riparian forest. *Journal of Hydrology* **150**, 541-561.
- Barton, A., Dalhaus, P., Davies, P. and Cox, J. (2006) Groundwater Dependent Ecosystems in the Corangamite Catchment Management Authority Region. CSIRO, CSIRO Land & Water Science Report 32/06, Canberra, ACT.
- Batelaan, O., De Smedt, F. and Triest, L. (2003) Regional groundwater discharge: phreatophyte mapping, groundwater modelling and impact analysis of land-use change. *Journal of Hydrology* **275**, 86-108.
- Bedford, B. and Godwin, K. (2003) Fens of the United States: Distribution, characteristics, and scientific connection versus legal isolation. *Wetlands* **23**, 608-629.
- Benyon, R. G. and Doody, T. M. (2004) Water use by tree plantations in south east South Australia. CSIRO Forestry and Forest Products, Technical Report no. 148, Mt. Gambier, SA.
- Benyon, R. G., Theiveyanathan, S. and Doody, T. M. (2006) Impacts of tree plantations on groundwater in south-eastern Australia. *Australian Journal of Botany* **54**, 181-192.
- Bierwirth, P. N. and Welsh, W. D. (2000) Delineation of recharge beds in the Great Artesian Basin using airborne gamma-radiometrics and satellite remote sensing. Bureau of Rural Sciences Australia, Report for the National Landcare Program, Kingston, ACT.
- Bokuniewicz, H., Buddemeier, R., Maxwell, B. and Smith, C. (2003) The typological approach to submarine groundwater discharge (SGD). *Biogeochemistry* **66**, 145-158.
- Boomer, K. and Bedford, B. (2008) Groundwater-induced redox-gradients control soil properties and phosphorus availability across four headwater wetlands, New York, USA. *Biogeochemistry* **90**, 259-274.
- Boulton, A. J., Humphreys, W. F. and Eberhard, S. M. (2003) Imperilled subsurface waters in Australia: Biodiversity, threatening processes and conservation. *Aquatic Ecosystem Health and Management* **6**, 41-54.
- Bradford, T., Adams, M., Humphreys, W. F., Austin, A. D. and Cooper, S. J. B. (2010) DNA barcoding of stygofauna uncovers cryptic amphipod diversity in a calcrete aquifer in Western Australia's arid zone. *Molecular Ecology Resources* **10**, 41-50.
- Brodie R.S., Green R. and Graham M. (2002) Mapping groundwater-dependent ecosystems: A case study in the fractured basalt aquifers of the Alstonville Plateau, New South Wales, Australia. Proceedings of the IAH 2002 Conference, Darwin, 2002.
- Brodie, R., Sundaram, B., Tottenham, R., Hostetler, S. and Ransley, T. (2007a) An adaptive management framework for connected groundwater-surface water resources in Australia. Bureau of Rural Sciences, Canberra, ACT.
- Brodie, R., Hostetler, S. and Slatter, E. (2007b) Q-Lag: A new hydrographic approach to understanding stream-aquifer connectivity. Australian Department of Agriculture, Fisheries, and Forestry, Canberra, ACT.
- Bruehlheide, H., Vonlanthen, B., Jandt, U., Thomas, F. M., Foetzki, A., Gries, D., Wang, G., Zhang, X., and Runge, M. (2010) Life on the edge - to which degree does phreatic water sustain vegetation in the periphery of the Taklamakan Desert? *Applied Vegetation Science* **13**, 56-71.
- Burnett, W. C., Bokuniewicz, H., Huettel, M., Moore, W. S. and Taniguchi, M. (2003) Groundwater and pore water inputs to the coastal zone. *Biogeochemistry* **66**, 3-33.
- Canham, C. A., Froend, R. H., and Stock, W. D. (2009) Water stress vulnerability of four *Banksia* species in contrasting ecohydrological habitats on the Gngangara Mound, Western Australia. *Plant, Cell & Environment* **32**, 64-72.
- Chapman, J., Lewis, B. and Litus, G. (2003) Chemical and isotopic evaluation of water sources to the fens of South Park, Colorado. *Environmental Geology* **43**, 533-545.
- Clark, R. M. and Harvey, W. (2008) Dryland salinity in Victoria in 2007: An analysis of data from the soil salinity database and Victorian discharge monitoring network. Victoria Department of Primary Industries, Bendigo, VIC.
- Clifton, C. A., Cossens, B. and McAuly, C. (2007) A framework for assessing the environmental water requirements of groundwater dependent ecosystems report 1 assessment toolbox. Land and Water Australia, Braddon, ACT.

- Colvin, C., Le Maitre, D. and Hughes, S. (2003) Assessing Terrestrial Groundwater Dependent Ecosystems in South Africa. Water Research Commission, WRC Report No. 1090-2/03.
- Colvin, C., Le Maitre D., Saayman I., Hughes S. (2007) An Introduction to Aquifer Dependent Eco systems in South Africa. Water Research Commission. WRC Report No. TT301/07.
- Conrad, J., Low, B., Münch, Z. and Pond, U. (2005) Remote sensing based botany and groundwater dependency study: Northern Sandveld. Department of Water Affairs and Forestry, DWAF Report number RDM/G300/02/CON/0505, Pretoria, South Africa.
- Cook, P. and O'Grady, A. (2006) Determining soil and ground water use of vegetation from heat pulse, water potential and stable isotope data. *Oecologia* **148**, 97-107.
- Coram, J., Dyson, P., Houlder, P. and Evans, R. (2000) Australian groundwater flow systems contributing to dryland salinity. Report by the Bureau of Rural Sciences for the National Land and Water Resources Audit. Bureau of Rural Sciences, Canberra, ACT.
- Costelloe, J. F., Payne, E., Woodrow, I. E., Irvine, E. C., Western, A. W., and Leaney, F. W. (2008) Water sources accessed by arid zone riparian trees in highly saline environments, Australia. *Oecologia* **156**, 43-52.
- Council of Australian Governments (1994) Water Reform Framework. 25 February 1994 communique. Council of Australian Governments, Hobart, TAZ.
- Dahl, M., Nilsson, B., Langhoff, J. H. and Refsgaard, J. C. (2007) Review of classification systems and new multi-scale typology of groundwater-surface water interaction. *Journal of Hydrology* **344**, 1-16.
- Dahlhaus, P., Heislars, D. and Dyson, P. (2002) Corangamite CMA Groundwater Flow Systems. Report No. CCMA 02/02.
- Danielescu, S., MacQuarrie, K. T. B. and Faux, R. N. (2009) The integration of thermal infrared imaging, discharge measurements and numerical simulation to quantify the relative contributions of freshwater inflows to small estuaries in Atlantic Canada. *Hydrological Processes* **23**, 2847-2859.
- Danielopol, D. L. (1989) Groundwater fauna associated with riverine aquifers. *Journal of the North American Benthological Society* **8**, 18- 35.
- De Villiers, S. (2005) Rapid communication. The correct use of Sr isotopes in river-groundwater mixing models: A Breede River case study. *Water SA* **31**, 397-398.
- Department of the Environment, Water, Heritage and the Arts (2006) Indicator: IW-08 Groundwater used for irrigation *State of the Environment 2006*. Australian Government, Canberra, ACT.
<http://www.environment.gov.au/soe/2006/publications/drs/indicator/189/index.html>, updated 14-Dec-2007, accessed 19-April-2010.
- Drexler, J. and Ewel, K. (2001) Effect of the 1997–1998 ENSO-related drought on hydrology and salinity in a micronesia wetland complex. *Estuaries and Coasts* **24**, 347-356.
- Dulaiova, H., Peterson, R., Burnett, W. C. and Lane-Smith, D. (2005) A multi-detector continuous monitor for assessment of ²²²Rn in the coastal ocean. *Journal of Radioanalytical and Nuclear Chemistry* **263**, 361-363.
- Eagleson P. S. (2002) *Ecohydrology: Darwinian Expression of Vegetation Form and Function*. Cambridge University Press.
- Eamus, D., Froend, R., Loomes, R., Hose, G. and Murray, B. (2006) A functional methodology for determining the groundwater regime needed to maintain the health of groundwater-dependent vegetation. *Australian Journal of Botany* **54**, 97-114.
- Eamus, D. (2009) *Identifying groundwater dependent ecosystems: A guide for land and water managers*. Land and Water Australia, PN30129.
- Eberhard, S. M., Halse, S. A., Williams, M. R., Scanlon, M. D., Cocking, J. and Barron, H. J. (2009) Exploring the relationship between sampling efficiency and short-range endemism for groundwater fauna in the Pilbara region, Western Australia. *Freshwater Biology* **54**, 885-901.
- Ellins, K. K., Roman-Mas, A. and Lee, R. (1990) Using ²²²Rn to examine groundwater/surface discharge interaction in the Rio Grande de Manati, Puerto Rico. *Journal of Hydrology* **115**, 319-341.
- Ewe, S., Sternberg, L. and Childers, D. (2007) Seasonal plant water uptake patterns in the saline southeast Everglades ecotone. *Oecologia* **152**, 607-616.
- Farrington. P., Watson, G.D., Bartle, G.A. and Greenwood, E.A.N. (1990) Evaporation from dampland vegetation on a groundwater mound. *J. Hydrol.* **115**:65–75.

- Fawcett, J. and Huggins, C. (2005) Preliminary appraisal of a water balance model for Lake Wallace, Edenhope. Victoria Department of Primary Industries, Bendigo, VIC.
- Fitzpatrick, R. W., Hicks, W. S., Marvanek, S. P., Raven, M. D., Dahlhaus, P. G. and Cox, J. W. (2007) Scoping study of coastal and inland acid sulfate soils in the Corangamite CMA. CSIRO Land and Water Science Report 28/07 Glen Osmond, SA.
- Fluvial Systems (2006) Lake Condah Water Restoration project. Hydrogeological feasibility study. Technical report prepared for the Glenelg Hopkins Catchment Authority
- Furby S. (2002) Land Cover Change: Specification for remote sensing analysis. National Carbon Accounting System Technical Report No.9. Australian Greenhouse Office.
- Froend, R. H., Heddle, E. M., Bell, D. T. and McComb, A. J. (1987) Effects of salinity and waterlogging on the vegetation of Lake Toolibin, Western Australia. *Austral Ecology* **12**, 281-298.
- Froend R. H. and Loomes R. C. (2004) Approach to the determination of ecological water requirements of groundwater dependent ecosystems in Western Australia (No. CEM 2004-12). (Centre for Ecosystem Management, Edith Cowan University:Joondalup, WA)
- Gallardo, A. and Marui, A. (2006) Submarine groundwater discharge: an outlook of recent advances and current knowledge. *Geo-Marine Letters* **26**, 102-113.
- Gibson, J. J., Price, J. S., Aravena, R., Fitzgerald, D. F. and Maloney, D. (2000) Runoff generation in a hypermaritime bog-forest upland. *Hydrological Processes* **14**, 2711-2730.
- Gries, D., Zeng, F., Foetzkki, A., Arndt, S. K., Brulheide, H., Thomas, F. M., Zhang, X., and Runge, M. (2003) Growth and water relations of *Tamarix ramosissima* and *Populus euphratica* on Taklamakan desert dunes in relation to depth to a permanent water table. *Plant, Cell & Environment* **26**, 725-736.
- Hancock, P. J. and Boulton, A. J. (2009) Sampling groundwater fauna: efficiency of rapid assessment methods tested in bores in eastern Australia. *Freshwater Biology* **54**, 902-917.
- Harvey, J. W., Newlin, J. T. and Krupa, S. L. (2006) Modeling decadal timescale interactions between surface water and ground water in the central Everglades, Florida, USA. *Journal of Hydrology* **320**, 400-420.
- Harvey, K.R., Hill, G.J.E. (2001) Vegetation mapping of a freshwater swamp in the Northern Territory, Australia: a comparison of aerial photography, Landsat TM and SPOT satellite imagery. *International Journal of Remote Sensing* 22(15): 2911-2925
- Hatton, T. and Evans, R. (1998) *Dependence of ecosystems on groundwater and its significance to Australia*. Land and Water Resources Research and Development Corporation (Australia), Occasional Paper No. 12/98. Canberra, ACT.
- Hao, X., Li, W., Huang, X., Zhu, C. and Ma, J. (2010) Assessment of the groundwater threshold of desert riparian forest vegetation along the middle and lower reaches of the Tarim River, China. *Hydrological Processes* **24**, 178-186.
- Huete, A., Didan, K., Miura, T., Rodriguez, E. P., Gao, X. and Ferreira, L. G. (2002) Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing of Environment* **83**, 195-213.
- Humphreys, W. F. (2006) Aquifers: The ultimate groundwater-dependant ecosystems. *Australian Journal of Botany*. **54**, 115-132.
- Jeffrey, S. J., Carter, J. O., Moodie, K. B. and Beswick, A. R. (2001) Using spatial interpolation to construct a comprehensive archive of Australian climate data. *Environmental Modelling & Software* **16**, 309-330.
- Jolly, I. D., McEwan, K. L. and Holland, K. L. (2008) A review of groundwater-surface water interactions in arid/semi-arid wetlands and the consequences of salinity for wetland ecology. *Ecohydrology* **1**, 43-58.
- Kemmers, R. H., van Delft, S. P. J. and Jansen, P. C. (2003) Iron and sulphate as possible key factors in the restoration ecology of rich fens in discharge areas. *Wetlands Ecology and Management* **11**, 367-381.
- Kichner, J. O. G. (1995) Investigation into the contribution of groundwater to the salt load of the Breede River using natural isotopes and chemical tracers. South African Water Research Commission, WRC Report No 344/1/95.
- Kirchner, J., Moolman, J. H., du Plessis, H. M. and Reynders, A. G. (1997) Causes and Management of Salinity in the Breede River Valley, South Africa. *Hydrogeology Journal* **5**, 98-108.
- Kishel, H. F. and Gerla, P. J. (2002) Characteristics of preferential flow and groundwater discharge to Shingobee Lake, Minnesota, USA. *Hydrological Processes* **16**, 1921-1934.
- Lacey, G. C. (1996) Relating base flow characteristics to catchments properties. A scaling approach. Cooperative Research Centre for Catchment Hydrology, 96/8, Canberra, ACT.

- Lambert, M. J. and Burnett, W. C. (2003) Submarine groundwater discharge estimates at a Florida coastal site based on continuous radon measurements. *Biogeochemistry* **66**, 55-73.
- Lamontagne, S., Leaney, F. and Herczeg, A. (2002) Streamwater Groundwater Interaction: The River Murray at Hattah-Kulkyn Park, Victoria: Summary of Results. CSIRO Land and Water, Technical Report 27/02.
- Lamontagne, S., Cook, P. G., O'Grady, A., and Eamus, D. (2005a) Groundwater use by vegetation in a tropical savanna riparian zone (Daly River, Australia). *Journal of Hydrology* **310**, 280-293.
- Lamontagne, S., Leaney, F. W. and Herczeg, A. L. (2005b) Groundwater-surface water interactions in a large semi-arid floodplain: implications for salinity management. *Hydrological Processes* **19**, 3063-3080.
- Loaiciga, H. A. and Zektser, I. S. (2003) Estimation of Submarine Groundwater Discharge. *Water Resources* **30**, 473-479.
- Macumber, P. G. (1980) The influence of groundwater discharge on the Mallee Landscape. In *Aeolian Landscapes in the Semi- Arid Zone of South Eastern Australia*, 67-85. Aust. Soc. Soil Sci. Riverine Branch.
- Macumber, P. G. (1991) Interaction Between Groundwater and Surface Systems in Northern Victoria. State of Victoria Department of Conservation and Environment, East Melbourne, VIC.
- Macumber, P. G. (1992) Hydrological processes in the Tyrrell Basin, southeastern Australia. *Chemical Geology* **96**, 1-18.
- Macumber P.G. (2004) The hydrogeology of the Avoca Marshes region. Technical Report prepared for Dept. Primary Industries, Kerang, October 2004.
- Mensforth, L. J., Thorburn, P. J., Tyerman, S. D. and Walker, G. R. (1994) Sources of water used by riparian Eucalyptus camaldulensis overlying highly saline groundwater. *Oecologia* **100**, 21-28.
- Mensforth, L. J. (1996) Water use strategy of Melaleuca halmaturorum in a saline swamp. Ph.D. thesis, University of Adelaide, Adelaide, SA.
- Mensforth L. J., Thorburn, P. J., Tyerman, S. D., and Walker, G. R. (1994) Sources of water used by riparian Eucalyptus camaldulensis overlying highly saline groundwater. *Oecologia* **100**, 21-28.
- Metternicht G, Zinck JA (1997) Spatial discrimination of salt and sodium affected soil surfaces. *Int J remote Sens* **18** (12):2571-2586.
- Moore, W. S. (2003) Sources and fluxes of submarine groundwater discharge delineated by radium isotopes. *Biogeochemistry* **66**, 75-93.
- Morris, J. D. and Collopy, J. J. (1999) Water use and salt accumulation by Eucalyptus camaldulensis and Casuarina cunninghamiana on a site with shallow saline groundwater. *Agricultural water management* **39**, 205-227.
- Münch, Z. and Conrad, J. (2007) Remote sensing and GIS based determination of groundwater dependent ecosystems in the Western Cape, South Africa. *Hydrogeology Journal* **15**, 19-28.
- Murray, B. B. R., Zeppel, M. J. B., Hose, G. C. and Eamus, D. (2003) Groundwater-dependent ecosystems in Australia: It's more than just water for rivers. *Ecological Management & Restoration* **4**, 110.
- Nathan, R.J. and Weinmann, P.E. (1993) Low Flow Atlas for Victorian Streams: drought management plan for Victoria's water resources. Department of Conservation and Natural Resources, Victoria, Long Term Planning Guidelines Background Report L3, Melbourne.
- Nicholson, C., Dahlhaus, P., Anderson, G., Kelliher, C. and Stephens, M. (2006) Corangamite Salinity Action Plan 2005-2008. Published report for Corangamite CMA.
- O'Brien, M. (2004) Corporate Geospatial Data Library Catalogue. State of Victoria Department of Primary Industries / Department of Sustainability and Environment, 17th Edition, Melbourne, VIC.
- O'Grady, A. P., Cook P. G., Howe P., and Werren G. (2006) Groundwater use by dominant tree species in tropical remnant vegetation communities. *Australian Journal of Botany*, 2006, **54**, 155-171.
- Oliveira, J., Costa, P. and Braga, E. S. (2006) Seasonal variations of ²²²Rn and SGD fluxes to Ubatuba embayments, São Paulo. *Journal of Radioanalytical and Nuclear Chemistry* **269**, 689-695.
- Pajmans, K. and Csiro Division of Water Land Resources (1985) Aspects of Australian Wetlands. CSIRO Division of Water and Land Resources, technical paper no. 44, Melbourne, VIC.
- Palinska, K., Scholz, J., Sterflinger, K., Gerdes, G. and Bone, Y. (1999) Microbial mats associated with bryozoans (Coorong Lagoon, South Australia). *Facies* **41**, 1-14.

- Patten, D., Rouse, L., and Stromberg, J. (2008) Isolated Spring Wetlands in the Great Basin and Mojave Deserts, USA: Potential Response of Vegetation to Groundwater Withdrawal. *Environmental Management* **41**, 398-413.
- Podniesinski, G. and Leopold, D. (1998) Plant community development and peat stratigraphy in forested fens in response to ground-water flow systems. *Wetlands* **18**, 409-430.
- Radke, L. and Howard, K. (2007) Influence of groundwater on the evaporative evolution of saline lakes in the Wimmera of south-eastern Australia. *Hydrobiologia* **591**, 185-205.
- Salama, R. B., Farrington, P., Bartle, G. A. and Watson, G. D. (1993) The role of geological structures and relict channels in the development of dryland salinity in the wheatbelt of Western Australia. *Aust. J. Earth Sciences* **40**, 45-56.
- Salama, R. B., Tapley, I., Ishii, T. and Hawkes, G. (1994) Identification of areas of recharge and discharge using Landsat-TM satellite imagery and aerial photography mapping techniques. *Journal of Hydrology* **162**, 119-141.
- Schmidt, A., Stringer, C., Haferkorn, U. and Schubert, M. (2009) Quantification of groundwater discharge into lakes using radon-222 as naturally occurring tracer. *Environmental Geology* **56**, 855-863.
- Scholz, O. (1990) Physiochemistry and vegetation of Piccaninnie Ponds, a coastal aquifer-fed pond in south-east South Australia. *Australian Journal of Marine and Freshwater Research* **41**, 237-246.
- Semeniuk, V. (1983) Mangrove distribution in Northwestern Australia in relationship to regional and local freshwater seepage. *Plant Ecology* **53**, 11-31.
- Shugg, A. and Brumley, J. C. (2003) Environmental, hydrogeological and conflict as elements determining the long term viable development of carbonated mineral waters of Hepburn, Victoria. *National Environment Conference* Brisbane, QLD. Environmental Engineering Society and Institute of Engineers, Australia.
- Shugg, A. (2009) Hepburn Spa: cold carbonated mineral waters of Central Victoria, South Eastern Australia. *Environmental Geology* **58**, 1663-1673.
- Siegel, D. I. and P. H. Glaser (1987). Groundwater flow in a bog-fen complex, Lost River peatland, northern Minnesota. *Journal of Ecology* **75**: 743-754.
- Siegel, D. I., Glaser, P. H., So, J. and Janecky, D. R. (2006) The dynamic balance between organic acids and circumneutral groundwater in a large boreal peat basin. *Journal of Hydrology* **320**, 421-431.
- Sinclair Knight Merz (2001) Environmental Water Requirements of Groundwater Dependent Ecosystems. Environment Australia, Environmental Flows Initiative Technical Report Number 2, Canberra, ACT.
- Smith, S., Devitt, D., Sala, A., Cleverly, J. and Busch, D. (1998) Water relations of riparian plants from warm desert regions. *Wetlands* **18**, 687-696.
- Smith, A. J. and Nield, S. P. (2003) Groundwater discharge from the superficial aquifer into Cockburn Sound Western Australia: estimation by inshore water balance. *Biogeochemistry* **66**, 125-144.
- Smith, P. L., Williams, R. M., Hamilton, S. and Shaik, M. (2006) A risk-based approach to groundwater management for terrestrial groundwater dependant ecosystems. *Murray Darling Basin Conference*. Dept. Natural Resources NSW.
- Stewart, M. K., Morgenstern, U. and McDonnell, J. J. (2010) Truncation of stream residence time: how the use of stable isotopes has skewed our concept of streamwater age and origin. *Hydrological Processes* **9999**.
- Talsma, T. and Gardner, B. (1986) Soil water extraction by a mixed Eucalypt forest during a drought period. *Aust Jour Soil Res.* **24** 25-32.
- Taniguchi, M., Turner, J. V. and Smith, A. J. (2003) Evaluations of groundwater discharge rates from subsurface temperature in Cockburn Sound, Western Australia. *Biogeochemistry* **66**, 111-124.
- Tcherepanov E. N., Zlotnik V. A., Henebry G. M. (2005) Using landsat thermal imagery and GIS for identification of groundwater discharge into shallow groundwater dominant lakes. *Int J Remote Sens* **26** (17):3649-3661.
- Thorburn P. J., Hatton T. J. and Walker G. R. (1993a) Combining measurements of transpiration and stable isotopes to determine groundwater discharge from forests. *J. Hydrol.* **150**, 563-587.
- Thorburn P. J., Walker G. R. and Brunel J-P. (1993b) Extraction of water from *Eucalyptus* trees for analysis of deuterium and oxygen-18: laboratory and field techniques. *Plant Cell and Environment* **16**, 269-277.
- Thorburn P. J. and Walker G. R. (1994). Variations in stream water uptake by *Eucalyptus camaldulensis* with differing access to stream water. *Oecologia*, **100**: 293-301.
- Thornthwaite, C. W. (1948) An Approach toward a Rational Classification of Climate. *Geographical Review* **38**, 55-94.

- Turnbull, R. L. (2006) A Physical and Hydrogeochemical Investigation of Groundwater-Surface Water Interactions in Lake Corangamite and surrounding lakes, Western District of Victoria, Australia thesis, Monash University, Melbourne, VIC.
- Tweed, S. O., LeBlanc, M., Webb, J. A. and Lubczynski, M. W. (2007) Remote sensing and GIS for mapping groundwater recharge and discharge areas in salinity prone catchments, southeastern Australia. *Hydrogeology Journal* **15**, 75-96.
- van Etten, E. and Vellekoop, S. (2009) Response of fringing vegetation to flooding and discharge of hypersaline water at Lake Austin, Western Australia. *Hydrobiologia* **626**, 67-77.
- Valiela, I., Costa, J., Foreman, K., Teal, J., Howes, B. and Aubrey, D. (1999) Transport of groundwater-borne nutrients from watersheds and their effects on coastal waters. *Biodegradation* **10**, 177-197.
- Van Tol, G., Van Dobben, H. F., Schmidt, P., and Klap, J. M. (1998). Biodiversity of Dutch forest ecosystems as affected by receding groundwater levels and atmospheric deposition. *Biodiversity & Conservation* **7**, 221.
- Wagner, F. H. and Bretschko, G., 2003. Riparian Trees and Flow Paths between the Hyporheic Zone and Groundwater in the Oberer Seebach, Austria. *International Review of Hydrobiology* **88**, 129-138.
- Walker, G., Gilfedder, M., Evans, R., Dyson, P. and Stauffacher, M. (2003) Groundwater Flow Systems Framework-Essential tools for planning salinity management. Murray-Darling Basin Commission, MDBC 14/03, Canberra, ACT.
- Walsh, P. (2008) A new method for analyzing the effects of joints and stratigraphy on spring locations: a case study from the Sacramento Mountains, south central New Mexico, USA. *Hydrogeology Journal* **16**, 1459-1467.
- White, J. W. C., Cook, E. R., Lawrence, J. R. and Wallace S. B. (1985) The ratios of sap in trees: Implications for water sources and tree ring ratios. *Geochimica et Cosmochimica Acta* **49**, 237-246.
- Winter, T. C. (1999) Relation of streams, lakes, and wetlands to groundwater flow systems. *Hydrogeology Journal* **7**, 28-45.
- Winter, T. C., Harvey, J. W., Franke, O. L. and Alley, W. M. (1998) Ground Water and Surface Water A Single Resource. U.S. Geological Survey, USGS Circular 1139, Denver, CO.
- Wu, Y., Wen, X. and Zhang, Y. (2004) Analysis of the exchange of groundwater and river water by using Radon-222 in the middle Heihe Basin of northwestern China. *Environmental Geology* **45**, 647-653.
- Zencich, S. J., Froend, R. H., Turner, J. T., Gailitis, V. (2002) Influence of groundwater depth on the seasonal sources of water accessed by Banksia tree species on a shallow, sandy coastal aquifer. *Oecologia* **131**, 8-19.

ISBN 978-1-74264-321-2 (print)
ISBN 978-1-74264-322-9 (CD-ROM)
ISBN 978-1-74264-323-6 (online)