


Wimmera CMA Land Resource Assessment Project

Geomorphological / Soil-landform units

Natimuk



Legend

- Mapsheet boundary
- Towns
- Highway
- Major sealed roads
- Minor sealed roads
- Watercourses
- Waterbodies
- Grampians storage / Terminal lake wetlands
- Soil sites
- Soil landform unit

Geomorphological units

2.1.1	4.1.1	5.1.3	6.3.1
2.1.2	4.1.2	5.1.5	
2.1.3	4.2.1	5.2.1	
2.1.4	4.2.2	5.2.2	
2.1.5	4.2.3	5.3.3	
2.1.6	4.3	5.4	
2.1.7		5.5.1	
2.2.1		5.5.2	
2.2.2		5.5.3	
2.2.3		5.6	
2.3.1			
2.3.2			

Hillshade: Colours illustrated in the legend representing geomorphological units may be distorted due to applying a hillshade background. The hillshade helps to identify landform features but may also affect the colouring of the unit features.

Map user notes - Soil-landform maps

Soil-landform units are labelled using an abbreviation to avoid excessive clutter on the maps (e.g. Goroko instead of Goroko plains and rises). A full list of abbreviations used can be found in Appendix C of the report A land resource assessment of the Wimmera region (Robinson et al. 2005) located on the CD-ROM.

Soil-landform units are colour coded according to their assigned geomorphological description (e.g. 2.1.1 = Ridges, escarpments, mountains on non-granitic Palaeozoic rock of the Western Uplands (Pyrenees Ranges, Avon Hills, Colerain Hills, Tarrangower, Big Hill, Mount Macedon)). These descriptions of geomorphology can be found in the report and comply with standards established as part of the Victorian Geomorphological Framework (<http://www.dpi.vic.gov.au/vro>).

The geomorphological framework provides a statewide system for classifying land and ecosystems as a consistent and seamless spatial dataset. The geomorphological framework has many levels (tiers) of geomorphological understanding with reference to landscape processes and environmental features (geology, landform, climate, soils and native vegetation). The framework has a systematic and hierarchical nomenclature with the lowest, most detailed tier groupings of land systems at a scale of 1:250 000-1:100 000 - the soil-landform units presented in this study are considered the 3rd tier level within the hierarchy of geomorphology. This tier (3rd level) is of greater complexity and has been useful in assessing how different soil-landforms and ecosystems behave. These units provide a framework that helps us to understand the vegetation type distribution as well as the soil type distribution, and hence has some bearing on natural habitat distribution for fauna and flora.

Scale 1:100 000



COORDINATE SYSTEM MGA94


PROJECTION: Universal Transverse Mercator (UTM) Projection

DATUM: Horizontal: Geocentric Datum of Australia (GDA)
Vertical: Australian Height Datum (AHD)

GRID: Map Grid of Australia 1994 (MGA94) Zone 54
Grid Interval 10000 metres

This map is produced on the Geocentric Datum of Australia 1994 (GDA). GDA supersedes the Australian Geodetic Datum of 1966 (AGD).

For all practical purposes GDA is the same as the World Geodetic System (WGS84) as used in the Global Positioning System.



Additional information:
Base data such as roads, rivers, lakes and towns are sourced from the DPV/DSE Corporate Geospatial Data Library. This map has been produced as part of the Land Resource Assessment of the Wimmera CMA region.

This map may be of assistance to you but the State of Victoria and its employees do not guarantee that the map is without flaw of any kind, or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this map.

Map produced December 2005
Copyright: The State of Victoria, Department of Primary Industries, 2005

Primary Industries Research, Victoria (PIRVic)
Department of Primary Industries
Cnr Midland Hwy & Taylor Street, Epsom, 3551
Ph: (03) 5430 4444
Fax: (03) 5430 4304

